

North Carolina's Basinwide Planning Program

Division of Water Quality
Department of Environment and
Natural Resources




Presentation Overview

- Basinwide Planning Program
- Basinwide Plans
- Surface Water Classifications
- Use Support
- Neuse, Tar-Pamlico and White Oak River Basins



Basinwide Planning Program

Implemented in All 17 River Basins



Basinwide Planning Goals

- Identify water quality problems and restore impaired waters;
- Identify and protect high value resource waters;
- Protect unimpaired waters and support responsible economic growth.

Basinwide Planning Objectives

- Work with other agencies to develop appropriate management strategies;
- Assure equitable distribution of waste assimilative capacity;
- Better evaluate cumulative effects of pollution; and
- Improve public awareness and involvement.

Basinwide Planning Benefits

- Fosters public participation
- Focuses resources
- Fosters comprehensive NPDES permitting
- Uses sound ecological planning
- Integrates and coordinates programs and agencies.

Basinwide Plans Contain:

- Specific management strategies for point sources
- General recommendations for nonpoint sources
- Collaboration by nonpoint source agencies, voluntary initiatives, local governments and other citizens
- Guidance for obtaining funds for projects

Basin Plan Structure

General Information about the Basin,
Impacts and Solutions

Subbasin and Watershed Information
Water quality data & watershed specific
recommendations

Current and Future Initiatives
Current initiatives, success stories, and
future initiatives

Water Quality Classifications

Primary Classifications

Fresh Water- C, B, WS I-V

Salt Water- SC, SB, SA

Supplemental Classifications

NSW - Nutrient Sensitive Waters

HQW - High Quality Waters

ORW - Outstanding Resource Waters

Sw – Swamp Waters

- Example: New River - C NSW, SB NSW, SC NSW and SA HQW



Class C: Aquatic Life Protection & Secondary Recreation



Class B: Primary Recreation & Class C Uses



**Class SA:
Commercial
Shellfish
Harvesting
and Primary
Recreation**

Photo By: Bob Williams



WS-I through WS-V: Water Supplies

What Are 'Designated Uses'?

Based on NC Surface Water Classifications:

- protection and propagation of aquatic life
- recreation
- shellfish harvesting
- fish consumption
- water supply

Uses are defined in rules as:

- narrative and numerical standards

DWQ Data Collection

- Aquatic Macroinvertebrates
- Fish Community Assessments
- Ambient Sampling
- Fish Tissue Analyses
- Toxicity Tests
- Lakes Assessment

Aquatic Macroinvertebrates

.....



Number of Insects
Diversity of Species

Abundance of Species
Pollution Tolerance



Fish Community Assessments



Ambient Monitoring Data

.....



Samples Collected Monthly,
27 Parameters Analyzed

Toxicity Testing & Fish Tissue Analyses



Lakes Assessments



Determining how well a water supports its designated uses (based on its classification) is a means of interpreting data and assessing water quality.

These assessments result in use support ratings.

Use Support Categories

Aquatic Life - Applies to all waters





Recreation - Applies to all waters

Shellfish Harvesting - Applies to SA waters only

Fish Consumption - Applies to all waters

Water Supply - Applies to WS waters only

Use Support Ratings

- **Supporting**  **Criteria Not Exceeded**
- **Impaired**  **Criteria Exceeded**
- **Not Rated**  **Inconclusive Data**
- **No Data**  **No Assessment Made**

Aquatic Life

Assessed for All Waters -
C, SC, B, SB, SA, WSI-WS-V

Use Support Assessment based on:

- Biological Monitoring Data - Direct Measure of aquatic life
- Ambient Monitoring Data - Numerical Measure (criteria based on standards)

Aquatic Life


Ambient Monitoring Criteria based on Standards

Parameters Assessed:


DO, pH, Chlorophyll *a*, Turbidity

- Waters that exceed standard in greater than 10% of samples are **Impaired**.


Impaired for Aquatic Life Neuse River Basin




Impaired for Aquatic Life Neuse River Basin




Impaired for Aquatic Life Neuse River Basin






**Impaired for Aquatic Life
Tar-Pamlico River Basin**

All Waters



Monitored Waters



Recreation

Assessed for All Waters -

C, SC, B, SB, SA, WSI-WSV

Parameter Assessed: Fecal Coliform Bacteria

- Ambient Monitoring Stations
- DWQ Special Studies
- DEH Recreational Monitoring Advisories (RECMON)


Recreation

- Fecal coliform criteria exceeded when annual evaluation shows geometric mean >200 or 20% of samples >400 colonies/100 ml.
- Class B, SB and SA waters that exceed fecal coliform screening criteria are prioritized for resampling to assess the standard.
- Class C, SC and WS waters that exceed fecal coliform criteria receive lower priority for resamples.

Recreation (DEH RECMON)

- Criteria are exceeded when DEH closes a swimming area more than 61 days of the 5- year assessment period.
- Swimming areas closed more than 61 days are **Impaired**.

Impaired for Recreation Tar-Pamlico River Basin




Shellfish Harvesting

Assessed for Class SA Waters –


Criteria based on DEH growing areas.

- Prohibited, Restricted and Conditional - SA waters are **Impaired**.
- Approved SA waters are **Supporting**.


Impaired for Shellfish Harvesting



Impaired for Shellfish Harvesting Tar-Pamlico River Basin



Impaired for Shellfish Harvesting White Oak River Basin



Fish Consumption

Assessed for All Waters -

C, SC, B, SB, SA, WSI-WS-V

- Criteria based on DHHS fish consumption advice and specific advisories.
- Waters with specific advisories are **Impaired**.
- Waters in basins south and east of I-85 are **Impaired** based on regional advice for mercury.

Water Supply

Assessed for WS Waters -

- Criteria based on the ability of water treatment plants to deliver potable water; not on standards for raw water.
- Regional water treatment consultants provide water quality related intake closure information.
- All WS waters are **Supporting** on an Evaluated basis.

TMDLs and Management Strategies

- Required for waters on the state's 303(d) List of impaired waters
- A TMDL must be developed for each problem parameter on the list
- Each TMDL must take into account all potential sources of pollution
- TMDLs can be qualitative or quantitative
- A TMDL can address a small stream segment, larger watershed, or an entire river basin

Tar-Pamlico NSW Strategy

Goals of Phase II (1995-2004)

30% reduction in nitrogen load from 1991 levels

Hold Phosphorus load to 1991 levels

Point Sources Status


- staying below annual N, P caps
- planning Phase III
- Monitoring coalition is being formed with target start date of January 2005

Tar-Pamlico NSW Strategy

Nonpoint Source Status

- Stormwater - submit local programs by February 2004, implement programs by August 2004
- Nutrient Management - train trainers Fall 2003 with local training following
- Buffer protection - effective January 2000
- Agriculture - EMC approves local strategies in October 2003 and achieve reductions by September 2006 or EMC can reevaluate reduction strategy

Grimesland



*** Note that use support assessment methods are always draft and are likely to change based on better data availability and technology, as well as changes in EPA guidance.**

- ***What is a River Basin?***


All the land draining to a major river system.

- ***What is a Watershed?***


The land area draining into a smaller body of water, such as a creek, stream, pond, etc. There are many watersheds in each river basin.

What is a Watershed?

Land Cover in the Neuse River Basin (1993-95)



My Watershed



Public Input - 5 year

- Help define critical issues
- Assist in identifying problem areas
- Help develop and implement pollution control strategies
- Identify others that should be involved

Public Input on Draft Basin Plan

- Seek input on Draft Basin Plan
- At least 30 day comment period
- Comments accepted by mail & email
- Revisions are made as needed to enhance, correct or clarify the plan.

Ongoing Initiatives

- Emphasize the vital role of public participation
- Focus on implementation
- Foster program linkages
- Improve use support methodology
- Conduct additional monitoring

Links to Other Programs

- Provide Information
- Draft Language for the Plan
- Collaborate in Developing Management Strategies
- Participate in Public Input Events
- Assist in Implementing the Plan

Other Involved Agencies & Organizations

- *DENR Agencies & Divisions:*
 - Coastal Management
 - Soil and Water Conservation
 - Forest Resources
 - Environmental Health
- *APNEP*
- *Ecosystem Enhancement Program*

- *Federal Agencies:*
 - USACE
 - USFWS
 - USGS
 - NRCS
- *Council of Governments*
- *CWMTF*
- *Watershed Organizations*
- *Academia*
- *State of VA – DCR, DEQ*

Neuse River Basin

- Current Basinwide Water Quality Plan 2002
- Revision to Plan 2007
- DWQ collected biological data – summer 2005

Tar-Pamlico River Basin

- Current Basinwide Water Quality Plan - 2004
- Revision to Plans 2009
- DWQ to collect biological data – summer 2007

White Oak River Basin

- Current Basinwide Water Quality Plan - 2001
- Revision to Plans 2006
- DWQ to collect biological data – summer 2004

A sunset scene over a body of water. The sun is a bright yellow circle on the right side of the horizon, casting a long, shimmering reflection down the water. The sky is a gradient of orange and red. In the distance, a small boat with a mast is visible on the water.

Basinwide Planning Program Website:
<http://h2o.enr.state.nc.us/basinwide>

or call
919-733-5083 x. 575

Cam.mcnutt@ncmail.net