


WATER-QUALITY DATA FROM CONTINUOUSLY MONITORED SITES
IN THE PAMLICO AND NEUSE RIVER ESTUARIES,
NORTH CAROLINA, 1989-90



U.S. GEOLOGICAL SURVEY
Open-File Report 91-465



ALBEMARLE-PAMLICO
ESTUARINE STUDY
Report No. 91-06

Prepared in cooperation with the
NORTH CAROLINA DEPARTMENT OF ENVIRONMENT,
HEALTH, AND NATURAL RESOURCES

Contents of this publication do not necessary reflect the views and policies
of the Albemarle-Pamlico Estuarine Study.

COVER PHOTOGRAPH: Channel marker, Pungo River at Junction Light "PR,"
Beaufort County, North Carolina. Photograph by Jerad D. Bales, U.S.
Geological Survey, Raleigh, North Carolina.

WATER-QUALITY DATA FROM CONTINUOUSLY MONITORED SITES IN THE PAMLICO
AND NEUSE RIVER ESTUARIES, NORTH CAROLINA, 1989-90

By Ronald G. Garrett and Jerad D. Bales

U.S. GEOLOGICAL SURVEY

Open-File Report 91-465



Prepared in cooperation with the
ALBEMARLE-PAMLICO ESTUARINE STUDY,
NORTH CAROLINA DEPARTMENT OF ENVIRONMENT,
HEALTH, AND NATURAL RESOURCES

Raleigh, North Carolina

1991

U.S. DEPARTMENT OF THE INTERIOR

MANUEL LUJAN, JR., Secretary

U.S. GEOLOGICAL SURVEY

Dallas L. Peck, Director

For additional information
write to:

District Chief
U.S. Geological Survey
3916 Sunset Ridge Road
Raleigh, North Carolina 27607

Copies of this report can
be purchased from:

U.S. Geological Survey
Books and Open-File Reports
Federal Center, Box 25425
Denver, Colorado 80225

CONTENTS

	Page
Abstract	1
Introduction	1
Purpose and scope	3
Acknowledgments	4
Estuaries and monitored sites.	4
Pamlico River estuary	5
Neuse River estuary	6
Data collection and processing	9
Instrumentation	9
Field procedures.	15
Data processing	16
Water-quality data	17
Box plots	17
Daily mean values	18
References	149

ILLUSTRATIONS

Figure 1. Map showing location of Tar-Pamlico and Neuse River drainage basins.	5
2. Map showing location of continuous water-quality monitoring sites in the Pamlico River and Neuse River estuaries	7
3-6. Box plots of salinity concentrations at the Pamlico River estuary monitoring sites for:	
3. October 27-31, 1989	19
4. December 6-10, 1989	20
5. May 16-20, 1990	21
6. July 26-30, 1990.	22
7-10. Dissolved-oxygen concentrations at the Pamlico River estuary monitoring sites for:	
7. November 21-25, 1989.	23
8. January 16-20, 1990	24
9. May 16-20, 1990	25
10. June 21-25, 1990.	26

	Page
11-14. Salinity concentrations at the Neuse River estuary monitoring sites for:	
11. September 1-5, 1989	27
12. December 6-10, 1989	28
13. May 26-30, 1990	29
14. June 21-25, 1990.	30
15-18. Dissolved-oxygen concentrations at the Neuse River estuary monitoring sites for:	
15. September 1-5, 1989	31
16. December 6-10, 1989	32
17. May 26-30, 1990	33
18. June 21-25, 1990.	34

TABLES

Table 1. Continuous water-quality monitoring sites for salinity, water temperature, and dissolved oxygen	8
2. Maximum and minimum values recorded for salinity, water temperature, and dissolved oxygen in water at the water-quality monitoring sites,	
April 1989 to September 1990.	10
3-13. Daily mean values of salinity, water temperature, and dissolved oxygen in water at:	
3. Site 1, Pamlico River at Channel Light 16,	
April 1989 to September 1990	36
4. Site 2, Pamlico River at Light 5,	
April 1989 to September 1990	48
5. Site 3, Pamlico River at Light 4,	
April 1989 to September 1990	60
6. Site 4, Pamlico River at Light 3,	
May 1989 to September 1990	72
7. Site 5, Goose Creek at Light 6,	
May 1989 to September 1990	84

	Page
8. Site 6, Pungo River at Junction Light PR, May 1989 to September 1990	96
9. Site 7, Neuse River at Channel Light 22, May to December 1989	107
10. Site 8, Neuse River at Channel Light 11, May to December 1989	113
11. Site 9, Neuse River at Channel Light 9, May 1989 to September 1990	119
12. Site 10, Adams Creek at Light 4, June 1989 to September 1990.	131
13. Site 11, Neuse River at Junction Light, May to September 1990.	143

CONVERSION FACTORS, VERTICAL DATUM, AND TEMPERATURE

Multiply	By	To obtain
<i>Length</i>		
inch (in.)	25.4	millimeter
foot (ft)	0.3048	meter
mile (mi)	1.609	kilometer
<i>Area</i>		
square mile (mi ²)	2.590	square kilometer
<i>Mass per unit volume</i>		
grain per gallon (gr/gal)	0.05841	milligram per liter
<i>Flow</i>		
cubic foot per second (ft ³ /s)	0.3048	meter per second
<i>Specific Conductance</i>		
micromho per centimeter at 25 degrees Celsius (μ mho/cm at 25°C)	1.000	microsiemen per centimeter at 25 degrees Celsius

Sea level: In this report, "sea level" refers to the National Geodetic Vertical Datum of 1929--a geodetic datum derived from a general adjustment of the first-order level nets of the United States and Canada, formerly called Sea Level Datum of 1929.

Temperature: In this report, atmospheric temperature is given in degrees Fahrenheit ($^{\circ}$ F), which can be converted to degrees Celsius ($^{\circ}$ C) by the following equation:

$$^{\circ}\text{C} = 5/9 \times (^{\circ}\text{F}-32)$$

Water temperature is given in degrees Celsius ($^{\circ}$ C), which can be converted to degrees Fahrenheit ($^{\circ}$ F) by the following equation:

$$^{\circ}\text{F} = 1.8 (^{\circ}\text{C}) + 32$$

WATER-QUALITY DATA FROM CONTINUOUSLY MONITORED SITES IN THE PAMLICO
AND NEUSE RIVER ESTUARIES, NORTH CAROLINA, 1989-90

By Ronald G. Garrett and Jerad D. Bales

ABSTRACT

Beginning in April 1989, water-quality measurements were made at six sites in or near the Pamlico River estuary and at five sites in or near the Neuse River estuary. Measurements taken at 15-minute intervals included near-surface and near-bottom specific conductance; near-surface water temperature; and near-surface, mid-depth, and near-bottom dissolved-oxygen concentrations.

Water-quality data obtained from continuously monitored sites in the Pamlico River estuary and the Neuse River estuary are presented for the period April 1989 through September 1990. Instantaneous values for selected periods are summarized in a series of box plots. Instantaneous maximum and minimum values are also tabulated. Daily mean values of salinity, water temperature, and dissolved-oxygen concentrations for the entire period are presented in tables and graphs.

INTRODUCTION

Estuarine environmental monitoring has been defined as "a continuing program of modeling, measurement, analysis, and synthesis that predicts and quantifies environmental conditions or contaminants and incorporates that information effectively into decision making in environmental management" (National Research Council, 1990). Monitoring data can provide information to (1) evaluate pollution abatement activities and control waste discharges, (2) measure trends in water quality, (3) detect new environmental problems in their early stages, potentially leading to lower-cost solutions,

(4) evaluate human health hazards, and (5) determine the response of organisms to changes in habitat quality (National Academy of Sciences, 1977; Pearce and Despres-Patanjo, 1988; National Research Council, 1990).

The estuarine environment is extremely complex and highly variable, and it is often difficult to detect changes or to separate trends from natural variations. For example, salinity may be affected by tides, variable freshwater inputs, meteorological conditions, bathymetry, sea-level rise, and other factors, all of which are temporally and spatially variable. Moreover, there is a physical coupling between salinity and the flow field. Flows are generated by spatial salinity (density) gradients. The flow field, in turn, advects and mixes salt, and thereby affects the spatial salinity gradients. Salinity is also an important biological factor affecting species productivity and diversity, as well as perhaps the appearance of certain finfish diseases (Noga and Stanley, 1989).

Likewise, dissolved oxygen fluctuates in response to flows, to the salinity-controlled density field, to diurnal and vertical variations in community metabolism, and to variable water-quality conditions. Because vertical density gradients control the transport of oxygen through the water column, salinity distributions and dissolved-oxygen concentrations are closely related. Adequate dissolved-oxygen levels are critical to the biological health of the estuary.

Because of the complex and variable nature of estuaries, continuously recording water-quality instruments can play a key role in monitoring. For example, after evaluating data collected at bimonthly intervals, the Chesapeake Bay Program staff recognized the need for continuously monitored salinity, dissolved oxygen, and temperature data (Martin Marietta Environmental Systems, 1987a, 1987b). The recently initiated Environmental Monitoring and Assessment Program continuously monitored near-bottom dissolved oxygen during the summer of 1990 at 30 estuarine sites from Massachusetts to Virginia (Holland, 1990).

The Albemarle-Pamlico (A-P) Estuarine Study implemented an estuarine monitoring program in 1988 (Holman, 1988). The monitoring program includes an expanded ambient water-quality monitoring network, fish tissue analysis,

sediment-oxygen demand studies, a citizens monitoring program, and a network of continuous water-quality monitors. The expanded ambient monitoring network and the continuous-monitoring network were designed to provide compatible data, and, in many locations, the ambient- and continuous-monitoring network sites coincide. Information from these and other biological and water-quality monitoring activities in the Sounds provides a comprehensive overview of the health of the estuarine system.

In 1988, the U.S. Geological Survey (USGS), in cooperation with the North Carolina Department of Environment, Health, and Natural Resources, initiated an investigation of water quality in the Pamlico and Neuse River estuaries. The investigation involves the continuous measurement of certain water-quality constituents and analysis of those data to (1) provide information to be used in conjunction with other A-P Study monitoring data to characterize baseline conditions in the two estuaries; (2) evaluate temporal trends after sufficient data are available; (3) characterize the extent, frequency, and duration of density stratification; (4) describe the dissolved-oxygen regime, including the relation of hypoxia to density stratification; and (5) provide data for hydrodynamic and water-quality modeling.

Purpose and Scope

The purpose of this report is to provide a summary of the continuously monitored water-quality data obtained in the Pamlico River and the Neuse River estuaries. This report covers the period from April 1989, when monitoring first began, through September 1990, which is the end of the first full water year¹ of data. Water-quality data were measured at 15-minute intervals at six sites in the Pamlico River estuary and at five sites in the Neuse River estuary. Measurements include near-surface and near-bottom specific conductance; near-surface water temperature; and near-surface, mid-depth, and near-bottom dissolved-oxygen concentrations. Specific-conductance data were converted to and reported as salinity values. Basic statistics were used to present selected data as box plots, and instantaneous data are summarized as daily mean values in tables and graphs.

¹Period extending from October 1 through the following September 30. The water year is determined by the calendar year in which it ends.

Acknowledgments

This investigation is being conducted in cooperation with the North Carolina Department of Environment, Health, and Natural Resources (EHN), Albemarle-Pamlico Estuarine Study. Douglas N. Rader (formerly of EHN) saw the urgent need for continuously monitored water-quality data and was helpful in initiating this study; Robert E. Holman (formerly of EHN) and Randall G. Waite (EHN) have helped ensure the continued operation of the monitoring network. Steve Tedder, Jimmie Overton, Dianne Reid, and Jay Sauber of the North Carolina Division of Environmental Management, and Mike Street and Jess Hawkins of the North Carolina Division of Marine Fisheries cooperated in the design of the water-quality monitoring network and have provided continuing support for the study. The U.S. Coast Guard, Fifth District, granted permission for use of existing channel markers to support data-collection instrumentation. The Coast Guard also assisted in instrument installation at some of the sites and participated in the recovery of instrumentation at downed channel markers.

ESTUARIES AND MONITORED SITES

The Pamlico River estuary and the Neuse River estuary lie within the Coastal Plain physiographic province of North Carolina (fig. 1). Much of the shoreline surrounding these two estuaries is composed of marshes, particularly near the mouths of the estuaries (Bellis and others, 1975; Copeland and others, 1984). Land-surface elevations in the area are generally less than 25 feet (ft) above sea level. Streams which drain to the estuaries have small drainage basins with little topographic relief, low sediment loads, and fairly acidic waters (Copeland and others, 1984).

The climate of the region is moderately mild and humid. The annual mean temperature is more than 60°F, and mean annual precipitation ranges from about 50 inches on the north side of the Pamlico River estuary to about 56 inches on the south side of the Neuse River estuary (Hardy and Hardy, 1971). Interannual variability in precipitation is large, ranging from 35 to 80 inches, but precipitation is relatively uniform throughout the year, with highest rainfall amounts typically occurring in July, August, and September. Evapotranspiration rates average about 34 inches per year and

exhibit much less variability from year to year than precipitation (Wilder and others, 1978). Average wind speeds are about 10 miles per hour. Winds typically blow from south to southwest between April and August, and from north to northwest between September and February; there is no predominant prevailing wind direction during March.




Figure 1.--Location of Tar-Pamlico and Neuse River drainage basins.

Pamlico River Estuary

Upstream from Washington, the Pamlico River is known as the Tar River and drains a 3,080 square mile (mi^2) rural area in the Piedmont and Coastal Plain (fig. 1). Downstream from Washington, the Pamlico River estuary

drains an additional area of 1,220 mi² near the confluence of the Pamlico and Pungo Rivers, giving a total drainage area of 4,300 mi² for the Tar and Pamlico basins.

The distance from Washington to the confluence of the Pamlico and Pungo Rivers is about 30 miles (mi). The Pamlico River estuary width increases from about 1,000 ft at Washington to more than 4 mi at the Pamlico-Pungo confluence. Maximum depths range from about 10 ft at Washington to about 18 ft at the mouth. The bottom material near Washington is primarily organic-rich mud; in the lower reaches of the estuary, fine-grained materials occur mostly along the channel axis, and sand predominates near the shoreline (Wells, 1989).

Annual average inflow to the Pamlico River estuary at Washington has been estimated to be 3,140 cubic feet per second (ft³/s) (Harned and Davenport, 1990). Average annual runoff for the 1,220 mi² drainage area downstream from Washington is estimated to be 2,260 ft³/s. Average daily water-level range is 1.0 ft at Washington and 0.6 ft near the mouth of the Pamlico River (Bales, 1990).

Four water-quality monitoring stations were established on channel markers in the Pamlico River estuary; two additional stations were placed at the mouths of Pungo River and Goose Creek, respectively, which flow into the Pamlico River (fig. 2). Water depth at the monitoring stations ranges from 11 ft at sites 1 and 4, to 15 ft at site 2 (table 1). Salinities generally ranged from near zero to about 20 parts per thousand (ppt); however, unusually high salinities (up to about 51 ppt, table 2) were observed at site 5 on July 11, 1990. Instrument readings and calibration records were closely checked to verify these high values. Recorded water temperatures in the Pamlico River were between 0°C and 33°C during the measurement period. Dissolved-oxygen concentrations from less than 1 milligram per liter (mg/L) to 19 mg/L were recorded (table 2).

Neuse River Estuary

Like the Tar River, the Neuse River originates in the Piedmont province of North Carolina (fig. 1) and drains upstream from New Bern, a 4,470 mi²




Figure 2.--Location of continuous water-quality monitoring sites in the Pamlico River and Neuse River estuaries.

area characterized by several large urban areas and widespread agriculture. Downstream from New Bern, an additional 1,130 mi² drain to the Neuse River estuary giving a total drainage area of 5,600 mi² near site 11, Neuse River at Junction Light (fig. 2).

Table 1.--Continuous water-quality monitoring sites for salinity, water temperature, and dissolved oxygen

Site number (fig. 2)	Location	Latitude	Longitude	Mean water depth (feet)	Period of record
1	Pamlico River at Channel Light 16	35°30'30"	77°01'12"	11	04/89-09/90
2	Pamlico River at Light 5	35°25'48"	76°50'30"	15	04/89-09/90
3	Pamlico River at Light 4	35°24'47"	76°45'52"	14	04/89-09/90
4	Pamlico River at Light 3	35°21'24"	76°38'48"	11	05/89-09/90
5	Goose Creek at Light 6	35°19'54"	76°37'06"	12	05/89-09/90
6	Pungo River at Junction Light PR	35°22'42"	76°33'24"	12	05/89-09/90
7	Neuse River at Channel Light 22	35°04'48"	77°00'24"	15	05/89-12/89
8	Neuse River at Channel Light 11	34°59'56"	76°56'36"	13	05/89-12/89
9	Neuse River at Channel Light 9	34°56'54"	76°48'36"	11	05/89-09/90
10	Adams Creek at Light 4	34°57'24"	76°40'54"	8	06/89-09/90
11	Neuse River at Junction Light	35°08'42"	76°30'06"	17	05/90-09/90

The Neuse River estuary varies in width from 0.9 mi at New Bern to about 6.3 mi at the mouth. Average depths range from 8 ft at New Bern to 17 ft at the mouth (Giese and others, 1985). The bottom material composition of the Neuse River estuary is similar to that of the Pamlico River estuary, where fine-grained materials predominate along the channel axis and sand generally occurs near the shoreline (Wells, 1989).

Annual average inflow to the Neuse River estuary at New Bern is about 4,910 ft³/s (Harned and Davenport, 1990). Giese and others (1985) estimated that the average freshwater outflow from the entire Neuse River basin is about 6,500 ft³/s, meaning that the annual average freshwater inflow from lands adjacent to the estuary is about 1,600 ft³/s. The daily mean water-level range is 1.0 ft at New Bern and 0.6 ft near site 10 (fig. 2).

Four water-quality monitoring stations are located along an approximately 35-mi reach in the Neuse River estuary; one additional station was located at the mouth of Adams Creek, a tributary to the Neuse River (fig. 2). Site 7 was in operation from May 1989 until December 1989, when its channel marker platform was destroyed by ice. The multi-pile channel marker which was destroyed was replaced by a single-pile marker, so it was not possible to reinstall the data-collection instrumentation. The channel marker at site 8 was also destroyed by ice in December 1989, but a multi-pile marker was reconstructed and the data-collection instrumentation was reactivated in November 1990.

Between May 1989 and September 1990, salinities ranged from less than 0.1 ppt to nearly 33 ppt. During the same period, recorded water temperatures in the Neuse River estuary were between 0°C and 33°C. Dissolved-oxygen concentrations of less than 1 mg/L to 20 mg/L were recorded (table 2).

DATA COLLECTION AND PROCESSING

Standard U.S. Geological Survey procedures for the collection and analysis of water-quality data were followed. Procedures for servicing data-collection instrumentation and for processing the data were also developed for the specific instrumentation and conditions of this study. The description and function of the instruments used to collect data, as well as field and data-processing procedures, are outlined in this section.

Instrumentation

The central component of the data-collection system is the U.S. Geological Survey minimonitor (Gordon and Katzenbach, 1983; Ficken and Scott, 1989). The minimonitor consists of (1) a water-tight can (about

Table 2.--Maximum and minimum values recorded for salinity,
water-quality monitoring sites,
[ppt, parts per thousand; °C, degrees Celsius;

Site number (fig. 2)	Station name and number ^{1/} (Period of record)	Constituent			
		Salinity, near surface (ppt)		Salinity, near bottom (ppt)	
		Maximum (Date)	Minimum (Date)	Maximum (Date)	Minimum (Date)
1	Pamlico River at Channel Light 16, 0208450705 (4/89-9/90)	5.1 (9/29/90)	<0.1 (7/20-26/89; 8/21,23/89; 12/6,15,17- 22/89; 4/27-30/90; many days in May and June 1990; 7/10/90; 8/16/90)	11.0 (8/1/89)	<0.1 (many days in June, July, November, and December 1989; January, April, May, and June 1990)
2	Pamlico River at Light 5, 0208453300 (4/89-9/90)	10.5 (8/14/90)	0.10 (3/18,21/90)	16.7 (8/24/89)	<0.1 (4/12/90)
3	Pamlico River at Light 4, 0208454253 (4/89-9/90)	10.0 (8/28/90)	<0.1 (5/6/89)	14.1 (8/30/90)	0.4 (4/21/90)
4	Pamlico River at Light 3, 0208455155 (5/89-9/90)	11.2 (9/4/89; 9/1/90)	0.9 (5/17/89)	13.1 (8/26/90)	1.7 (5/14,16/89)
5	Goose Creek at Light 6, 0208455615 (5/89-9/90)	14.4 (8/6/90)	2.1 (3/13/90)	50.7 (7/11/90)	2.9 (6/14/89)

^{1/} U.S. Geological Survey downstream order number.

water temperature, and dissolved oxygen in water at the April 1989 to September 1990 mg/L, milligrams per liter; <, less than]

Constituent--Continued							
Water temperature, near surface (°C)		Dissolved oxygen, near surface (mg/L)		Dissolved oxygen, mid-depth (mg/L)		Dissolved oxygen, near bottom (mg/L)	
Maximum (Date)	Minimum (Date)	Maximum (Date)	Minimum (Date)	Maximum (Date)	Minimum (Date)	Maximum (Date)	Minimum (Date)
33.3 (8/14/90)	1.0 (12/4, 21, 22/89; 1/13/90)	15.0 (12/3, 4/89)	1.4 (8/7/89)	15.4 (6/17/90)	<1.0 (6/28/89; 10/28/89; 11/2-4/89; 8/19-23/90; 9/12-17, 27, 29/90)	16.4 (7/19/90)	<1.0 (8/16, 18-31/89; 9/1-4, 9-11/89; 10/28-31/89; 11/1-4/89; 7/1/90; 8/14, 19-25/90; 9/11-21, 23, 26, 27, 29/90)
33.0 (7/23/90)	0.0 (12/3/89)	16.5 (1/4/90)	2.8 (8/30/90)	18.6 (7/19/89)	<1.0 (11/2, 8, 9/89; 7/7/90)	18.2 (1/4/90)	<1.0 (5/12-14, 17, 20, 23, 24/89; 6/4, 15, 20, 21, 23-30/89; 7/1/89; 10/17-23, 27, 28/89; 11/9/89; 4/26-28/90; 7/27-31/90; 8/1-21, 27, 28/90)
31.8 (7/24/90)	3.5 (1/7/90)	14.7 (1/27/90)	<1.0 (10/17/89)	14.8 (2/1/90)	<1.0 (8/24/89; 8/28, 29/90)	16.7 (2/1/90)	<1.0 (8/24, 25/89; 9/1/89; 5/29, 31/89; 6/1-3/89; 7/4, 7, 8, 20-25, 27, 28/89; 8/1-3, 5-31/89; 9/1-3/90)
33.3 (8/20/90)	4.1 (12/3/89)	18.7 (1/24/90)	1.5 (10/14/89)	15.8 (1/28/90)	<1.0 (9/16/89; 10/16, 18, 19/89)	14.1 (5/20/89)	<1.0 (8/25, 26/89; 9/13, 15, 16/89)
31.7 (7/12/89)	6.4 (2/26/90)	15.9 (1/28/90)	<1.0 (6/17-20/89)	16.0 (1/29/90)	<1.0 (6/9, 11, 12, 14, 15, 18, 19/89)	15.2 (2/13/90)	<1.0 (6/10-12, 14-26/89; 7/5, 14/89; 9/15, 16/89; 7/21-24/90; 8/4-7/90)

Table 2.--Maximum and minimum values recorded for salinity, water-quality monitoring sites, April [ppt, parts per thousand; °C, degrees Celsius;

Site number (fig. 2)	Station name and number ^{1/} (Period of record)	Constituent			
		Salinity, near surface (ppt)		Salinity, near bottom (ppt)	
		Maximum (Date)	Minimum (Date)	Maximum (Date)	Minimum (Date)
6	Pungo River at Junction Light PR, 0208457700 (5/89-9/90)	13.4 (8/23/90)	1.3 (12/24/89)	12.9 (12/23/89)	4.1 (5/6/90)
7	Neuse River at Channel Light 22, 0209258400 (5/89-12/89)	9.2 (8/7/89)	<0.1 (5/12-17/89; 7/23,27, 28/89; 12/3, 6,11,12/89)	12.0 (8/8,9/89)	<0.1 (5/12-17, 24/89)
8	Neuse River at Channel Light 11, 0209262905 (5/89-12/89)	8.3 (6/28/89)	<0.1 (5/14,15/89)	13.7 (6/28/89)	0.1 (5/15/89)
9	Neuse River at Channel Light 9, 0209265810 (5/89-9/90)	13.0 (8/13,14/90)	0.3 (12/30,31/89)	15.7 (6/29/89)	0.5 (12/24/89)
10	Adams Creek at Light 4, 0209256925 (6/89-9/90)	32.8 (3/18/90)	0.8 (12/31/89)	31.5 (6/9/89)	4.5 (12/17/89; 3/10,11/90)
11	Neuse River at Junction Light, 0209269000 (5/90-9/90)	17.0 (9/21/90)	10.6 (7/28/90)	20.7 (6/29/90)	10.7 (5/17/90)

^{1/}U.S. Geological Survey downstream order number.
^{2/}Period of record October 1989 to September 1990.

water temperature, and dissolved oxygen in water at the
1989 to September 1990--Continued
mg/L, milligrams per liter; <, less than]

Constituent--Continued								
Water temperature, near surface (°C)		Dissolved oxygen, near surface (mg/L)		Dissolved oxygen, mid-depth (mg/L)		Dissolved oxygen, near bottom (mg/L)		
Maximum (Date)	Minimum (Date)	Maximum (Date)	Minimum (Date)	Maximum (Date)	Minimum (Date)	Maximum (Date)	Minimum (Date)	
31.8 (8/2/90)	1.7 (12/20/89)	18.6 (1/20/90)	3.9 (8/26/89; 6/19/90)	2/14.0 (12/20/89)	2/2.4 (6/23/90)	18.4 (1/6/90)	<1.0 (9/1/89; 6/5,6/90; 8/5,7-16,21/90)	
31.3 (7/26/89)	4.4 (12/4/89)	13.3 (9/12/89)	<1.0 (8/5,6,9,10, 13,14,24/89)	11.2 (6/11/89)	<1.0 (7/21/89; 8/28-30/89; 9/1,2,4-10/89)	6.2 (5/12/89)	<1.0 (7/21-31/89; 8/1-11,13-31/89; 9/1-4/89; 10/21-25/89)	
31.6 (6/25/89)	6.1 (12/11/89)	13.1 (6/3/89)	1.7 (6/20/89)	12.4 (12/1/89)	<1.0 (6/18-20, 22-24,26, 27/89)	12.5 (11/25/89)	<1.0 (5/13/89; 6/14,15,18-20, 22-29/89)	
32.3 (8/6/89)	3.4 (12/20/89)	17.6 (2/1/90)	<1.0 (6/15/90)	17.8 (1/31/90)	<1.0 (6/12,13,15, 16,20,21/89)	16.3 (1/31/90)	<1.0 (5/31/89; 6/1-5,12,13, 15-17/89; 8/23,29/89; 9/2/89; 3/23/90; 4/26-30/90; 5/1,4,7,16,17, 20,21/90; 6/15/90; 7/9/90)	
32.8 (8/19,29/90)	0.1 (12/24/89)	19.9 (1/28/90)	2.6 (6/26/89)	19.4 (1/28/90)	<1.0 (6/25/89; 7/2-5/89; 5/2/90)	18.6 (1/28/90)	<1.0 (6/26/89; 7/3-5/89)	
29.5 (6/28/90)	19.8 (5/24/90)	11.2 (7/19/90)	3.0 (7/12,13/90)	11.3 (7/23/90)	4.2 (6/5/90)	14.8 (6/16/90)	<1.0 (5/20/90; 7/21,27/90)	

14.5 inches high by 10.5 inches in diameter) containing signal conditioners, (2) cables with waterproof connectors, (3) water-quality sensors, and (4) a 12-volt (V) battery. Up to eight water-quality sensors may be attached to the minimonitor. Sensors are available to measure specific conductance, temperature, dissolved oxygen, and pH. pH was not measured in this investigation.

The specific-conductance sensor uses four electrodes to reduce the effects of fouling. Compensation for ambient water temperature is made by a signal conditioner so that all specific-conductance values are referenced to a temperature of 25°C. Measurement ranges of 0 to 100, 0 to 1,000, 0 to 10,000, or 0 to 100,000 microsiemens per centimeter ($\mu\text{S}/\text{cm}$) may be selected. Following calibration, specific-conductance measurements are accurate to ± 3 percent of selected full scale in a temperature range of 0 to 40°C. The standard range for the temperature sensor is from 0 to 50°C, and for a calibrated system, temperature measurements are accurate to within ± 1 percent of full scale.

The dissolved-oxygen sensor uses a polarographic membrane and stirrer manufactured by Yellow Springs Instrument Company² and a signal conditioner that was designed by the USGS. The dissolved-oxygen measurement system is potentially subject to more types of errors than the temperature and specific-conductance measurement systems. Potential errors include sensor background error, temperature-compensation uncertainty, and sensor-calibration uncertainty. Measurements are estimated to be accurate within about 0.3 mg/L for a calibrated system.

The minimonitor is controlled by a CR10 measurement and control module (Campbell Scientific, Inc., 1988). The CR10 is a fully programmable datalogger and controller which will accept voltage inputs from multiple sensors. The CR10 is programmed to turn on the minimonitor at 15-minute intervals, allow the sensors to stabilize for one minute, collect data from each of the sensors, record the time, and turn off the minimonitor. An external 12-V battery provides power to the CR10. The CR10 has sufficient

²Any use of trade, product, or firm names is for descriptive purposes only and does not imply endorsement by the U.S. Government or State of North Carolina.

internal memory to store about 30 days of minimonitor data collected at 15-minute intervals using six sensors. Data are lost, however, if the CR10 loses power.

To avoid potential problems associated with loss of power to the CR10 and to provide more operational flexibility, an SM192 storage module with nonvolatile memory (Campbell Scientific, Inc., 1987) is connected in series with the CR10. Data are automatically transferred from the CR10 to the SM192, which is not programmable and is only accessible through the CR10. The SM192 has an internal 3.5-V battery to protect the memory when the module is disconnected from the external power supply. Memory capacity is 192,976 bytes, which is sufficient to store about 3 months of minimonitor data.

All instruments are housed in water-tight shelters attached to U.S. Coast Guard channel markers. The datalogger and storage module are further protected in a moisture-proof container within the shelter. Weights were added to the ends of the sensor cables to minimize current-induced vertical motion of the sensors. A reference mark with a known elevation above the seabed was established at each station to ensure that sensors are returned to the same point in the water column after servicing.

Field Procedures

Instruments are serviced at approximately 3-week intervals. During the colder months (October through April), servicing at 4- to 5-week intervals is sufficient, although the 3-week schedule is generally maintained. More frequent servicing may be necessary during the warmer months because of biofouling problems.

Field meters are calibrated in the laboratory prior to visiting the field installations. Field meters used are the Yellow Springs Instrument Company Model 33 S-C-T meter for specific conductance and the Yellow Springs Instrument Company Model 54 dissolved-oxygen meter. Both meters are also capable of measuring temperature. Temperature thermistors are calibrated against an ASTM thermometer at two temperatures. All values are within 0.5°C after calibration. Specific-conductance standards are used to develop

a calibration curve for each conductance meter. Field meter specific-conductance values are within 5 percent of the standards after calibration. The dissolved-oxygen meter is calibrated in water-saturated air adjusted for barometric pressure. After calibration, meter values are within 0.1 mg/L of the saturation value at the measured temperature and barometric pressure. The dissolved-oxygen calibration is for freshwater. Complete calibration records are maintained.

Upon reaching a site, simultaneous field-meter and minimonitor readings are made at coincident locations. If the difference between top and bottom readings for any of the constituents exceeds 5 percent, then field-meter readings are obtained throughout the full depth of the water column. The sensors are then removed from the water and cleaned. Dissolved-oxygen sensors are typically replaced during each visit.

After cleaning, sensors are returned to their original location in the water column, and a new set of field-meter and minimonitor readings is made. If necessary, the minimonitor span control for each measurement channel is adjusted until field and monitor readings agree. The SM192 storage modules containing recorded data are removed and replaced with modules prepared to begin recording a new set of data.

All minimonitors are calibrated with a full set of sensors in the laboratory prior to field installation. Subsequently, if a sensor or sensor cable is replaced, a field calibration must be performed for that particular measurement channel. Standard solutions are used for specific conductance field calibrations. Dissolved-oxygen field calibrations are performed using a sodium sulfite solution to achieve an oxygen-depleted sample.

Data Processing

The SM192 storage modules are returned to the office and data are transferred to the data base. Corrections for the difference between minimonitor and field-meter readings are applied to the data. Salinity is computed from specific-conductance records using the formulation given by Miller and others (1988). Finally, plots of the data are made.

Data are reviewed to ensure validity. Outliers are examined and deleted if values are physically unrealistic. Data are examined to ensure that water density at the surface is less than that at the bottom at a given time. Data are rejected if the field-meter and minimonitor readings at the time of servicing are not in reasonable agreement with each constituent. Simple daily statistics are then computed and time-series plots are prepared.

During the early phases of the investigation, various problems resulted in the loss of record. Problems included corrosion of connectors, loss of battery power, improperly calibrated instruments, human errors, and poor agreement between field-meter and minimonitor readings. As the study has progressed, the amount of lost record has substantially decreased. Corrosion problems have been essentially eliminated. Solar panels have been installed to maintain battery voltage at an acceptable level, and SM192 storage modules have been placed at all sites so that if batteries fail, the entire record between site visits will not be lost. Intensive training has resulted in significantly fewer human errors, and more frequent servicing has resulted in less biofouling and measurement drift.

WATER-QUALITY DATA

Water-quality data collected at continuously monitored sites in the Pamlico and Neuse River estuaries from April 1989 through September 1990 are presented in this section. Instantaneous values of salinity and dissolved-oxygen concentrations are summarized as box plots, whereas daily mean values of salinity and dissolved-oxygen concentrations and water temperature for the entire period are given in tables and graphs.

Box Plots

Box plots for salinity and dissolved-oxygen concentrations are presented in figures 3 through 18 to show short-term variability at a site, to illustrate longitudinal variations along the estuary, and to give an indication of seasonal variations. Water temperature values were not summarized in this form. The box plots were developed from simple statistics using the 15-minute interval data; each box plot for a selected

5-day period represents a maximum of 480 observations. Periods were chosen to illustrate conditions occurring in a week during different seasons of the year.

Each figure includes near-surface and near-bottom box plots for salinity or dissolved oxygen in either the Pamlico or Neuse River estuary. At some sites, no data are available for the selected period.

Daily Mean Values

Daily mean values of salinity, water temperature, and dissolved-oxygen concentrations are presented for each of the 11 sites (tables 3-13). Any significant changes that occur in these values at time scales of minutes and hours are not represented by the daily mean values. Mean values do, however, give a good indication of general conditions at a site so that a reasonable summary of the large amount of data collected can be presented. The instantaneous maximum and minimum values recorded for the period are listed in each table, and days during which instantaneous dissolved-oxygen concentrations were less than 5.0 mg/L and 2.0 mg/L are also noted.

Each numbered table contains all of the data for one site. Within each table, the data, if available, are presented in the form of one constituent per water year per page in the following order:

- near-surface salinity for water year 1989
- near-surface salinity for water year 1990
- near-bottom salinity for water year 1989
- near-bottom salinity for water year 1990
- near-surface water temperature for water year 1989
- near-surface water temperature for water year 1990
- near-surface dissolved-oxygen concentration for water year 1989
- near-surface dissolved-oxygen concentration for water year 1990
- mid-depth dissolved-oxygen concentration for water year 1989
- mid-depth dissolved-oxygen concentration for water year 1990
- near-bottom dissolved-oxygen concentration for water year 1989
- near-bottom dissolved-oxygen concentration for water year 1990

At the bottom of each page, a graph is presented to illustrate the tabulation of data on that page.





Figure 3.--Salinity concentrations at the Pamlico River estuary monitoring sites for October 27-31, 1989.




Figure 4.--Salinity concentrations at the Pamlico River estuary monitoring sites for December 6-10, 1989.





Figure 5.--Salinity concentrations at the Pamlico River estuary monitoring sites for May 16-20, 1990.




Figure 6.--Salinity concentrations at the Pamlico River estuary monitoring sites for July 26-30, 1990.





Figure 7.--Dissolved-oxygen concentrations at the Pamlico River estuary monitoring sites for November 21-25, 1989.





Figure 8.--Dissolved-oxygen concentrations at the Pamlico River estuary monitoring sites for January 16-20, 1990.





Figure 9.--Dissolved-oxygen concentrations at the Pamlico River estuary monitoring sites for May 16-20, 1990.




Figure 10.--Dissolved-oxygen concentrations at the Pamlico River estuary monitoring sites for June 21-25, 1990.





Figure 11.--Salinity concentrations at the Neuse River estuary monitoring sites for September 1-5, 1989.





Figure 12.--Salinity concentrations at the Neuse River estuary monitoring sites for December 6-10, 1989.



ltes

Figure 13.--Salinity concentrations at the Neuse River estuary monitoring sites for May 26-30, 1990.




Figure 14.--Salinity concentrations at the Neuse River estuary monitoring sites for June 21-25, 1990.





Figure 15.--Dissolved-oxygen concentrations at the Neuse River estuary monitoring sites for September 1-5, 1989.





Figure 16.--Dissolved-oxygen concentrations at the Neuse River estuary monitoring sites for December 6-10, 1989.





Figure 17.--Dissolved-oxygen concentrations at the Neuse River estuary monitoring sites for May 26-30, 1990.




Figure 18.--Dissolved-oxygen concentrations at the Neuse River estuary monitoring sites for June 21-25, 1990.

Some exceptions to this format occur in tables 8, 9, 10, and 13. In table 8, mid-depth dissolved-oxygen concentrations were not recorded at site 6 during water year 1989, thus, there is no page for this water year for that constituent location. At sites 7 and 8, data collection was interrupted during December 1989, and tables 9 and 10 were arranged to present combined data for the relatively short periods of records spanning water years 1989 and 1990. At site 11, data collection did not begin until late in the 1990 water year, therefore, table 13 presents data for only that water year.

Each page within a given table contains the following information, some of which is repeated from page to page:

- site location given as a latitude and longitude
- explanation of abbreviations used in the table
- constituent for which data are presented in the table
- distance above the streambed at which the sensor is located
- observed extreme recorded values for the given period
- tabulated daily mean values for the given period
- a graph of the daily mean values for the given period

Salinity concentrations are given as parts per thousand, water temperature is expressed as degrees Celsius, and dissolved-oxygen concentrations are presented as milligrams per liter. No correction for the effects of salinity on dissolved oxygen has been made in the data presented in this report.

Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1,
Pamlico River at Channel Light 16, April 1989 to September 1990

[Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County; U.S. Geological Survey
downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

SALINITY, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 3.9 ppt August 10, 13, 1989; minimum value
recorded, <0.1 ppt July 20-26, August 21, 23, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	.1	0.4	0.9
2	---	---	---	.1	.3	.9
3	---	---	---	.1	.2	1.5
4	---	---	---	.1	.2	2.4
5	---	---	---	.1	.3	2.8
6	---	---	---	.1	.3	2.3
7	---	---	0.1	.1	1.0	2.1
8	---	---	.1	.1	2.4	2.0
9	---	---	.1	.1	3.4	2.4
10	---	---	.1	.1	3.1	2.4
11	---	---	.1	.1	2.4	2.2
12	---	---	.1	.1	2.4	2.1
13	---	---	.1	.1	3.0	2.1
14	---	---	.1	.3	2.9	---
15	---	---	.1	.8	1.8	---
16	---	---	.1	1.3	1.6	---
17	---	---	.1	.3	.7	---
18	---	---	.1	.1	.5	---
19	---	---	.1	.1	.5	---
20	---	---	.1	.1	.4	---
21	---	---	.1	.1	.2	---
22	---	---	.1	<.1	.1	---
23	---	---	.1	.1	.2	---
24	---	---	.1	.1	.8	---
25	---	---	.1	.1	1.0	---
26	---	---	---	.1	.7	---
27	---	---	.1	.1	.8	---
28	---	---	.1	.1	.4	---
29	---	---	.1	.3	.2	---
30	---	---	.1	.5	.2	---
31	---	---	---	.3	.5	---




Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1,
Pamlico River at Channel Light 16, April 1989 to September 1990--Continued

[Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County; U.S. Geological Survey downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


SALINITY, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 5.1 ppt September 29, 1990; minimum value recorded, <0.1 ppt December 6, 15, 17-22, 1989, April 27-30, 1990, on many days in May and June, July 10, August 16, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), WATER YEAR OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	0.8	---	---	---	---	---	<0.1	0.1	0.5	2.2	1.7
2	---	.8	---	---	---	---	---	<.1	<.1	1.2	2.2	1.6
3	---	1.0	---	---	---	---	---	.1	<.1	1.4	2.6	1.3
4	---	1.2	---	---	---	---	---	.1	<.1	1.2	2.6	2.1
5	---	---	---	---	---	---	---	<.1	---	.9	2.3	---
6	---	---	0.3	---	---	---	---	<.1	<.1	.9	2.2	---
7	---	---	.3	---	---	---	---	.1	---	1.3	1.8	2.0
8	---	---	.5	---	---	---	---	<.1	<.1	1.1	1.6	2.1
9	---	---	1.5	---	---	---	---	.1	---	.7	---	2.9
10	---	---	.6	---	---	---	---	<.1	---	.7	---	---
11	---	---	.2	---	---	---	---	<.1	---	.8	---	2.9
12	---	---	.1	---	---	---	---	.1	1.1	.8	---	2.2
13	---	---	.1	---	---	---	---	.1	1.2	.8	---	2.3
14	---	---	.1	---	---	---	---	.1	1.3	.8	.5	2.9
15	---	---	.1	---	---	---	---	<.1	1.6	.5	.6	3.5
16	---	---	---	---	---	---	---	---	1.2	.5	.2	3.2
17	---	---	.1	---	---	---	---	<.1	.7	.6	---	3.4
18	---	---	.1	---	---	---	---	<.1	---	.6	---	4.0
19	---	---	.1	---	---	---	---	<.1	.4	.3	1.2	4.1
20	---	---	.1	---	---	---	---	<.1	.5	.2	1.1	3.7
21	---	---	<.1	---	---	---	---	---	.6	.4	1.5	4.0
22	---	---	.1	---	---	---	---	.1	.6	.5	1.4	3.6
23	---	---	---	---	---	---	---	<.1	.5	.4	2.1	3.2
24	---	---	---	---	---	---	---	<.1	.4	.8	2.2	3.2
25	---	---	---	---	---	---	---	<.1	.5	1.6	1.6	3.3
26	---	---	---	---	---	---	---	<.1	.5	2.3	---	3.1
27	---	---	---	---	---	---	<0.1	---	.2	2.6	---	3.2
28	0.3	---	---	---	---	---	<.1	---	.2	2.7	.4	---
29	.7	---	---	---	---	---	.1	<.1	.2	2.7	.6	4.2
30	.6	---	---	---	---	---	.1	<.1	.1	2.3	.8	---
31	.7	---	---	---	---	---	---	<.1	---	2.4	1.0	---



DAILY MEAN SALINITY, PAMLICO RIVER AT CHANNEL LIGHT 16

Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1, Pamlico River at Channel Light 16, April 1989 to September 1990--Continued

(Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County; U.S. Geological Survey downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L)


SALINITY, NEAR BOTTOM

SENSOR POSITION.--1 foot above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 11.0 ppt August 1, 1989; minimum value recorded, <0.1 ppt on many days in June and July 1989.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT	DA'
1	---	---	---	.1	5.8	---	
2	---	---	---	.1	1.7	---	
3	---	---	---	.1	1.2	---	
4	---	---	---	.1	1.0	---	
5	---	---	---	<.1	1.7	---	
6	---	---	---	.1	3.1	---	
7	---	---	---	.1	5.0	---	
8	---	---	0.1	.1	6.9	---	
9	---	---	.1	.1	5.9	---	
10	---	---	.1	.1	4.2	---	1
11	---	---	.1	.1	3.5	---	
12	---	---	.1	---	3.9	---	
13	---	---	<.1	---	3.7	---	
14	---	---	.1	---	3.4	---	
15	---	---	.1	---	3.2	---	
16	---	---	.1	---	3.1	---	
17	---	---	.1	---	2.8	---	
18	---	---	.1	.1	2.7	---	
19	---	---	<.1	.1	2.8	---	
20	---	---	<.1	<.1	2.3	---	
21	---	---	---	<.1	2.3	---	
22	---	---	---	<.1	3.2	---	
23	---	---	---	<.1	5.3	---	
24	---	---	---	<.1	7.3	---	
25	---	---	---	.1	8.1	---	
26	---	---	---	.1	---	---	
27	---	---	<.1	.1	---	---	
28	---	---	<.1	.7	---	---	
29	---	---	<.1	2.7	---	---	
30	---	---	<.1	2.0	---	---	
31	---	---	---	1.1	---	---	



DAILY MEAN SALINITY, PAMlico RIVER AT CHANNEL LIGHT 16

Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1, Pamlico River at Channel Light 16, April 1989 to September 1990--Continued

[Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County; U.S. Geological Survey downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


SALINITY, NEAR BOTTOM

SENSOR POSITION.--1 foot above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 10.6 ppt August 31, 1990; minimum value recorded, <0.1 ppt on many days during November, December 1989; January, April, May, and June 1990.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	3.8	2.5	---	---	---	---	<0.1	0.1	2.3	3.1	10.0
2	---	3.8	4.1	---	---	---	---	<.1	.1	2.0	3.7	7.8
3	---	---	1.1	---	---	---	---	.1	.1	2.6	2.9	6.0
4	---	---	1.7	6.5	---	---	---	<.1	.1	1.9	2.6	6.4
5	---	---	2.6	5.1	---	---	---	<.1	---	1.6	2.4	---
6	---	---	3.4	9.0	---	---	---	<.1	.1	2.2	2.3	---
7	---	---	4.2	9.5	---	---	---	<.1	.1	2.5	2.2	4.0
8	---	---	3.7	7.3	---	---	---	<.1	.1	1.6	2.5	5.0
9	---	---	1.6	1.5	---	---	---	<.1	.1	1.5	---	4.4
10	---	---	2.5	.1	---	---	---	<.1	.3	1.4	---	---
11	---	---	3.4	.1	---	---	---	<.1	---	1.7	---	5.0
12	---	---	2.8	.1	---	---	---	.1	1.0	1.3	---	5.7
13	---	---	1.4	.1	---	---	---	.1	1.2	1.3	---	5.8
14	---	---	3.1	.1	---	---	---	.1	1.2	1.4	3.4	5.6
15	---	---	.1	.1	---	---	---	.1	1.0	.9	2.8	5.3
16	---	<.1	<.1	.1	---	---	---	---	.9	1.3	3.1	6.5
17	---	.1	<.1	.6	---	---	---	.1	1.0	1.7	---	7.1
18	---	.1	.1	2.1	---	---	---	.1	---	1.9	---	6.5
19	---	.1	.1	8.1	---	---	---	.1	.8	1.6	4.8	6.0
20	---	.4	.1	7.9	---	---	---	.1	1.1	1.7	4.6	5.2
21	---	.2	<.1	4.2	---	---	---	---	1.4	1.9	5.3	4.9
22	---	.2	1.6	6.2	---	---	---	.1	1.2	1.5	5.4	4.5
23	---	.2	---	---	---	---	---	.1	.6	2.3	5.0	5.1
24	---	.6	---	---	---	---	---	.1	.6	3.4	3.8	4.7
25	---	.7	---	---	---	---	---	.1	.7	3.4	3.8	5.7
26	---	.2	---	---	---	---	---	<.1	.6	3.3	---	5.3
27	---	<.1	---	---	---	---	<0.1	---	.5	3.4	---	6.5
28	3.7	---	---	---	---	---	<.1	.1	.6	3.0	6.6	---
29	3.8	.4	---	---	---	---	<.1	<.1	.3	3.0	7.3	7.3
30	3.6	1.5	---	---	---	---	<.1	<.1	.7	2.8	9.4	---
31	3.6	---	---	---	---	---	---	<.1	---	2.6	10.3	---



DAILY MEAN SALINITY, PAMLICO RIVER AT CHANNEL LIGHT 16

Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1,
Pamlico River at Channel Light 16, April 1989 to September 1990--Continued

[Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County; U.S. Geological Survey downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 31.0 °C July 12, 1989; minimum value recorded, 20.7 °C April 28, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	22.2	---	24.9	26.0	28.1
2	---	22.9	---	25.3	26.7	28.4
3	---	22.5	---	25.7	27.9	27.9
4	---	---	---	25.4	28.0	26.3
5	---	---	---	25.3	28.1	25.6
6	---	---	---	25.2	28.6	25.6
7	---	---	---	25.6	28.9	25.5
8	---	---	25.8	26.4	27.0	26.0
9	---	---	25.4	26.7	25.4	26.0
10	---	---	25.4	27.0	23.8	26.7
11	---	---	25.6	28.0	23.5	27.4
12	---	---	25.2	29.1	23.7	28.1
13	---	---	25.3	27.9	24.1	28.2
14	---	---	26.2	26.8	25.2	---
15	---	---	26.7	26.6	25.2	---
16	---	---	26.6	25.9	25.4	---
17	---	---	26.0	25.1	26.2	---
18	---	---	26.4	24.9	26.6	---
19	---	---	26.9	25.1	26.3	---
20	---	---	26.5	25.5	26.6	---
21	---	---	25.8	25.5	26.8	---
22	---	---	25.7	25.3	26.7	---
23	---	---	25.6	26.7	27.5	---
24	---	---	24.9	27.2	27.2	---
25	---	---	25.3	26.7	27.3	---
26	---	---	---	27.2	26.8	---
27	---	---	---	26.9	27.0	---
28	21.7	---	---	26.8	26.7	---
29	21.8	---	---	26.6	27.3	---
30	22.1	---	---	25.7	28.0	---
31	---	---	---	26.0	---	---




Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1,
Pamlico River at Channel Light 16, April 1989 to September 1990--Continued

[Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County, U.S. Geological Survey
downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 33.3 °C August 14, 1990; minimum value
recorded, 1.0 °C December 4, 21, 22, 1989, January 13, 1990.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	18.4	9.2	---	10.5	9.0	---	23.8	23.7	29.1	29.9	27.1
2	---	17.8	9.1	---	11.5	9.4	---	23.9	23.6	28.3	29.5	27.4
3	---	17.2	4.7	---	12.3	10.3	---	23.5	23.9	28.4	29.2	27.8
4	---	16.4	4.2	5.9	12.8	10.8	---	22.5	24.8	28.4	29.2	27.3
5	---	---	5.2	6.4	12.1	11.3	---	22.4	---	28.6	28.4	---
6	---	---	6.5	6.3	11.4	12.0	---	---	24.9	29.3	28.2	---
7	---	---	7.8	6.2	11.8	11.2	---	21.0	25.5	29.0	27.9	26.0
8	---	---	7.5	6.3	12.1	10.8	---	21.4	27.3	28.9	27.4	28.1
9	---	---	6.3	6.8	12.0	11.1	---	21.3	27.4	29.7	---	27.2
10	---	---	6.0	7.3	13.1	12.5	---	21.0	28.0	29.9	---	---
11	---	---	5.4	7.1	13.2	13.7	---	19.0	---	30.2	---	28.0
12	---	---	4.9	6.8	11.8	15.1	---	20.9	25.5	30.2	---	27.7
13	---	---	4.3	4.4	11.9	---	---	21.4	25.9	29.5	---	27.4
14	---	---	4.2	6.0	12.5	---	---	22.6	26.2	29.0	29.4	27.3
15	---	---	4.4	5.8	12.7	---	---	23.4	---	28.2	29.0	26.9
16	---	16.3	3.8	5.9	13.7	---	---	---	---	27.9	29.0	27.0
17	---	15.3	3.3	7.0	14.1	---	---	24.0	---	28.2	---	25.6
18	---	13.6	2.9	7.9	13.2	---	---	24.0	---	28.7	---	23.9
19	---	13.1	2.5	8.4	13.4	---	---	23.8	25.8	28.9	29.3	23.2
20	---	13.0	2.4	8.5	13.0	---	---	23.9	26.1	29.0	29.5	23.8
21	---	12.0	2.2	10.5	12.1	---	---	---	26.6	29.3	28.8	23.3
22	---	11.1	1.4	10.3	12.1	---	---	23.9	27.4	29.7	28.5	23.2
23	---	9.6	---	9.9	12.3	---	---	22.2	27.0	30.6	28.5	23.4
24	---	8.5	---	10.4	9.9	---	---	23.1	27.2	30.3	29.0	22.0
25	---	8.7	---	11.4	---	---	---	23.4	27.7	29.6	29.2	21.4
26	---	9.6	---	9.5	9.7	---	---	23.6	27.5	29.0	---	21.9
27	---	9.8	---	10.0	9.2	---	24.7	---	28.1	28.8	---	22.3
28	16.0	---	---	10.4	8.8	---	23.7	23.9	28.5	28.7	28.5	---
29	16.8	10.1	---	10.6	---	---	23.3	23.2	28.7	28.9	28.1	22.3
30	17.2	9.1	---	9.9	---	---	22.7	22.9	28.9	29.6	27.1	---
31	18.1	---	---	10.1	---	---	---	23.4	---	29.5	26.8	---




Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1,
Pamlico River at Channel Light 16, April 1989 to September 1990--Continued

[Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County, U.S. Geological Survey
downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 12.3 mg/L July 11, 1989; minimum value recorded,
1.4 mg/L August 7, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	5.5	---	5.3b	8.7	6.2b
2	---	5.4b	---	5.3b	8.5	7.0b
3	---	---	---	5.8b	8.4	7.4
4	---	---	---	---	8.2	7.2
5	---	---	---	---	---	6.7
6	---	---	---	6.7	6.4b	7.2
7	---	---	5.6b	6.8	5.1a	7.4
8	---	---	5.1b	7.4	5.5b	6.8b
9	---	---	4.5b	8.6	5.9a	7.1b
10	---	---	4.9b	8.2	5.7	7.9b
11	---	---	5.0b	9.2	5.8	8.1b
12	---	---	5.1b	8.1b	6.0	8.2
13	---	---	5.1b	6.6b	6.1b	8.2
14	---	---	5.5b	7.0	9.3	---
15	---	---	9.1b	8.1b	7.5	---
16	---	---	5.1b	7.5	6.6b	---
17	---	---	5.3b	6.7	7.1b	---
18	---	---	5.2b	5.6b	6.5b	---
19	---	---	5.6b	5.2b	5.3b	---
20	---	---	5.8	5.3b	5.1b	---
21	---	---	5.4	5.2b	4.9b	---
22	---	---	5.6	5.2b	5.0b	---
23	---	---	5.5b	5.0b	4.7b	---
24	---	---	5.3b	5.0b	---	---
25	---	---	5.2b	5.1b	---	---
26	---	---	---	6.0b	4.7b	---
27	---	---	4.8b	7.5	5.8b	---
28	6.8	---	5.0b	8.0	5.0b	---
29	6.4	---	5.0b	8.1	5.0b	---
30	5.9	---	5.2b	8.5	5.9b	---
31	---	---	---	8.6	5.6b	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT CHANNEL LIGHT 16

Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1,
Pamlico River at Channel Light 16, April 1989 to September 1990--Continued

[Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County, U.S. Geological Survey downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 15.0 mg/L December 3, 4, 1989; minimum value recorded, 2.9 mg/L September 15, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	7.2b	10.3	---	10.0	9.5	---	8.4	6.1	8.0	7.8	6.4b
2	---	7.8	10.2	---	---	9.5	---	8.3	6.4	7.4	7.9	7.5
3	---	6.9	11.4	---	---	9.3	---	8.2	6.9	7.8	6.8	7.3
4	---	7.0	12.2	12.7	---	9.3	---	7.2	7.0	7.9	7.1	7.9b
5	---	---	11.9	12.8	---	9.1	---	6.9	---	8.4	6.6	---
6	---	---	11.5	13.0	9.5	8.9	---	7.8	7.5	8.2	6.2	---
7	---	---	11.5	12.7	---	9.4	---	7.1	6.7	7.1	6.6	9.6
8	---	---	11.6	12.3	9.1	9.6	---	6.9	7.3	7.2	6.3	9.2
9	---	---	11.5	11.8	9.3	9.4	---	6.7	7.0	7.3	---	7.7
10	---	---	11.7	11.4	---	9.4	---	7.2	7.5	7.4	---	---
11	---	---	11.1	11.5	9.8	9.2	---	8.1	---	7.1	---	5.8b
12	---	---	11.1	11.6	---	9.1	---	8.3	8.1	7.0b	---	6.5b
13	---	---	11.9	12.1	9.1	---	---	8.0	10.1	6.7	---	6.1b
14	---	---	11.7	11.3	8.9	---	---	9.1	10.0	6.6	7.4b	6.1b
15	---	---	11.5	11.2	8.9	---	---	10.2	9.5	6.6	7.1b	5.6b
16	--	8.2	12.1	11.2	8.9	---	---	---	10.8	7.0	6.6	7.7
17	---	9.1	11.8	11.1	8.5	---	---	8.2	11.1	7.5	---	6.5b
18	--	8.7	11.9	11.2	8.3	---	---	8.5	---	7.9	---	7.5
19	--	8.1	12.2	11.2	7.9	---	---	9.2	9.1	8.6	6.8b	6.9
20	---	7.9	12.4	11.0	8.0	---	---	8.9	9.0	8.9	6.9b	7.1
21	---	10.0	12.4	10.5	8.6	---	---	---	9.1	8.9	6.4	5.9b
22	---	10.0	12.8	10.1	8.7	---	---	8.5	8.9	9.1	6.6b	5.6b
23	---	10.5	---	10.0	8.5	---	---	8.5	7.7	9.2	7.0	6.2
24	---	10.7	---	10.0	9.2	---	---	8.9	8.3	9.4	6.9b	6.4
25	---	10.2	---	9.9	10.6	---	---	8.7	8.8	8.8	7.2	7.6
26	---	10.1	---	---	8.5	---	---	7.7	8.0	7.7	---	8.0
27	---	10.6	---	10.2	8.6	---	10.6	---	8.8	7.1	---	8.2
28	7.1	---	---	9.3	9.0	---	8.7	8.4	8.4	6.7	5.1b	---
29	7.6	10.9	---	---	---	---	8.4	7.7	8.1	7.2	4.8b	7.1
30	7.2	10.7	---	---	---	---	8.2	7.6	7.8	7.8	5.1b	---
31	7.7	---	---	10.1	---	---	---	6.7	---	7.4	5.6b	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT CHANNEL LIGHT 16

Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1,
Pamlico River at Channel Light 16, April 1989 to September 1990--Continued

[Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County; U.S. Geological Survey downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--5 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 11.9 mg/L August 5, 1989; minimum value recorded, <1.0 mg/L June 28, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	5.8	---	3.8a	---	4.5b
2	---	5.9	---	4.3b	---	6.2b
3	---	5.2b	---	4.5b	---	7.2b
4	---	---	---	4.7b	2.2a	7.6b
5	---	---	---	5.6b	3.2b	5.4b
6	---	---	---	5.4b	3.9b	5.1b
7	---	---	4.0a	5.2b	---	6.5b
8	---	---	4.9b	5.2b	---	6.5b
9	---	---	5.1b	6.6b	---	5.9b
10	---	---	4.6b	4.5a	---	6.7b
11	---	---	5.2b	5.0a	---	6.1b
12	---	---	5.3b	2.9b	---	7.2
13	---	---	4.6a	2.7b	---	7.6
14	---	---	4.9b	4.0b	---	---
15	---	---	5.1b	3.9b	---	---
16	---	---	5.4b	5.2b	---	---
17	---	---	5.9b	---	---	---
18	---	---	4.6b	---	---	---
19	---	---	5.0b	---	---	---
20	---	---	5.1b	---	---	---
21	---	---	4.6b	---	---	---
22	---	---	5.2b	---	---	---
23	---	---	4.9b	---	---	---
24	---	---	4.5b	---	1.3a	---
25	---	---	3.4a	---	2.2a	---
26	---	---	---	---	3.6a	---
27	---	---	2.4a	---	1.9a	---
28	5.9	---	2.6a	---	2.9a	---
29	5.9	---	3.5b	---	4.1a	---
30	5.9	---	3.5a	---	4.2a	---
31	---	---	---	---	4.2b	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT CHANNEL LIGHT 16

Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1, Pamlico River at Channel Light 16, April 1989 to September 1990--Continued

[Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County; U.S. Geological Survey downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--5 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 15.4 mg/L June 17, 1990; minimum value recorded, <1.0 mg/L October 28, November 2-4, 1989, August 19-23, September 12-17, 27, 29, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	7.8	9.6	---	10.0	---	---	---	5.7	8.7b	---	---
2	---	4.6a	9.1	---	9.6	---	---	---	6.4	8.6	5.0b	---
3	---	3.4a	10.5	---	9.3	---	---	---	7.1	7.7b	5.8b	---
4	---	4.6a	11.6	12.0	9.5	---	---	---	7.4	11.3	6.1b	---
5	---	---	11.5	12.0	10.0	---	---	---	---	11.6	6.0	---
6	---	---	11.2	12.0	9.4	---	---	---	7.6	9.2b	5.9b	---
7	---	---	11.4	11.4	8.9	---	---	---	7.7	9.6b	5.8b	---
8	---	---	11.4	11.2	9.0	---	---	---	8.1	10.4	5.4b	---
9	---	---	11.2	11.2	9.2	---	---	---	8.6	9.5	---	---
10	---	---	11.5	11.0	9.7	---	---	---	9.1	9.0	---	---
11	---	---	11.0	11.2	9.8	---	---	---	---	7.2b	---	---
12	---	---	10.9	11.3	9.5	---	---	---	10.3	7.8b	---	2.1a
13	---	---	11.7	---	9.1	---	---	---	11.1	7.7	---	1.8a
14	---	---	11.3	---	---	---	---	---	11.6	8.0	4.6a	1.8a
15	---	---	11.2	---	---	---	---	---	12.3	8.7	4.9b	5.7a
16	---	---	11.7	---	---	---	---	---	13.3	8.7	3.6a	4.7a
17	---	---	11.3	---	---	---	---	8.5	12.7	8.1	---	6.9a
18	---	---	11.4	---	---	---	---	9.0	---	7.9b	---	8.6
19	---	---	11.7	---	---	---	---	9.2	9.9	7.1b	1.8a	6.7a
20	---	---	11.9	---	---	---	---	9.2	10.2	7.3a	2.2a	7.6b
21	---	---	11.9	---	---	---	---	---	9.3	10.0	1.9a	7.4
22	---	---	12.3	---	---	---	---	8.8	8.5	9.3	1.0a	6.5b
23	---	---	---	---	---	---	---	9.6	9.9	6.1b	1.4a	7.0b
24	---	---	9.6	---	---	---	---	8.5	10.6	5.5b	3.5	7.3
25	---	---	9.8	---	---	---	---	7.9	10.5	6.8a	---	4.7b
26	---	---	---	10.1	---	---	---	7.7	10.2	9.5b	---	5.3a
27	---	---	---	10.1	---	---	---	---	10.2	9.1	---	4.2a
28	2.3a	---	9.2	---	---	---	---	8.3	9.6	8.8	---	---
29	8.7	---	9.2	---	---	---	---	7.5	9.9	9.1	---	1.8a
30	9.2	10.1	---	10.0	---	---	---	7.4	9.5	9.0	---	---
31	8.8	---	---	10.1	---	---	---	6.2	---	8.8	---	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT CHANNEL LIGHT 16

Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1,
Pamlico River at Channel Light 16, April 1989 to September 1990--Continued

[Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County; U.S. Geological Survey
downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--1 foot above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 11.8 mg/L August 2, 1989; minimum value recorded,
<1.0 mg/L August 16, 18-31, September 1-4, 9-11, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	5.5b	---	4.1b	4.7b	<1.0a
2	---	5.5b	---	3.7b	4.5b	<1.0a
3	---	4.7b	---	4.9b	3.6b	<1.0a
4	---	---	---	6.0b	3.1a	1.5a
5	---	---	---	5.9b	1.7a	6.6b
6	---	---	---	6.3	1.5a	3.5a
7	---	---	5.0b	5.9b	1.4a	5.0a
8	---	---	4.4b	6.5	1.3a	2.7a
9	---	---	3.8b	7.4	1.2a	1.9a
10	---	---	3.9b	6.7	4.5a	1.5a
11	---	---	4.0b	4.7a	7.3b	3.0a
12	---	---	3.8b	2.0a	4.7a	4.8b
13	---	---	4.4b	3.7a	4.3b	5.9b
14	---	---	4.2b	1.6a	4.3b	---
15	---	---	4.0b	3.3a	2.8a	---
16	---	---	4.7b	8.5	2.5a	---
17	---	---	4.9b	7.8	2.3a	---
18	---	---	4.2b	6.7	1.5a	---
19	---	---	4.1b	5.9b	<1.0a	---
20	---	---	4.5b	6.2	<1.0a	---
21	---	---	4.7b	6.3	<1.0a	---
22	---	---	4.8b	6.3	1.1a	---
23	---	---	4.8b	6.3	<1.0a	---
24	---	---	4.8b	6.3	<1.0a	---
25	---	---	4.5b	6.0	<1.0a	---
26	---	---	---	5.1b	<1.0a	---
27	---	---	4.1b	6.9	<1.0a	---
28	6.4	---	4.3b	5.6b	2.7a	---
29	6.1	---	4.5b	2.6b	2.9a	---
30	5.9	---	4.8b	3.8b	1.5a	---
31	---	---	---	7.5b	<1.0a	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT CHANNEL LIGHT 16

Table 3.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 1, Pamlico River at Channel Light 16, April 1989 to September 1990--Continued

[Location of site 1 is latitude 35°30'30", longitude 77°01'12", Beaufort County; U.S. Geological Survey downstream order number 0208450705; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--1 foot above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 16.4 mg/L July 19, 1990; minimum value recorded, <1.0 mg/L October 28-31, November 1-4, 1989, July 1, August 14, 19-25, September 11-21, 23, 26, 27, 29, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	<1.0a	6.2b	---	9.5	8.7	---	6.4	5.5	1.5a	---	---
2	---	<1.0a	5.4b	---	9.2	8.7	---	7.2	5.9	2.6a	2.4a	---
3	---	1.6a	9.5b	---	8.9	8.7	---	7.0	6.5	3.7b	3.0a	---
4	---	1.3a	11.4	11.5	9.2	8.7	---	6.1	6.4	6.8	4.0b	---
5	---	---	10.6	11.0	9.7	8.6	---	6.0	---	7.7	3.2b	---
6	---	---	9.9	10.8	9.2	8.4	---	6.8	5.8	4.9b	2.7b	---
7	---	---	9.7	10.7	8.8	9.0	---	6.2	5.7	5.2b	2.3a	---
8	---	---	9.5	10.5	8.7	9.2	---	6.1	4.9b	8.4	2.3a	---
9	---	---	12.5	11.0	9.0	9.1	---	6.3	6.3	6.6	---	---
10	---	---	13.1	10.9	9.5	9.2	---	6.8	5.3a	6.2b	---	---
11	---	---	12.6	11.0	9.6	9.0	---	7.5	---	6.7	---	2.5a
12	---	---	11.6	11.3	9.4	8.9	---	8.0	6.5a	6.7	---	<1.0a
13	---	---	11.7	11.9	9.0	---	---	7.8	6.2a	7.8	---	<1.0a
14	---	---	10.4	11.3	8.6	---	---	8.5	5.7b	9.6	1.7a	<1.0a
15	---	---	11.8	11.3	8.4	---	---	9.3	8.9	11.2	3.5b	1.0a
16	---	7.9	13.3	11.3	8.1	---	---	---	7.2b	10.5	3.1a	<1.0a
17	---	9.0	13.0	10.1	7.4	---	---	12.0	6.4b	8.8	---	<1.0a
18	---	8.6	13.1	9.5	7.1	---	---	12.7	---	10.8	---	1.1a
19	---	7.9	13.4	9.1	6.7	---	---	11.7	6.1b	10.6	<1.0a	<1.0a
20	---	6.9b	13.7	8.4	6.8	---	---	10.5	6.1b	6.9b	1.0a	2.5a
21	---	9.5	13.7	8.2	7.3	---	---	---	4.5b	---	<1.0a	3.4a
22	---	9.9	11.4	9.4	7.5	---	---	8.6	4.3b	---	<1.0a	4.0b
23	---	10.2	---	8.6	7.4	---	---	8.0	6.7b	---	<1.0a	3.2a
24	---	10.2	---	6.7	7.6	---	---	7.9	6.5	---	2.2a	6.4
25	---	9.5	---	8.6	8.1	---	---	7.1	5.4b	---	1.3a	3.8b
26	---	9.5	---	9.6	7.6	---	---	7.2	7.2b	---	---	2.1a
27	---	10.2	---	9.5	7.8	---	7.5	---	5.7b	---	---	1.1a
28	<1.0a	---	---	8.7	8.2	---	7.3	7.9	5.5b	---	---	---
29	<1.0a	9.3	---	8.6	---	---	7.0	7.2	6.5b	---	---	<1.0a
30	<1.0a	6.2	---	9.5	---	---	6.6	6.9	4.7b	---	---	---
31	<1.0a	---	---	9.6	---	---	---	5.9	---	---	---	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT CHANNEL LIGHT 16

Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2,
Pamlico River at Light 5, April 1989 to September 1990

[Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County; U.S. Geological Survey
downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C,
degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


SALINITY, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 7.5 ppt September 5, 1989; minimum value recorded,
0.3 ppt May 4, 7-14, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	1.3	2.7	2.2	2.1	6.0
2	---	1.2	2.6	2.1	2.7	5.4
3	---	.6	2.8	2.1	---	6.4
4	---	.7	3.1	2.0	2.7	7.2
5	---	.9	3.5	1.7	2.7	6.9
6	---	.8	3.2	1.5	2.7	7.0
7	---	.4	2.9	1.3	2.7	7.0
8	---	.3	2.8	1.2	4.5	7.0
9	---	.3	2.7	1.3	5.2	6.4
10	---	.3	2.5	1.3	5.4	5.8
11	---	.3	2.4	1.1	5.1	5.6
12	---	.4	---	.8	4.6	5.8
13	---	.6	2.3	1.4	4.7	---
14	---	.5	2.1	2.2	4.8	---
15	---	.4	1.9	2.7	5.3	---
16	---	.7	2.1	3.5	5.1	---
17	---	1.9	2.2	4.0	4.7	---
18	---	2.1	1.9	3.5	4.9	---
19	---	1.9	1.6	3.4	4.7	---
20	---	1.9	1.6	2.6	4.8	---
21	---	1.9	1.4	1.8	4.4	---
22	1.5	2.0	1.3	1.2	4.3	---
23	1.2	2.3	1.1	.7	---	---
24	1.2	2.5	.9	1.1	4.4	---
25	1.0	2.2	.8	1.6	5.9	---
26	1.1	2.2	.8	1.5	6.4	---
27	2.0	2.2	.8	1.1	6.6	---
28	2.2	2.5	1.4	1.4	6.7	---
29	2.3	3.2	1.7	1.6	6.0	---
30	1.6	2.9	2.4	2.9	5.3	---
31	---	2.8	---	1.9	5.8	---



DAILY MEAN SALINITY, PAMLICO RIVER AT LIGHT 5

Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2,
Pamlico River at Light 5, April 1989 to September 1990--Continued

[Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County, U.S. Geological Survey
downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C,
degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

SALINITY, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 10.5 ppt August 14, 1990; minimum value
recorded, 0.1 ppt March 18, 21, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	3.5	3.8	---	2.5	---	---	---	---	4.6	4.9	7.9
2	---	4.3	3.4	---	1.6	---	---	---	0.6	4.7	5.6	7.5
3	---	4.5	---	---	1.6	---	---	---	.5	---	6.2	7.5
4	---	4.6	---	3.1	2.4	---	---	---	.6	4.8	6.2	8.2
5	---	4.7	---	---	2.7	---	---	---	.8	5.0	6.0	7.5
6	---	4.0	---	---	2.3	---	---	---	1.1	5.2	6.3	6.9
7	---	3.2	---	---	2.4	---	---	---	1.0	5.6	6.1	5.9
8	---	3.2	---	---	2.9	---	---	---	1.1	5.8	5.8	5.5
9	---	3.8	---	---	2.9	---	---	---	1.6	5.5	5.7	6.5
10	---	4.1	---	---	2.9	---	---	---	2.0	5.7	5.8	---
11	---	4.5	---	---	3.3	---	---	---	2.3	5.5	5.5	---
12	---	4.4	---	---	2.7	---	---	---	2.9	5.5	5.4	---
13	---	4.5	---	---	---	---	---	---	3.1	5.5	5.2	---
14	---	4.3	---	---	0.3	---	---	---	3.4	5.5	5.7	---
15	---	4.0	---	1.6	---	1.1	---	---	4.0	5.4	6.4	---
16	---	---	---	1.1	---	1.8	---	---	4.1	5.4	6.7	---
17	4.0	3.3	---	1.2	---	2.0	---	---	4.2	5.2	6.2	---
18	4.0	3.4	---	2.6	---	1.9	---	---	4.1	5.4	5.2	---
19	4.4	3.0	---	3.0	---	2.6	---	---	---	5.2	4.7	---
20	4.9	---	---	4.1	---	1.8	---	---	4.1	5.0	4.7	---
21	6.0	---	---	---	---	1.5	---	---	4.0	4.8	5.5	---
22	5.5	3.7	---	4.2	---	2.4	---	---	4.0	4.0	5.9	---
23	5.3	3.2	---	---	---	2.2	---	---	4.3	3.9	6.5	---
24	5.4	3.0	---	3.6	---	2.5	---	---	4.3	3.9	6.9	---
25	5.6	2.3	---	3.9	---	3.3	---	---	4.4	4.6	6.1	---
26	4.1	3.2	---	---	---	2.9	---	---	4.6	5.6	6.4	---
27	3.7	3.8	---	4.1	---	---	---	---	4.4	6.1	6.1	---
28	3.6	3.6	---	3.3	---	---	---	---	4.3	6.7	5.4	---
29	5.6	2.9	---	3.1	---	2.8	---	---	4.3	6.6	4.7	---
30	---	2.6	---	---	2.7	---	---	---	4.4	6.1	6.4	---
31	3.6	---	---	3.2	---	2.5	---	---	---	5.5	7.8	---




Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2,
Pamlico River at Light 5, April 1989 to September 1990--Continued

[Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County; U.S. Geological Survey downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

SALINITY, NEAR BOTTOM

SENSOR POSITION.--4 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 16.7 ppt August 24, 1989; minimum value recorded, 0.2 ppt May 7-11, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	4.7	2.9	---	---	7.6
2	---	4.6	3.1	---	---	7.2
3	---	5.6	3.4	---	---	7.2
4	---	4.6	3.3	---	---	7.2
5	---	1.1	3.3	---	5.4	6.9
6	---	.7	3.2	---	7.8	6.9
7	---	.3	3.1	---	8.9	7.0
8	---	.2	3.0	---	9.4	7.0
9	---	.3	2.8	---	6.9	7.1
10	---	.3	2.6	---	5.7	7.3
11	---	.3	2.7	---	5.7	7.4
12	---	.4	---	---	5.8	7.4
13	---	.8	2.5	---	6.4	---
14	---	.7	2.4	---	6.5	---
15	---	.5	2.3	---	6.3	---
16	---	.9	2.3	---	6.3	---
17	---	2.1	2.3	---	6.4	---
18	---	2.4	2.1	---	6.5	---
19	---	2.7	2.2	---	7.4	---
20	---	3.1	2.1	---	7.8	---
21	---	3.4	1.7	---	8.9	---
22	8.8	3.5	1.6	---	9.9	---
23	8.6	2.6	1.5	---	---	---
24	7.6	2.4	1.4	---	14.8	---
25	6.1	3.0	1.7	---	14.4	---
26	5.9	2.8	---	---	10.7	---
27	6.7	2.7	---	---	10.3	---
28	6.0	3.5	---	---	10.7	---
29	4.7	3.2	---	---	10.7	---
30	4.8	3.0	---	---	9.7	---
31	---	2.9	---	---	9.3	---




Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2,
Pamlico River at Light 5, April 1989 to September 1990--Continued

[Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County; U.S. Geological Survey
downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C,
degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

SALINITY, NEAR BOTTOM

SENSOR POSITION.--4 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 14.6 ppt September 3, 1990; minimum value
recorded, <0.1 ppt April 12, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	6.4	11.0	---	4.4	---	3.9	---	---	7.5	7.9	11.7
2	---	6.6	11.3	---	5.0	---	3.9	---	3.4	7.5	8.1	10.8
3	---	5.4	5.4	---	5.3	---	2.6	---	3.3	---	7.7	10.9
4	---	5.9	6.1	9.1	3.9	---	1.4	---	4.1	7.2	7.2	10.0
5	---	5.7	6.8	9.2	3.5	---	2.2	---	5.4	7.2	7.2	8.6
6	---	5.6	---	9.0	4.6	---	2.7	---	4.5	7.5	8.6	8.1
7	---	6.9	---	9.1	4.0	---	1.3	---	4.4	7.5	9.8	8.6
8	---	7.2	---	7.7	4.8	---	2.0	---	5.4	6.1	12.1	9.2
9	---	6.8	---	6.1	4.5	---	2.0	---	5.5	6.1	10.4	8.1
10	---	6.4	---	5.3	3.9	---	1.8	---	5.5	5.9	11.3	---
11	---	6.9	---	5.1	3.4	---	.5	---	5.7	5.8	12.9	---
12	---	6.6	---	4.5	3.1	---	.3	---	6.1	5.5	13.3	---
13	---	7.7	---	4.1	---	---	.8	---	6.7	5.5	13.1	---
14	---	---	---	5.9	---	7.1	.3	---	6.4	5.3	12.1	---
15	---	---	---	6.1	3.3	7.1	.3	---	4.9	5.3	11.6	---
16	---	5.6	---	6.5	2.9	6.0	.4	---	4.4	5.3	11.6	---
17	6.6	4.6	---	6.9	2.1	4.7	.3	---	4.5	5.4	11.3	---
18	6.8	5.4	---	7.0	2.0	3.6	.4	---	4.4	5.1	11.6	---
19	6.4	5.3	---	7.2	1.3	5.4	.6	---	4.2	5.0	11.1	---
20	5.9	5.5	---	6.9	1.3	2.5	.5	---	4.2	4.7	10.6	---
21	6.2	3.8	---	6.5	1.4	3.5	.4	---	4.5	4.8	11.2	---
22	5.7	4.3	---	7.5	---	4.7	.3	---	4.7	5.3	10.7	---
23	5.9	3.8	---	---	---	4.8	.6	---	4.9	7.7	10.7	---
24	5.5	4.9	---	7.2	---	4.4	.6	---	6.4	9.6	9.5	---
25	5.7	5.8	---	7.1	---	3.6	1.2	---	8.1	9.7	10.2	---
26	5.7	6.7	---	---	---	3.8	2.6	---	7.1	9.5	9.8	---
27	5.9	8.2	---	5.0	---	---	3.0	---	6.0	8.7	11.0	---
28	6.6	7.9	---	5.6	---	---	---	---	6.5	6.9	12.2	---
29	6.2	9.1	---	6.1	---	3.1	---	---	6.6	6.8	12.7	---
30	---	9.3	---	4.4	---	2.5	---	---	7.5	7.5	12.5	---
31	6.0	---	---	4.1	---	3.2	---	---	---	7.8	12.0	---




Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2,
Pamlico River at Light 5, April 1989 to September 1990--Continued

[Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County; U.S. Geological Survey
downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C,
degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 32.7 °C July 11, 12, 1989; minimum value recorded,
15.1 °C April 22, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	22.6	26.6	26.8	29.7	---
2	---	22.6	27.8	27.2	30.8	28.2
3	---	22.4	27.7	27.1	---	27.3
4	---	21.9	26.9	27.0	29.6	26.2
5	---	21.2	26.7	27.4	29.3	25.5
6	---	21.2	26.5	27.5	30.5	25.3
7	---	20.0	26.1	27.8	31.6	25.0
8	---	18.8	26.0	28.5	29.3	25.1
9	---	18.3	25.8	29.2	27.4	25.2
10	---	18.1	26.5	29.8	26.0	25.5
11	---	17.9	26.7	30.8	25.4	26.3
12	---	18.0	---	31.4	25.3	26.5
13	---	18.3	26.4	30.3	25.9	---
14	---	18.3	27.5	29.4	26.8	---
15	---	18.7	27.8	29.4	27.0	---
16	---	19.3	27.7	29.0	27.6	---
17	---	19.1	27.1	28.3	28.0	---
18	---	19.3	27.4	27.9	28.8	---
19	---	19.9	28.0	28.3	28.9	---
20	---	20.9	27.5	28.8	29.0	---
21	---	22.3	27.3	28.7	29.4	---
22	16.2	23.6	27.2	28.8	29.3	---
23	17.2	23.5	27.3	29.9	---	---
24	17.9	23.1	27.2	30.0	28.0	---
25	19.2	23.5	27.1	25.9	---	---
26	21.2	23.9	27.6	21.5	---	---
27	20.5	25.2	28.2	21.7	---	---
28	20.8	24.9	28.2	25.0	---	---
29	20.9	23.9	27.7	29.8	---	---
30	22.1	24.3	27.0	27.5	---	---
31	---	25.2	---	29.2	---	---




Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2,
Pamlico River at Light 5, April 1989 to September 1990--Continued

(Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County; U.S. Geological Survey
downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C,
degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L)

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 33.0 °C July 23, 1990; minimum value
recorded, 0.0 °C December 3, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	18.7	10.0	---	10.5	---	13.7	---	24.0	29.8	28.9	27.0
2	---	18.4	9.4	---	10.7	---	14.4	---	24.7	29.4	28.3	27.1
3	---	18.0	4.6	---	12.5	---	14.3	---	24.9	---	27.8	27.9
4	---	17.0	4.8	6.6	12.2	---	12.2	---	25.7	29.1	27.7	27.8
5	---	---	6.7	9.4	11.8	---	13.1	---	25.1	29.2	27.6	26.5
6	---	17.0	---	9.4	10.9	---	13.8	---	24.8	30.0	27.5	26.5
7	---	18.0	---	9.3	12.2	---	13.0	---	25.7	30.1	27.1	26.9
8	---	18.3	---	8.4	10.7	---	12.6	---	27.4	29.7	26.5	27.3
9	---	18.6	---	7.3	11.7	---	12.5	---	27.3	29.9	26.2	26.8
10	---	17.7	---	7.5	13.2	---	12.8	---	27.5	30.0	26.3	---
11	---	---	---	7.9	12.8	---	13.1	---	26.7	30.3	27.1	---
12	---	16.9	---	8.4	12.1	---	12.2	---	25.2	30.0	27.7	---
13	---	17.3	---	7.0	---	---	11.6	---	24.8	30.0	28.1	---
14	---	17.5	---	7.3	---	10.7	9.6	---	25.4	29.8	27.9	---
15	---	18.0	---	7.8	11.3	9.4	11.2	---	25.3	29.4	27.2	---
16	---	17.0	---	9.3	15.0	10.7	12.9	---	25.7	28.7	27.2	---
17	21.9	15.5	---	10.1	15.3	12.3	15.2	23.7	26.1	28.7	27.1	---
18	22.7	14.3	---	10.4	14.5	15.9	16.6	23.5	26.8	29.0	27.3	---
19	22.8	13.1	---	11.0	13.0	16.4	15.4	23.7	---	29.1	27.7	---
20	21.4	12.1	---	10.8	12.7	16.5	15.5	23.5	26.7	29.0	28.3	---
21	18.7	11.2	---	11.9	11.3	14.5	17.5	---	27.6	29.1	27.7	---
22	17.7	11.7	---	10.5	---	11.7	18.7	---	28.5	29.6	27.2	---
23	17.3	10.6	---	---	---	14.0	18.5	---	27.3	30.4	27.2	---
24	17.2	9.5	---	9.0	---	14.2	19.6	---	27.5	30.6	27.3	---
25	17.4	8.6	---	10.5	---	11.1	20.4	---	27.8	29.8	27.5	---
26	17.0	10.2	---	---	---	9.2	22.2	---	27.6	28.8	27.6	---
27	17.0	11.2	---	9.7	---	---	22.8	---	28.1	28.3	28.1	---
28	17.2	11.8	---	10.0	---	---	---	---	28.6	28.1	28.3	---
29	17.9	12.2	---	10.4	---	11.5	---	---	29.0	28.0	28.5	---
30	---	10.9	---	10.1	---	12.9	---	---	29.3	28.2	27.8	---
31	18.6	---	---	10.4	---	13.2	---	---	28.7	27.1	---	---




Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2, Pamlico River at Light 5, April 1989 to September 1990--Continued

[Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County; U.S. Geological Survey downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 15.6 mg/L July 19, 1989; minimum value recorded, 2.9 mg/L June 3, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	7.8	9.6	8.3	6.1b	7.9
2	---	6.8	9.3	---	7.7	6.9
3	---	6.9	7.4b	---	---	5.3b
4	---	6.9	6.5b	8.5	7.8b	4.9b
5	---	6.4	5.6b	7.2	7.0	5.2b
6	---	6.4	5.9b	7.6	7.1	6.2b
7	---	7.0	5.9b	7.7	7.5	7.0
8	---	7.1	6.6b	10.7	5.8b	8.3
9	---	7.0	6.5	7.5	5.0b	9.5
10	---	6.8	8.1	7.2b	5.2b	10.6
11	---	6.9	9.0	6.9	6.6	9.9
12	---	7.0	---	6.8	7.8	9.3
13	---	7.0	7.6	5.1b	8.0	---
14	---	6.7	8.5	5.1b	8.8	---
15	---	6.9	8.8	---	7.7	---
16	---	6.8	7.8	---	9.0	---
17	---	6.8	6.9	---	9.1	---
18	---	7.2	7.7	10.2	8.4	---
19	---	7.8	8.0b	12.0	7.5	---
20	---	8.5	7.1	11.5	7.3	---
21	---	9.5	6.8b	11.8	7.6	---
22	8.7	9.2	7.5	11.4	7.6	---
23	8.6	8.1	8.1	---	---	---
24	8.4	7.5	8.5	---	6.2b	---
25	8.2	8.5	8.7	10.6b	6.2b	---
26	8.6	8.8	9.7	9.9	6.2	---
27	7.9	9.4	9.8	8.9	6.0	---
28	8.1	9.1	8.6	---	5.8	---
29	8.4	8.3	7.8	7.4	6.2b	---
30	8.2	9.3	7.7	6.1b	6.5	---
31	---	9.1	---	5.2b	6.7	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT LIGHT 5

Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2, Pamlico River at Light 5, April 1989 to September 1990--Continued

[Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County; U.S. Geological Survey downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 16.5 mg/L January 4, 1990; minimum value recorded, 2.8 mg/L August 30, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	10.0	10.8	---	11.2	---	10.4	---	---	7.9	7.2	8.0
2	---	9.3	11.0	---	10.8	---	10.2	---	8.7	7.8	6.9b	8.1
3	---	8.8	---	---	10.2	---	9.3	---	9.3	---	6.3b	8.7
4	---	9.2	---	16.0	9.6	---	9.1	---	9.4	7.2	6.2b	7.8
5	---	9.4	11.1	15.4	9.7	---	9.5	---	9.4	6.7	6.3	7.0b
6	---	10.0	---	15.0	10.5	---	9.5	---	9.7	7.5	6.1	7.7
7	---	11.0	---	14.1	10.6	---	9.2	---	10.1	6.5	5.9	8.9b
8	---	10.6	---	14.1	10.6	---	9.5	---	10.4	6.7	5.9	8.6
9	---	9.3	---	13.7	10.5	---	9.6	---	8.5	7.3	5.7	7.7
10	---	8.7	---	13.4	10.2	---	9.2	---	8.0	6.8	6.3	---
11	---	9.1	---	13.3	10.2	---	9.0	---	7.7	7.0	6.9	---
12	---	9.4	---	13.0	10.7	---	9.3	---	7.7	---	7.0	---
13	---	9.9	---	13.1	---	---	9.4	---	8.5	---	6.9	---
14	---	10.2	---	13.0	---	11.0	9.4	---	7.9b	---	6.9	---
15	---	10.4	---	12.9	10.8	10.1	9.8	---	6.4	---	6.5	---
16	---	9.0	---	12.2	10.4	9.4	10.3	---	7.2	---	7.1	---
17	---	9.4	---	12.1	10.0	9.0	9.8	7.8	7.8	---	7.1	---
18	---	10.7	---	11.8	10.3	9.0	9.6	7.6	7.6	---	7.3	---
19	---	11.5	---	11.2	9.6	9.8	10.2	8.3	---	---	7.3	---
20	---	11.5	---	11.6	9.5	9.2	10.6	7.9	7.2	---	7.5	---
21	---	10.8	---	10.5	9.9	9.5	10.8	---	7.3	---	7.3	---
22	---	11.0	---	10.6	---	10.6	10.6	---	7.2	---	7.9	---
23	---	11.1	---	---	---	10.9	11.1	---	6.4b	---	7.9	---
24	---	12.2	---	11.1	---	10.9	10.8	---	7.1	---	7.8	---
25	---	13.2	---	10.9	---	10.2	10.7	---	7.7	---	8.0	---
26	---	12.1	---	---	---	10.7	11.1	---	7.4	6.9	8.1	---
27	---	12.0	---	10.3	---	---	10.8	---	7.7	6.2	8.7	---
28	---	11.9	---	11.1	---	---	---	---	8.1	6.0	8.6	---
29	---	11.7	---	10.9	---	10.2	---	---	8.0	6.3	8.8	---
30	---	10.8	---	10.2	---	10.8	---	---	7.8	6.9	7.4b	---
31	---	---	---	10.7	---	11.2	---	---	---	7.2	7.5b	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT LIGHT 5

Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2,
Pamlico River at Light 5, April 1989 to September 1990--Continued

(Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County; U.S. Geological Survey
downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C,
degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L)

DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 18.6 mg/L July 19, 1989; minimum value recorded,
2.2 mg/L August 24, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	7.6	8.8	6.0b	6.5b	---
2	---	6.6	8.6	6.9b	7.6	---
3	---	6.6	7.1b	6.2b	---	---
4	---	6.3	5.9b	5.9b	7.7b	---
5	---	6.1	5.1b	5.0b	6.7	---
6	---	6.1	5.5b	4.0b	6.7b	---
7	---	6.7	5.7b	---	7.1b	---
8	---	6.9	6.1b	---	5.0b	---
9	---	6.8	6.1b	---	3.7b	---
10	---	6.6	7.7	---	---	---
11	---	6.8	8.0b	---	---	---
12	---	6.8	---	---	---	---
13	---	6.8	7.3	---	---	---
14	---	6.6	7.7b	---	8.1	---
15	---	6.7	8.3	---	---	---
16	---	6.7	7.4	6.1b	---	---
17	---	6.7	6.4	8.8	8.1	---
18	---	7.0	7.0b	11.9	6.9	---
19	---	7.6	7.1b	14.8	5.4b	---
20	---	8.3	6.3b	13.1	5.1b	---
21	---	9.3	6.0b	11.1	5.3b	---
22	8.4	9.0	6.2b	10.4	5.1b	---
23	8.3	7.8	6.1b	11.2	---	---
24	8.1	7.4	6.6b	13.0	4.5b	---
25	7.9	7.9	7.5	13.2b	4.6b	---
26	8.1	8.5	7.2	12.7	4.9b	---
27	7.7	9.2	7.5	11.2	4.7b	---
28	7.8	8.9	6.7b	---	5.1b	---
29	8.2	8.5	6.1b	9.2b	5.9b	---
30	7.8	9.2	6.3b	8.8	6.2	---
31	---	9.0	---	6.2b	---	---




Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2, Pamlico River at Light 5, April 1989 to September 1990--Continued

[Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County, U.S. Geological Survey downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 16.7 mg/L January 4, 1990; minimum value recorded, <1.0 mg/L November 2, 8, 9, 1989, July 7, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	8.8	10.4	---	10.9	---	10.8	---	---	10.1	7.8	7.5
2	---	7.4a	11.0	---	11.0	---	9.1	---	7.5	9.4b	4.2a	6.6b
3	---	8.4	10.9	---	9.9	---	10.3	---	7.8b	---	5.8b	7.7
4	---	8.1	11.6	16.1	9.6	---	9.9	---	8.9	7.4b	6.7a	---
5	---	---	12.1	15.6	9.8	---	10.3	---	7.4a	7.6	6.8b	---
6	---	8.9	---	15.4	10.5	---	10.3	---	6.2b	7.3b	7.5b	---
7	---	7.7a	---	13.8	10.2	---	9.9	---	9.7	5.6	7.5	---
8	---	5.0a	---	---	10.1	---	10.1	---	7.6b	7.3	6.9b	---
9	---	4.9a	---	---	10.2	---	10.0	---	7.5b	7.7	6.7b	---
10	---	6.7b	---	---	10.2	---	9.7	---	7.9b	7.3	7.9b	---
11	---	7.2	---	---	10.1	---	9.5	---	8.0	7.4	7.7b	---
12	---	7.6	---	---	10.7	---	9.7	---	8.0	7.3	6.2b	---
13	---	7.7	---	---	---	---	9.8	---	7.9b	7.2	4.7b	---
14	---	7.8	---	---	---	7.5	9.8	---	6.6b	7.0	6.3b	---
15	---	6.4b	---	---	10.4	8.7	9.9	---	6.4b	7.0	5.0b	---
16	---	4.5b	---	---	10.2	9.0	9.7b	---	7.1	6.9	7.5	---
17	---	5.3b	---	---	9.9	9.6	9.8	7.4	7.4	7.0b	7.2b	---
18	---	6.3	---	---	10.2	9.4	9.8	7.2	7.3	8.5	7.2b	---
19	---	7.0	---	---	9.6	9.8	10.5	7.3	7.5	8.0	5.2b	---
20	---	7.4	---	---	9.5	9.6	10.9	7.5	6.9	8.8b	5.6b	---
21	---	7.3	---	---	10.0	9.7	11.1	---	7.0	8.3b	6.3b	---
22	---	8.0	---	---	---	10.1	10.8	---	5.8b	7.1b	5.0b	---
23	---	8.3	---	---	---	11.0	11.0	---	7.0b	8.1b	4.4b	---
24	---	9.1	---	11.0	---	10.0	10.4	---	7.8b	7.4b	6.7b	---
25	---	9.5	---	11.0	---	10.1	10.6	---	8.2	7.6b	6.4b	---
26	---	9.6	---	---	10.6	9.8	---	8.1	7.2b	6.4b	---	---
27	---	9.6	---	9.8	---	10.6	---	8.0	6.9b	---	---	---
28	---	10.1	---	11.1	---	---	---	---	8.8	7.2	---	---
29	---	10.3	---	10.1	---	11.8	---	---	9.4b	7.8	---	---
30	---	10.1	---	10.1	---	11.9	---	---	9.9	8.0	---	---
31	8.3	---	---	10.6	---	11.3	---	---	---	8.2	---	---




Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2, Pamlico River at Light 5, April 1989 to September 1990--Continued

[Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County, U.S. Geological Survey downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--4 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 10.0 mg/L July 2, 1989; minimum value recorded, <1.0 mg/L May 12-14, 17, 20, 23, 24, June 4, 15, 20, 21, 23-30, July 1, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	5.9a	---	---
2	---	---	---	7.8	---	---
3	---	---	---	6.0b	---	---
4	---	---	2.7a	5.3a	---	---
5	---	5.1b	3.3a	4.7b	---	---
6	---	5.9b	4.5b	---	---	---
7	---	6.5	5.4b	---	---	---
8	---	6.6	5.1b	---	---	---
9	---	6.3	5.4b	---	---	---
10	---	6.1	7.0b	---	---	---
11	---	6.1	5.8a	---	---	---
12	---	4.8a	---	---	---	---
13	---	5.1a	5.9b	---	---	---
14	---	4.8a	6.2b	---	---	---
15	---	4.8b	4.5a	---	---	---
16	---	---	5.2a	---	---	---
17	---	5.0a	5.8	---	---	---
18	---	5.4b	4.9b	---	---	---
19	---	6.4b	3.7a	---	---	---
20	---	4.9a	3.1a	---	---	---
21	---	---	3.3a	---	---	---
22	---	---	3.7a	---	---	---
23	---	4.5a	3.4a	---	---	---
24	---	4.9a	3.6a	---	---	---
25	---	---	2.5a	---	---	---
26	---	---	1.9a	---	---	---
27	---	---	<1.0a	---	---	---
28	---	---	<1.0a	---	---	---
29	---	5.2b	<1.0a	---	---	---
30	---	5.3b	2.7a	---	---	---
31	---	---	---	---	---	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT LIGHT 5

Table 4.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 2,
Pamlico River at Light 5, April 1989 to September 1990--Continued

(Site 2 is at latitude 35°25'48", longitude 76°50'30", Beaufort County; U.S. Geological Survey
downstream order number 0208453300; ppt, parts per thousand; ---, no data; <, less than; °C,
degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L)


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--4 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 18.2 mg/L January 4, 1990; minimum value
recorded, <1.0 mg/L October 17-23, 27, 28, November 9, 1989, April 26-28, July 27-31, August 1-21, 27, 28,
1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	3.1a	---	---	7.5	---	7.4	7.0	---	---	1.0a	---
2	---	---	---	---	7.4	---	6.6	7.1	---	---	<1.0a	---
3	---	---	---	---	7.1	---	7.1b	7.2	---	---	<1.0a	---
4	---	---	---	17.1	7.5	---	10.2	7.2	---	---	1.6a	---
5	---	4.4a	---	15.5	8.5	---	9.8	7.3	---	---	<1.0a	---
6	---	---	---	15.6	8.3	---	7.4	---	---	---	<1.0a	---
7	---	---	---	15.3	8.1	---	8.3b	---	---	---	<1.0a	---
8	---	3.2a	---	---	7.1	---	6.8b	---	---	---	<1.0a	---
9	---	3.2a	---	---	6.9	---	7.9	---	---	---	<1.0a	---
10	---	5.2b	---	---	8.2b	---	7.3	---	---	---	<1.0a	---
11	---	4.7b	---	---	9.2	---	9.7b	---	---	---	<1.0a	---
12	---	4.2a	---	---	9.7	---	9.3	---	---	---	<1.0a	---
13	---	2.7a	---	---	---	---	7.2b	---	---	---	<1.0a	---
14	---	---	---	---	---	6.4	10.1	---	---	---	<1.0a	---
15	---	---	---	---	7.4	6.0b	10.6	---	---	---	<1.0a	---
16	---	---	---	---	7.5	5.6b	8.7	---	---	---	<1.0a	---
17	<1.0a	12.0	---	---	7.8	6.5b	9.6	7.1	---	---	<1.0a	---
18	<1.0a	10.4	---	---	8.3	7.8b	11.2	9.0	---	---	<1.0a	---
19	1.4a	9.9	---	---	7.3b	6.9b	11.9	8.5	5.6b	---	<1.0a	---
20	1.9a	8.7	---	---	7.4	9.2	12.5	6.9	7.0	---	1.0a	---
21	6.7a	14.5	---	---	8.5	8.4	11.8	---	5.4b	---	1.0a	---
22	7.2a	15.6	---	---	6.4a	8.0	11.8	---	4.3b	---	1.1a	---
23	4.0a	16.5	---	---	---	7.1b	9.3b	---	---	---	1.3a	---
24	7.3a	16.1	---	7.8	---	7.9b	9.1b	---	---	---	1.7a	---
25	8.6	15.0	---	6.8	---	9.2b	6.0b	---	---	---	1.6a	---
26	7.0b	---	---	---	---	8.3b	1.9a	---	---	---	1.5a	---
27	5.3a	---	---	7.8	---	---	<1.0a	---	---	1.7a	1.2a	---
28	1.6a	---	---	7.4	---	---	1.3a	---	---	3.8a	<1.0a	---
29	5.3a	---	---	7.2	---	12.4	6.8	---	---	5.5a	---	---
30	---	---	---	8.4	---	11.4	7.0	---	---	3.3a	---	---
31	---	---	---	8.4	---	10.1	---	---	---	1.7a	---	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT LIGHT 5

Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3, Pamlico River at Light 4, April 1989 to September 1990

[Site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County; U.S. Geological Survey downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

SALINITY, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 8.7 ppt September 9, 1989; minimum value recorded, <0.1 ppt May 6, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	3.0	---	---	---	7.4
2	---	---	---	---	---	7.2
3	---	2.8	---	---	---	7.7
4	---	2.1	---	---	---	8.0
5	---	2.1	---	---	---	7.9
6	---	1.4	---	---	---	8.2
7	---	2.1	---	---	---	8.2
8	---	1.8	---	---	---	8.4
9	---	1.0	---	---	---	8.4
10	---	.8	---	---	---	8.0
11	---	1.1	---	---	---	7.9
12	---	1.0	---	---	---	7.9
13	---	.9	---	---	---	---
14	---	.8	---	---	---	---
15	---	.7	---	---	---	---
16	---	1.4	---	---	---	---
17	---	2.8	---	---	---	---
18	---	---	---	---	---	---
19	---	---	---	---	---	---
20	---	---	---	---	---	---
21	---	---	---	---	---	---
22	---	---	---	---	---	---
23	---	---	---	---	---	---
24	---	---	---	---	7.1	---
25	---	---	---	---	7.4	---
26	---	---	---	---	7.2	---
27	---	---	---	---	7.6	---
28	---	---	---	---	7.8	---
29	3.8	---	---	---	7.4	---
30	3.4	---	---	---	7.4	---
31	---	---	---	---	7.6	---




Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3,
Pamlico River at Light 4, April 1989 to September 1990--Continued

[Site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County; U.S. Geological Survey
downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data;
°C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


SALINITY, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 10.0 ppt August 28, 1990; minimum value
recorded, 0.4 ppt April 21-22, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	5.0	---	5.0	---	4.4	2.2	2.2	6.4	6.9	8.2
2	---	---	4.6	---	3.9	---	4.9	2.7	1.6	6.7	6.7	7.7
3	---	---	6.3	---	---	---	4.2	2.7	1.4	7.2	6.6	7.7
4	---	---	7.4	---	4.1	---	3.2	2.5	2.5	7.3	7.2	7.9
5	---	---	7.2	---	4.9	---	3.1	2.6	4.8	---	7.0	7.6
6	---	---	7.0	---	3.9	---	2.9	2.6	3.2	---	6.5	7.4
7	---	---	7.3	5.5	3.8	---	3.1	2.6	3.3	7.9	6.6	7.0
8	---	---	7.6	5.3	4.3	---	2.6	2.2	3.1	8.0	6.4	6.9
9	---	---	7.5	6.8	---	---	2.1	2.1	3.2	7.9	6.4	6.9
10	---	---	7.4	6.9	4.5	---	1.3	2.1	3.2	7.7	6.3	---
11	---	---	7.0	6.6	4.9	---	1.4	2.1	4.5	7.7	6.1	---
12	---	---	6.3	4.5	---	---	1.5	2.3	5.2	7.5	5.9	---
13	---	---	6.4	4.3	---	---	1.4	2.0	5.3	7.3	5.9	---
14	---	---	5.1	3.9	1.7	1.0	1.0	2.0	4.3	7.0	6.2	---
15	---	---	3.5	---	1.9	---	.8	2.1	5.5	6.6	6.7	---
16	---	---	4.6	4.1	---	---	1.1	1.7	---	6.4	7.1	---
17	4.8	---	3.9	3.8	---	---	.9	1.8	---	6.2	7.0	---
18	5.8	---	2.6	4.0	---	---	1.7	1.9	5.3	6.2	6.6	---
19	5.6	---	6.0	3.4	---	---	1.3	2.0	---	6.3	6.5	---
20	5.9	---	5.4	3.6	---	---	1.0	1.8	---	6.0	6.1	---
21	5.7	5.2	---	5.2	---	---	.5	1.7	5.3	5.6	6.7	---
22	6.1	5.7	---	5.7	---	---	1.0	2.5	5.4	6.0	6.7	---
23	6.5	5.8	---	5.5	---	---	1.0	2.5	5.3	5.6	6.7	---
24	6.7	5.7	---	5.1	---	---	1.1	2.4	5.5	6.0	6.8	---
25	6.8	4.3	---	---	---	---	1.0	2.0	5.8	5.8	7.1	---
26	7.0	5.2	---	5.4	---	---	---	1.9	6.0	5.8	7.5	---
27	6.6	6.3	---	5.9	---	---	1.5	2.7	6.3	6.3	7.6	---
28	6.1	5.1	---	---	---	3.9	1.4	2.9	6.3	6.4	8.0	---
29	6.0	5.8	---	5.2	---	4.0	1.6	2.6	6.6	6.8	7.0	---
30	---	4.9	---	5.3	---	4.5	1.8	2.9	6.3	7.1	8.2	---
31	---	---	5.4	---	4.3	---	2.4	---	6.5	8.2	---	---



DAILY MEAN SALINITY, PAMLICO RIVER AT LIGHT 4

Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3, Pamlico River at Light 4, April 1989 to September 1990--Continued

[site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County; U.S. Geological Survey downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 12.4 ppt August 24, 1989; minimum value recorded, 0.5 ppt May 10, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	3.3	---	---	---	8.0
2	---	3.4	---	---	---	8.0
3	---	3.2	---	---	---	7.3
4	---	2.5	---	---	---	7.1
5	---	2.1	---	---	---	7.1
6	---	1.7	---	---	---	6.9
7	---	2.1	---	---	---	6.1
8	---	1.8	---	---	---	6.1
9	---	1.0	---	---	---	5.9
10	---	.7	---	---	---	5.4
11	---	.8	---	---	---	4.6
12	---	.9	---	---	---	4.6
13	---	1.0	---	---	---	---
14	---	.8	---	---	---	---
15	---	.9	---	---	---	---
16	---	1.6	---	---	---	---
17	---	2.8	---	---	---	---
18	---	---	---	---	---	---
19	---	---	---	---	---	---
20	---	---	---	---	---	---
21	---	---	---	---	---	---
22	---	---	---	---	---	---
23	---	---	---	---	---	---
24	---	---	---	---	10.1	---
25	---	---	---	---	8.1	---
26	---	---	---	---	8.0	---
27	---	---	---	---	7.7	---
28	4.0	---	---	---	7.8	---
29	3.8	---	---	---	7.9	---
30	3.7	---	---	---	7.5	---
31	---	---	---	---	8.1	---



DAILY MEAN SALINITY, PAMLICO RIVER AT LIGHT 4

Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3,
Pamlico River at Light 4, April 1989 to September 1990--Continued

[Site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County, U.S. Geological Survey
downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data;
°C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 14.1 ppt August 30, 1990; minimum value
recorded, 0.4 ppt April 21, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	8.8	---	5.8	---	4.3	4.8	3.5	7.7	8.3	9.2
2	---	---	9.3	---	5.9	---	4.9	3.7	4.2	8.4	9.1	8.6
3	---	---	8.3	---	---	---	4.1	3.3	3.2	---	7.9	8.9
4	---	---	7.7	---	4.8	---	3.2	2.8	5.7	---	7.8	8.1
5	---	---	7.9	---	5.6	---	3.1	2.8	5.4	---	8.0	7.8
6	---	---	7.7	---	5.3	---	2.9	3.0	5.3	---	8.5	7.6
7	---	---	7.8	9.1	5.8	---	3.0	3.0	5.1	---	9.3	7.6
8	---	---	7.8	8.2	5.1	---	2.6	2.6	5.1	---	8.9	7.7
9	---	---	7.7	7.0	---	---	2.0	2.5	6.4	---	8.7	6.9
10	---	---	7.8	6.7	4.8	---	1.3	2.4	6.6	---	9.7	---
11	---	---	8.1	6.6	5.4	---	1.5	2.5	6.5	---	10.5	---
12	---	---	6.3	4.9	---	---	1.6	2.9	6.5	---	11.0	---
13	---	---	6.5	4.5	---	---	1.4	2.2	5.9	---	10.4	---
14	---	---	6.6	4.2	7.0	1.0	2.3	6.1	---	11.0	---	---
15	---	---	7.3	---	7.2	1.1	2.2	5.2	---	9.3	---	---
16	---	---	7.7	4.1	---	1.3	2.0	---	---	9.2	---	---
17	6.6	---	8.0	4.2	---	1.3	1.7	---	---	8.7	---	---
18	6.8	---	8.1	4.0	---	1.6	1.9	5.1	---	8.7	---	---
19	6.6	---	7.6	3.6	---	1.2	2.3	5.0	---	8.7	---	---
20	6.1	---	7.6	3.8	---	1.0	1.7	5.3	---	9.4	---	---
21	6.0	5.3	---	6.0	---	---	.6	1.8	5.4	---	8.9	---
22	6.5	6.0	---	6.7	---	---	1.2	2.3	5.7	---	9.5	---
23	6.7	5.8	---	6.5	---	---	1.1	2.5	6.5	8.5	9.8	---
24	6.7	6.6	---	7.3	---	---	1.1	2.4	6.0	8.7	9.8	---
25	6.7	8.0	---	---	---	---	1.2	3.1	7.2	8.6	10.2	---
26	6.8	8.6	---	6.4	---	---	---	2.7	7.7	7.8	10.1	---
27	6.4	7.9	---	7.2	---	---	3.3	3.0	6.7	7.3	11.7	---
28	6.1	8.9	---	---	---	3.9	4.4	2.8	7.2	6.9	12.8	---
29	6.3	8.9	---	6.3	---	4.0	5.3	2.7	7.5	7.4	12.8	---
30	---	9.4	---	5.8	---	4.5	5.1	3.0	7.7	7.4	11.6	---
31	---	---	6.2	---	4.2	---	3.3	---	7.5	10.7	---	---



DAILY MEAN SALINITY, PAMLICO RIVER AT LIGHT 4

Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3, Pamlico River at Light 4, April 1989 to September 1990--Continued

[Site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County; U.S. Geological Survey downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 30.1 °C August 24, 1989; minimum value recorded, 14.1 °C May 17, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	22.5	---	---	---	29.2
2	---	22.0	---	---	---	29.2
3	---	22.3	---	---	---	---
4	---	22.3	---	---	---	---
5	---	21.6	---	---	---	---
6	---	21.5	---	---	---	---
7	---	20.7	---	---	---	---
8	---	19.3	---	---	---	---
9	---	19.0	---	---	---	---
10	---	18.8	---	---	---	---
11	---	18.1	---	---	---	---
12	---	17.6	---	---	---	---
13	---	17.9	---	---	---	---
14	---	17.7	---	---	---	---
15	---	18.3	---	---	---	---
16	---	18.5	---	---	---	---
17	---	17.6	---	---	---	---
18	---	---	---	---	---	---
19	---	---	---	---	---	---
20	---	---	---	---	---	---
21	---	---	---	---	---	---
22	---	---	---	---	---	---
23	---	---	---	---	---	---
24	---	---	---	---	28.9	---
25	---	---	---	---	28.8	---
26	---	---	---	---	28.4	---
27	---	---	---	---	28.1	---
28	21.1	---	---	---	28.1	---
29	21.4	---	---	---	28.4	---
30	22.2	---	---	---	28.4	---
31	---	---	---	---	28.6	---




Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3, Pamlico River at Light 4, April 1989 to September 1990--Continued

[Site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County; U.S. Geological Survey downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 31.8 °C July 24, 1990; minimum value recorded, 3.5 °C January 7, 1990.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	---	11.9	---	14.3	23.4	23.3	27.5	29.3	27.3
2	---	---	---	---	13.0	---	14.8	24.0	23.8	27.6	29.2	27.1
3	---	---	---	---	---	---	14.9	22.9	24.4	27.6	29.6	27.2
4	---	---	---	---	14.8	---	13.9	22.9	24.8	27.6	29.6	27.0
5	---	---	---	---	13.7	---	14.2	23.5	24.3	---	29.1	26.7
6	---	---	---	---	12.8	---	14.9	22.7	24.9	---	28.4	26.8
7	---	---	---	5.2	13.1	---	15.1	22.2	25.1	28.2	27.8	27.1
8	---	---	---	6.1	13.3	---	14.9	22.7	26.4	28.2	27.3	27.8
9	---	---	---	5.7	---	---	15.0	22.6	27.0	28.6	27.0	27.5
10	---	---	---	5.9	14.5	---	15.5	22.6	27.1	29.0	26.7	---
11	---	---	---	6.1	14.4	---	16.0	21.9	26.4	29.3	27.1	---
12	---	---	---	6.6	13.7	---	15.9	22.0	25.3	29.0	27.6	---
13	---	---	---	6.0	13.2	---	16.1	22.4	25.2	29.0	28.6	---
14	---	---	---	5.8	13.6	15.3	16.2	22.9	25.2	29.1	28.4	---
15	---	---	---	6.5	---	17.8	16.5	23.4	25.3	28.6	27.7	---
16	---	---	---	6.7	15.3	18.3	17.5	24.2	---	28.4	27.4	---
17	22.2	---	---	7.4	16.1	18.0	18.0	24.2	---	28.6	27.8	---
18	21.2	---	---	8.6	15.2	17.5	17.2	24.0	26.8	29.1	27.8	---
19	22.1	---	---	8.4	14.9	---	17.0	23.5	27.0	29.5	28.6	---
20	21.1	---	---	8.9	14.2	---	17.5	23.7	---	29.4	28.6	---
21	18.6	---	---	10.0	---	---	18.0	24.0	26.8	29.6	28.0	---
22	17.5	---	---	10.3	---	---	18.6	23.2	26.8	29.3	27.6	---
23	17.1	---	---	10.2	---	---	18.8	21.7	27.5	30.3	27.5	---
24	17.2	---	---	10.5	---	---	19.1	21.7	27.6	30.8	27.5	---
25	17.1	---	---	---	---	---	19.6	21.8	27.3	30.8	27.6	---
26	17.0	---	---	11.7	---	---	---	22.3	27.2	30.2	28.1	---
27	17.1	---	---	10.7	---	---	22.6	22.8	27.4	29.5	28.2	---
28	17.1	---	---	---	14.1	23.2	22.1	27.1	29.4	28.5	---	---
29	17.4	---	---	11.0	---	13.8	23.5	22.2	27.4	29.0	28.8	---
30	---	---	---	11.2	---	13.8	22.8	22.0	27.8	29.1	28.1	---
31	---	---	---	11.5	---	14.1	---	22.6	---	29.5	27.6	---




Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3, Pamlico River at Light 4, April 1989 to September 1990--Continued

[Site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County, U.S. Geological Survey downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 13.6 mg/L September 1, 1989; minimum value recorded, 2.6 mg/L September 3, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	8.3	---	---	---	9.4
2	---	7.1	---	---	---	6.3b
3	---	7.9	---	---	---	4.4b
4	---	8.5	---	---	---	5.4b
5	---	7.9	---	---	---	4.8b
6	---	7.5	---	---	---	4.6b
7	---	7.3	---	---	---	5.5b
8	---	7.1	---	---	---	6.5
9	---	7.2	---	---	---	6.9
10	---	7.3	---	---	---	9.5
11	---	7.0	---	---	---	9.1
12	---	6.9	---	---	---	8.6
13	---	7.7	---	---	---	---
14	---	7.6	---	---	---	---
15	---	8.0	---	---	---	---
16	---	7.5	---	---	---	---
17	---	7.6	---	---	---	---
18	---	---	---	---	---	---
19	---	---	---	---	---	---
20	---	---	---	---	---	---
21	---	---	---	---	---	---
22	---	---	---	---	---	---
23	---	---	---	---	---	---
24	---	---	---	---	7.3	---
25	---	---	---	---	7.0	---
26	---	---	---	---	7.6b	---
27	---	---	---	---	6.6	---
28	8.9	---	---	---	6.2b	---
29	9.1	---	---	---	6.3b	---
30	8.7	---	---	---	5.7b	---
31	---	---	---	---	6.0b	---




Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3,
Pamlico River at Light 4, April 1989 to September 1990--Continued

[Site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County, U.S. Geological Survey
downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data;
°C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 14.7 mg/L January 27, 1990; minimum value
recorded, <1.0 mg/L October 17, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	11.3	---	12.5	---	7.8	9.6	8.5	7.9	7.5	6.8
2	---	---	12.2	---	12.1	---	8.1	8.2	8.4	8.1	8.2	7.0b
3	---	---	10.5	---	---	---	6.6b	7.2	8.3	---	8.6	7.3
4	---	---	10.8	---	11.7	---	6.0b	7.7	7.8	7.5	8.2	7.0
5	---	---	10.9	---	10.5	---	7.1	7.7	7.2b	---	7.8	7.5
6	---	---	11.2	---	11.4	---	7.3	7.7	8.2	---	7.1	7.9
7	---	---	10.9	12.1	10.9	---	7.1	8.3	7.7	7.5	6.5	8.4
8	---	---	10.3	11.3	11.5	---	7.7	8.8	8.2	7.3	6.3	8.3
9	---	---	10.4	10.7	---	---	8.3	8.7	7.7	8.3	6.1	7.7
10	---	---	10.7	10.8	9.9	---	7.9	8.4	7.5	8.3	6.2	---
11	---	---	10.8	10.8	9.9	---	7.2	8.4	7.4	8.3	6.4	---
12	---	---	---	10.8	10.3	---	7.5	8.5	7.6	7.8	6.7	---
13	---	---	---	11.0	11.3	---	8.3	8.4	8.1	7.8	6.9	---
14	---	---	---	11.1	11.4	11.6	8.0	8.5	8.4	7.7	6.9	---
15	---	---	---	11.2	---	11.3	7.7	8.7	7.8	7.6	6.6	---
16	---	---	---	11.3	10.6	10.7	8.3	9.7	8.0	7.9	5.6b	---
17	5.5a	---	---	11.3	10.6	10.0	8.7	6.3	---	8.7	6.0	---
18	5.6b	---	---	11.2	10.5	10.1	7.8	5.5b	8.1	9.3	6.7	---
19	6.6a	---	---	11.5	10.5	---	8.4	5.9	7.9	9.5	7.5	---
20	7.2	---	---	11.5	10.1	---	9.2	6.1	7.5	9.0	7.5	---
21	6.4	11.2	---	11.2	---	---	9.4	5.9	7.9	8.6	6.6	---
22	6.8	11.3	---	11.6	---	---	9.5	5.4b	8.2	8.0	7.2	---
23	6.5b	11.1	---	12.1	---	---	10.2	6.0	7.7	8.4	7.7	---
24	6.9b	11.8	---	12.1	---	---	9.8	6.9	7.9	7.6	7.9	---
25	7.2	12.7	---	---	---	---	9.6	7.3	8.6	7.3	7.8	---
26	7.2	12.3	---	10.4	---	---	---	7.1	8.2	7.3	7.6	---
27	7.5	12.0	---	11.2	---	---	9.6	6.7	7.9	6.9	7.7	---
28	7.8	12.9	---	---	---	7.6	9.5	6.5	8.2	7.1	7.3b	---
29	8.1	12.1	---	12.5	---	6.6	9.1	6.9	8.5	6.7	7.6	---
30	---	12.0	---	11.1	---	6.9	8.8	7.1	7.8	7.3	6.4b	---
31	---	---	---	11.7	---	7.5	---	7.9	---	7.8	7.1	---




Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3, Pamlico River at Light 4, April 1989 to September 1990--Continued

[Site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County; U.S. Geological Survey downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 11.9 mg/L August 28, 1989; minimum value recorded, <1.0 mg/L August 24, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	8.2	---	---	---	5.9b
2	---	7.5	---	---	---	4.6b
3	---	8.2	---	---	---	5.3b
4	---	8.4	---	---	---	5.1b
5	---	7.5	---	---	---	4.4b
6	---	6.5	---	---	---	5.1b
7	---	6.4	---	---	---	5.8b
8	---	6.2	---	---	---	6.8
9	---	6.2	---	---	---	6.9
10	---	6.2	---	---	---	7.9
11	---	5.6	---	---	---	8.4
12	---	5.4	---	---	---	7.8
13	---	5.7b	---	---	---	---
14	---	5.9	---	---	---	---
15	---	6.0	---	---	---	---
16	---	5.4b	---	---	---	---
17	---	5.6b	---	---	---	---
18	---	---	---	---	---	---
19	---	---	---	---	---	---
20	---	---	---	---	---	---
21	---	---	---	---	---	---
22	---	---	---	---	---	---
23	---	---	---	---	---	---
24	---	---	---	---	3.3a	---
25	---	---	---	---	6.7a	---
26	---	---	---	---	7.1a	---
27	---	---	---	---	8.7	---
28	7.8	---	---	---	8.1b	---
29	8.5	---	---	---	7.8	---
30	7.8	---	---	---	6.8b	---
31	---	---	---	---	7.1b	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT LIGHT 4

Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3,
Pamlico River at Light 4, April 1989 to September 1990--Continued

[Site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County; U.S. Geological Survey
downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data;
°C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 14.8 mg/L February 1, 1990; minimum value
recorded, <1.0 mg/L August 28, 29, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	11.7	---	12.6	---	10.6	8.1	9.1	7.7	6.1b	5.6b
2	---	---	12.5	---	12.0	---	9.9	7.0b	9.1	7.9	6.7b	5.4a
3	---	---	10.9	---	---	---	8.9b	6.5	8.7	---	7.7	5.7b
4	---	---	11.3	---	11.9	---	8.9	7.1	7.0	7.2	7.7	5.6b
5	---	---	11.4	---	10.7	---	9.6	7.1	7.6	---	7.5	5.7b
6	---	---	11.9	---	11.2	---	9.9	7.0	8.7	---	7.1	6.0
7	---	---	11.5	12.4	11.1	---	9.5	7.6	8.1	7.2	6.1b	6.1b
8	---	---	10.9	11.9	11.9	---	9.9	8.2	8.7	6.7	6.2b	5.7b
9	---	---	11.0	11.4	---	---	10.5	8.2	8.3	7.3	6.3	5.3
10	---	---	11.4	11.6	10.2	---	9.9	8.1	8.0	7.5	5.9b	---
11	---	---	11.5	11.7	10.1	---	9.1	8.2	7.8	7.4	5.9b	---
12	---	---	---	11.6	10.5	---	9.2	8.4	8.1	7.3	5.8b	---
13	---	---	---	11.8	11.6	---	9.8	8.5	8.5	7.4	5.7b	---
14	---	---	---	11.9	11.6	9.9	9.4	8.6	8.7	7.6	4.6a	---
15	---	---	---	11.8	---	9.4	8.9	8.7	8.5	7.4	4.7b	---
16	---	---	---	11.9	10.8	10.0	9.3	9.1	8.3	7.5	3.7b	---
17	4.3a	---	---	11.8	10.6	10.0	9.5	8.1	---	8.2	4.5b	---
18	3.6a	---	---	11.8	10.5	10.4	8.8	8.0	8.1	8.7	5.3b	---
19	4.0a	---	---	12.0	10.5	---	9.2	8.2	8.2	8.4	6.0b	---
20	6.1a	---	---	11.9	10.3	---	9.9	8.7	8.3	8.2	5.5b	---
21	6.4b	11.6	---	11.5	---	---	10.1	8.1	8.5	8.1	4.9b	---
22	7.5	11.8	---	11.8	---	---	10.1	7.2	8.7	7.8	5.1b	---
23	7.8	11.6	---	12.3	---	---	10.2	7.9	8.4	8.4	5.8b	---
24	8.6	12.0	---	12.3	---	---	9.9	8.9	8.3	7.9	5.6b	---
25	8.7	12.4	---	---	---	---	9.5	9.0	8.8	7.4	4.9b	---
26	8.3	12.5	---	10.6	---	---	---	9.2	8.5	7.2	5.3b	---
27	8.3	12.3	---	11.2	---	---	8.2	8.2	8.0	6.5b	5.4b	---
28	8.3	13.2	---	---	---	10.6	7.5b	7.8	8.1	6.6b	6.0a	---
29	8.4	12.5	---	12.5	---	10.1	7.4b	8.1	8.5	6.1b	6.1a	---
30	---	12.4	---	11.4	---	10.2	7.1b	8.3	7.6	6.6	5.5b	---
31	---	---	---	11.8	---	10.5	---	9.2	---	6.9	6.3b	---




Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3, Pamlico River at Light 4, April 1989 to September 1990--Continued

[Site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County; U.S. Geological Survey downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR APRIL TO SEPTEMBER 1989.--Maximum value recorded, 11.5 mg/L May 1, 1989; minimum value recorded, <1.0 mg/L August 24, 25, September 1, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), APRIL TO SEPTEMBER 1989

DAY	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	9.5	---	---	---	4.2a
2	---	9.2	---	---	---	5.0a
3	---	9.6	---	---	---	4.9a
4	---	9.6	---	---	---	4.9b
5	---	8.8	---	---	---	3.7a
6	---	7.6	---	---	---	4.4b
7	---	7.6	---	---	---	5.5b
8	---	7.5	---	---	---	7.0
9	---	7.6	---	---	---	6.7
10	---	7.4	---	---	---	8.0
11	---	6.4b	---	---	---	8.3b
12	---	6.0b	---	---	---	7.6b
13	---	6.8b	---	---	---	---
14	---	5.0b	---	---	---	---
15	---	3.7b	---	---	---	---
16	---	4.7b	---	---	---	---
17	---	6.7	---	---	---	---
18	---	---	---	---	---	---
19	---	---	---	---	---	---
20	---	---	---	---	---	---
21	---	---	---	---	---	---
22	---	---	---	---	---	---
23	---	---	---	---	---	---
24	---	---	---	---	2.4a	---
25	---	---	---	---	5.2a	---
26	---	---	---	---	5.7a	---
27	---	---	---	---	6.8b	---
28	---	---	---	---	6.6a	---
29	9.7	---	---	---	6.4b	---
30	8.8	---	---	---	5.7b	---
31	---	---	---	---	4.9b	---




Table 5.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 3, Pamlico River at Light 4, April 1989 to September 1990--Continued

[Site 3 is at latitude 35°24'47", longitude 76°45'52", Beaufort County; U.S. Geological Survey downstream order number 0208454253; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 16.7 mg/L February 1, 1990; minimum value recorded, <1.0 mg/L May 29, 31, June 1-3, July 4, 7, 8, 20-25, 27, 28, August 1-3, 5-31, September 1-3, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	9.1	---	13.4	---	7.3b	---	3.8a	---	3.3a	3.2a
2	---	---	7.9b	---	13.5	---	5.7b	---	2.4a	---	2.5a	4.3a
3	---	---	8.6b	---	---	---	7.4b	---	2.3a	---	4.4a	4.7a
4	---	---	10.6	---	12.7	---	9.2	---	---	4.6a	6.4a	6.0b
5	---	---	10.5	---	12.0	---	8.8	---	---	---	4.8a	6.0b
6	---	---	10.8	---	12.4	---	8.8	9.2	---	---	1.8a	6.5
7	---	---	10.4	12.0	10.9	---	9.5	9.6	---	6.9a	<1.0a	6.5b
8	---	---	10.0	11.6	12.8	---	10.5	10.2	---	6.7a	1.1a	6.0b
9	---	---	10.2	11.8	---	---	11.1	10.0	---	7.4b	1.9a	6.0b
10	---	---	10.4	12.2	11.7	---	11.0	10.2	---	8.1	<1.0a	---
11	---	---	10.1	12.4	11.2	---	9.9	9.7	---	8.0	<1.0a	---
12	---	---	---	12.4	12.0	---	9.9	9.4	---	8.1	<1.0a	---
13	---	---	---	12.7	13.3	---	11.0	10.0	---	8.0	<1.0a	---
14	---	---	---	12.8	13.0	11.0	11.0	9.6	---	7.9	1.0a	---
15	---	---	---	12.6	---	11.3	10.0	9.5	---	7.3	2.9a	---
16	---	---	---	12.5	12.5	11.0	10.0	8.4	---	6.7b	1.7a	---
17	---	---	---	12.3	11.9	13.1	9.3	7.9	---	4.3b	2.9a	---
18	---	---	---	12.4	12.3	12.0	10.4	6.9	---	5.6b	1.9a	---
19	---	---	---	13.3	11.5	---	11.2	6.6	---	5.8a	2.1a	---
20	---	---	---	12.9	11.8	---	11.7	7.0b	---	3.6a	<1.0a	---
21	5.8b	11.8	---	13.0	---	---	11.1	6.4b	---	2.7a	<1.0a	---
22	6.0b	11.4	---	12.8	---	---	11.4	6.2	---	<1.0a	<1.0a	---
23	6.1b	11.6	---	---	---	---	11.4	6.6	---	<1.0a	<1.0a	---
24	6.2b	11.5	---	---	---	---	10.5	7.0b	---	<1.0a	<1.0a	---
25	6.6	11.1	---	---	---	---	10.0	4.7b	---	<1.0a	<1.0a	---
26	6.3b	10.8	---	---	---	---	---	4.3a	---	---	<1.0a	---
27	6.4	11.2	---	12.7	---	---	---	5.5a	---	5.2a	<1.0a	---
28	6.3b	9.3	---	---	---	9.6	---	5.8b	---	4.7a	<1.0a	---
29	7.1b	9.4	---	13.3	---	10.0	---	4.9a	---	6.6b	<1.0a	---
30	---	8.9	---	13.1	---	9.5	---	6.0b	---	7.1	1.9a	---
31	---	---	---	12.8	---	9.2	---	4.9a	---	6.3b	2.2a	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT LIGHT 4

Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 4,
Pamlico River at Light 3, May 1989 to September 1990

[Site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County; U.S. Geological Survey
downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 11.2 ppt September 4, 1989; minimum value recorded,
0.9 ppt May 17, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	6.1	---	---	10.1
2	---	5.9	---	---	10.0
3	---	5.7	---	---	10.1
4	4.6	5.8	---	---	10.8
5	5.6	6.1	---	---	10.4
6	4.3	6.4	---	---	9.9
7	3.8	6.2	---	---	10.1
8	3.3	---	---	---	10.1
9	2.8	---	---	---	9.9
10	2.5	5.7	---	---	9.9
11	2.3	5.8	---	---	9.6
12	2.4	---	---	---	9.6
13	2.3	---	---	---	9.6
14	2.0	5.5	---	---	9.7
15	1.9	5.6	---	---	9.8
16	2.0	---	---	---	9.7
17	3.2	---	---	---	9.5
18	4.4	5.5	---	---	9.8
19	4.7	5.5	---	---	10.2
20	3.8	5.3	---	---	10.0
21	3.8	4.8	---	---	10.2
22	4.5	4.6	---	---	10.3
23	5.2	4.5	---	---	9.1
24	5.6	4.2	---	---	9.9
25	5.6	---	---	---	9.8
26	5.7	---	---	9.2	8.6
27	5.7	---	---	9.3	8.8
28	6.3	---	---	---	8.8
29	7.0	---	---	9.3	8.8
30	6.7	---	---	9.3	8.9
31	6.2	---	---	---	---




Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in Water at site 4,
Pamlico River at Light 3, May 1989 to September 1990--Continued

[Site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County; U.S. Geological Survey
downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


SALINITY, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 11.2 ppt September 1, 1990; minimum value
recorded, 1.1 ppt May 6, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	8.9	6.6	6.3	---	7.4	4.1	---	3.2	4.1	---	7.0	10.8
2	8.6	7.4	5.6	---	6.4	---	---	4.0	4.1	---	7.3	9.8
3	8.2	7.5	---	---	---	---	---	4.0	4.5	---	7.6	9.8
4	7.9	7.4	---	5.6	6.7	---	---	4.1	4.2	---	8.0	10.0
5	6.3	7.6	7.1	5.5	7.1	---	---	4.0	4.7	---	7.7	9.8
6	6.2	7.2	7.5	5.4	6.4	---	---	3.9	4.7	---	7.7	9.6
7	7.1	6.4	7.9	5.2	6.0	---	---	4.2	4.8	---	7.7	9.0
8	7.5	5.5	6.6	6.1	6.2	---	---	4.0	4.2	---	7.9	8.9
9	6.8	6.3	8.7	7.3	6.3	---	---	4.0	4.5	---	8.0	9.2
10	7.2	6.5	8.7	7.6	---	---	---	---	4.7	---	7.8	---
11	7.2	7.1	8.5	7.7	---	---	---	---	5.0	---	8.1	---
12	6.1	7.0	---	7.6	6.9	---	---	4.0	5.2	---	7.9	---
13	5.7	7.2	---	7.5	6.6	---	---	4.0	4.7	---	7.9	---
14	5.5	6.8	---	6.5	6.3	---	---	4.2	4.5	---	8.1	---
15	4.9	7.0	---	5.3	6.3	---	---	4.1	5.2	---	8.1	---
16	5.2	7.3	---	5.0	6.1	---	---	---	5.0	---	8.8	---
17	---	7.1	---	4.6	---	---	---	4.0	5.0	---	9.2	---
18	6.4	6.5	---	4.7	6.4	---	---	4.0	5.2	---	9.1	---
19	6.9	6.4	---	5.6	5.5	---	---	4.0	5.3	---	8.9	---
20	7.2	6.2	---	5.9	5.7	---	3.2	3.8	5.4	---	8.7	---
21	7.8	6.7	---	6.8	5.7	---	3.4	4.1	5.4	---	9.1	---
22	7.9	6.5	---	7.1	5.4	---	3.4	5.5	5.6	---	8.5	---
23	7.7	6.7	---	6.9	5.9	---	2.9	5.4	6.0	---	8.2	---
24	7.8	6.2	---	6.6	4.8	---	2.9	4.5	6.5	---	8.6	---
25	7.5	4.2	---	6.9	4.3	---	3.1	4.0	6.9	---	8.5	---
26	7.3	---	---	7.3	4.1	---	2.8	4.3	7.2	---	8.3	---
27	7.7	6.1	---	7.3	4.0	---	2.3	5.3	7.1	---	8.7	---
28	7.5	5.9	---	7.4	3.3	---	2.2	5.9	---	---	---	---
29	7.8	6.1	---	7.4	---	---	2.9	5.1	---	---	7.7	---
30	7.7	6.3	---	---	---	---	3.1	5.4	---	---	8.3	---
31	7.5	---	---	---	---	---	---	4.4	---	---	10.1	---



DAILY MEAN SALINITY, PAMLICO RIVER AT LIGHT 3

Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 4, Pamlico River at Light 3, May 1989 to September 1990--Continued

[Site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County; U.S. Geological Survey downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 11.9 ppt September 13, 1989; minimum value recorded, 1.7 ppt May 14, 16, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	5.7	---	---	9.8
2	---	5.6	---	---	9.5
3	---	5.4	---	---	9.3
4	5.2	5.5	---	---	9.9
5	6.5	5.9	---	---	9.7
6	---	6.2	---	---	9.2
7	---	6.1	---	---	9.3
8	---	5.8	---	---	9.5
9	---	5.7	---	---	9.6
10	2.9	5.8	---	---	9.7
11	2.7	5.7	---	---	9.6
12	2.8	5.4	---	---	9.7
13	2.6	5.6	---	---	10.2
14	2.2	5.6	---	---	9.5
15	3.0	5.8	---	---	9.6
16	2.3	5.9	---	---	9.9
17	3.3	5.8	---	---	9.1
18	4.5	5.8	---	---	9.1
19	5.3	5.7	---	---	9.5
20	6.0	5.6	---	---	9.6
21	6.1	5.3	---	---	9.7
22	6.1	4.8	---	---	10.1
23	5.4	4.7	---	---	9.8
24	5.6	4.6	---	---	10.1
25	5.5	---	---	---	10.3
26	5.5	---	---	9.4	9.4
27	5.6	---	---	9.4	9.0
28	6.2	---	---	---	9.1
29	6.7	---	---	9.0	9.2
30	6.3	---	---	8.7	9.0
31	5.9	---	---	---	---




Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 4,
Pamlico River at Light 3, May 1989 to September 1990--Continued

[Site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County; U.S. Geological Survey
downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 13.1 ppt August 26, 1990; minimum value
recorded, 2.3 ppt April 24, 26-28, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	9.4	8.2	7.0	---	7.1	4.5	---	3.5	4.5	---	8.0	---
2	9.6	8.7	6.9	---	6.7	---	---	4.0	4.3	---	8.7	---
3	9.0	8.7	7.0	---	6.9	---	---	4.0	4.1	---	9.4	---
4	8.8	8.6	7.5	7.0	6.5	---	---	4.1	4.2	---	8.8	---
5	8.4	9.0	8.1	6.6	6.8	---	---	4.1	4.7	---	8.5	---
6	7.4	8.7	8.3	6.4	6.8	---	---	4.1	5.6	---	8.8	---
7	8.1	8.2	8.5	6.0	6.4	---	---	4.2	4.7	---	8.3	---
8	8.5	8.8	9.1	7.2	6.5	---	---	3.9	5.0	---	9.0	---
9	7.1	9.3	9.2	7.7	6.4	---	---	4.0	4.4	---	9.4	---
10	7.8	8.3	9.1	7.6	---	---	---	4.1	4.7	---	8.7	---
11	8.0	8.2	8.9	8.2	---	---	---	3.6	4.7	---	8.9	10.1
12	8.3	7.8	---	8.1	6.7	---	---	4.1	5.0	---	9.3	10.1
13	8.3	8.0	---	8.0	6.6	---	---	4.0	4.7	---	10.0	10.3
14	9.0	8.1	---	7.9	6.3	---	---	4.2	5.1	---	8.6	10.3
15	10.4	8.2	---	7.3	6.3	---	---	4.3	5.7	---	9.7	9.9
16	10.0	---	---	6.1	6.0	---	---	4.1	5.4	---	9.1	10.6
17	---	---	---	7.9	---	---	---	4.0	5.5	---	9.2	10.3
18	9.2	---	---	7.6	6.4	---	---	4.0	5.6	---	8.9	10.5
19	10.5	---	---	7.2	5.7	---	---	4.1	5.7	---	8.8	10.6
20	8.2	---	---	7.1	5.7	---	---	3.0	4.0	5.8	---	8.5
21	8.7	---	---	7.0	6.1	---	---	3.2	4.1	6.1	---	8.7
22	8.9	7.6	---	7.2	5.7	---	---	3.2	5.4	6.4	---	8.8
23	9.0	7.6	---	7.1	5.7	---	---	3.0	5.4	6.3	---	9.3
24	9.0	8.1	---	7.0	4.5	---	---	2.6	5.3	6.7	---	10.0
25	8.7	8.7	---	7.4	3.8	---	---	2.8	4.9	7.4	---	10.2
26	8.3	---	---	7.6	4.2	---	---	2.8	5.0	7.7	---	10.1
27	8.7	7.5	---	7.9	4.6	---	---	2.9	5.1	7.7	---	8.7
28	8.6	7.5	---	7.7	5.5	---	---	3.3	5.9	---	---	11.2
29	8.8	6.6	---	7.6	---	---	---	3.0	5.2	---	---	11.2
30	8.7	6.7	---	---	---	---	---	3.2	5.1	---	---	9.9
31	8.6	---	---	---	---	---	---	5.3	---	---	---	---



Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 4,
Pamlico River at Light 3, May 1989 to September 1990--Continued

[Site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County, U.S. Geological Survey
downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 30.6 °C September 1, 1989; minimum value recorded,
17.1 °C May 12, 13, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	24.6	27.0	---	29.0
2	---	25.8	26.7	---	28.8
3	---	25.8	26.6	---	28.2
4	20.6	25.8	---	---	27.1
5	20.1	25.6	---	---	26.2
6	20.4	25.3	---	---	26.0
7	19.6	25.1	---	---	25.5
8	18.5	25.1	---	---	25.6
9	18.4	25.1	---	---	25.8
10	18.2	25.5	---	---	26.3
11	18.0	25.9	---	---	26.6
12	17.7	25.5	---	---	26.6
13	17.8	25.5	---	---	26.6
14	17.9	26.5	---	---	26.4
15	18.2	26.7	---	---	26.4
16	18.8	26.6	---	---	26.5
17	18.3	26.4	---	---	26.4
18	18.5	26.7	---	---	26.0
19	18.9	27.0	---	---	25.5
20	19.6	26.9	---	---	25.3
21	20.6	26.7	---	---	25.8
22	21.3	26.8	---	---	26.0
23	21.8	26.7	---	---	25.9
24	21.1	26.9	---	---	24.2
25	22.0	27.1	---	---	22.6
26	22.5	27.7	---	28.1	22.9
27	23.9	28.2	---	27.7	22.2
28	23.5	28.2	---	---	21.3
29	22.7	27.7	---	28.1	21.6
30	23.0	26.8	---	28.1	21.8
31	23.7	---	---	---	---



DAILY MEAN WATER TEMPERATURE, PAMlico RIVER AT LIGHT 3

Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 4,
Pamlico River at Light 3, May 1989 to September 1990--Continued

[Site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County; U.S. Geological Survey
downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 33.3 °C August 20, 1990; minimum value
recorded, 4.1 °C December 3, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	21.3	18.3	9.2	---	11.5	10.3	---	22.5	23.5	---	29.6	27.0
2	21.6	17.9	9.5	---	12.5	11.0	---	22.3	24.2	---	29.8	25.9
3	22.4	17.8	8.2	---	13.1	12.7	---	22.5	24.7	---	29.2	25.8
4	22.5	17.2	6.9	---	13.5	12.8	---	22.3	25.4	---	29.3	26.7
5	21.7	16.8	7.0	6.1	13.3	11.3	---	22.8	24.9	---	28.8	26.3
6	21.1	17.3	7.3	6.4	12.4	12.2	---	22.0	24.5	---	28.5	26.2
7	21.4	18.2	7.9	6.7	12.7	11.8	---	21.8	24.9	---	28.0	26.8
8	20.4	18.2	7.9	6.2	12.8	11.3	---	22.0	26.6	---	28.0	26.7
9	19.2	18.4	7.4	5.8	13.1	11.5	---	21.9	26.5	---	27.6	26.3
10	18.4	17.7	6.9	5.8	---	12.7	---	21.9	26.8	---	27.9	27.0
11	18.6	17.3	6.3	6.0	---	14.5	---	21.0	26.3	---	28.4	26.8
12	18.6	17.2	---	6.6	13.2	---	---	21.3	25.1	---	29.4	26.6
13	19.7	17.4	---	5.9	12.8	16.2	---	21.9	24.5	---	29.4	26.8
14	20.1	17.8	---	5.5	13.1	---	---	22.6	24.6	---	29.7	26.8
15	20.3	18.3	---	6.0	13.5	---	---	23.1	24.7	---	29.4	26.5
16	20.9	16.9	---	7.2	15.0	---	---	23.5	24.8	---	29.6	26.5
17	---	15.5	---	8.0	---	---	---	23.1	25.3	28.1	29.4	26.2
18	21.9	14.0	---	9.0	14.4	---	---	23.2	25.7	28.2	29.0	24.6
19	22.1	12.0	---	9.4	13.9	---	---	16.5	23.4	26.3	28.3	23.6
20	20.7	10.7	---	9.4	13.1	---	---	17.0	23.2	26.7	28.3	23.7
21	17.9	9.5	---	9.8	12.7	---	17.5	23.6	27.3	28.6	30.5	23.4
22	17.0	11.5	---	10.0	12.8	---	18.0	22.9	28.2	27.5	30.6	23.5
23	16.9	9.9	---	10.0	13.8	---	18.9	21.7	27.6	---	30.4	23.5
24	17.0	9.9	---	10.6	13.2	---	19.3	22.0	27.4	---	30.1	22.6
25	17.0	8.5	---	11.1	11.3	---	20.0	22.1	27.4	---	29.5	22.0
26	16.8	---	---	11.2	10.3	---	21.4	22.6	27.1	---	29.2	21.8
27	16.9	10.9	---	10.3	9.7	---	22.9	23.0	27.2	---	29.0	22.1
28	16.9	12.3	---	10.4	9.9	---	22.5	22.5	---	---	---	22.8
29	17.2	12.0	---	10.5	---	---	22.5	22.7	---	---	29.2	22.8
30	17.4	10.4	---	---	---	---	21.9	22.7	---	---	28.7	23.0
31	18.0	---	---	---	---	---	---	22.9	---	---	28.0	---




Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 4,
Pamlico River at Light 3, May 1989 to September 1990--Continued

[Site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County; U.S. Geological Survey
downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 15.8 mg/L May 20, 1989; minimum value recorded, 4.7
mg/L September 18, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	9.7	7.4	---	---
2	---	10.2	8.0	---	---
3	---	10.0	7.6	---	---
4	---	---	---	---	---
5	---	---	---	---	---
6	8.2	---	---	---	---
7	8.0	---	---	---	---
8	8.8	---	---	---	---
9	9.2	---	---	---	---
10	8.8	---	---	---	---
11	8.7	---	---	---	---
12	8.7	---	---	---	---
13	9.0	---	---	---	---
14	9.3	---	---	---	9.1
15	9.6	---	---	---	7.8
16	8.8	---	---	---	7.1
17	8.3	---	---	---	6.5
18	8.5	---	---	---	5.5b
19	11.0	---	---	---	5.5b
20	12.9	---	---	---	6.0b
21	13.1	---	---	---	5.6b
22	12.0	---	---	---	5.9
23	10.5	---	---	---	6.4
24	8.7	---	---	---	6.8
25	10.1	---	---	---	6.9
26	9.9	---	---	---	7.1
27	11.4	8.4	---	---	7.0
28	10.5	7.6	---	---	6.8
29	10.2	7.3	---	---	6.9
30	10.3	7.1	---	---	7.3
31	10.5	---	---	---	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT LIGHT 3

Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 4,
Pamlico River at Light 3, May 1989 to September 1990--Continued

[Site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County; U.S. Geological Survey
downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 18.7 mg/L January 24, 1990; minimum value
recorded, 1.5 mg/L October 14, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	6.6	4.8b	---	---	11.6	10.1	---	9.5	8.6	---	8.2	7.6
2	5.9	5.0b	---	---	12.7	---	---	8.2	8.8	---	8.4	7.7
3	5.8	5.3b	---	---	---	---	---	9.6	8.3	---	7.3	7.7
4	6.5	5.5b	---	---	10.8	---	---	9.2	8.4	---	6.8	7.3
5	6.2	5.5b	---	---	10.2	---	---	8.5	8.6	---	6.8	7.9
6	5.8b	6.0b	---	---	11.7	---	---	8.3	8.7	---	6.5	8.3
7	4.9b	6.4b	---	---	12.1	---	---	8.7	8.3	---	6.2b	8.9
8	4.2b	6.4	---	---	12.1	11.4	---	9.0	9.2	---	6.1	8.7
9	3.6b	6.1	---	---	11.8	11.5	---	8.2	8.3	---	6.5	8.4
10	3.9b	6.1	---	---	---	12.3	---	8.0	8.5	---	7.3	8.7
11	4.1b	6.3	---	---	---	---	---	8.6	8.3	---	7.8	7.7
12	3.9b	6.7	---	---	10.8	---	---	8.9	8.3	---	7.0	8.3
13	3.7b	6.9	---	---	11.2	---	---	9.0	8.7	---	5.7b	8.3
14	4.0a	7.1	---	---	11.1	---	---	9.8	9.2	---	---	7.9
15	4.9b	6.8	---	---	11.2	---	---	9.2	7.4	---	---	7.4
16	4.1b	6.1	---	---	10.8	---	---	8.7	7.8	---	---	7.6
17	---	---	---	---	---	---	---	7.0	8.3	7.7	---	7.1
18	3.5b	---	---	---	11.2	---	---	7.2	8.3	7.3	---	6.5
19	3.4b	---	---	---	11.2	---	---	7.6	8.4	7.1	---	---
20	3.4b	---	---	---	9.0	---	10.7	7.3	8.5	6.9	---	---
21	3.6b	---	---	---	7.5	---	10.2	7.3	8.7	7.2	---	---
22	4.1b	9.2	---	---	7.2	---	10.2	7.0	8.1	8.9	---	---
23	4.3b	9.4	---	---	6.7	---	10.7	7.6	7.0	---	---	---
24	4.5b	10.0	---	13.3	6.9	---	10.4	8.8	7.0	---	---	---
25	4.4b	---	---	11.8	7.2	---	10.3	9.2	7.7	---	---	---
26	4.1b	---	---	9.9	8.4	---	10.8	8.5	7.3	---	---	---
27	4.1b	---	---	10.3	9.3	---	11.6	7.7	7.5	---	---	---
28	4.2b	---	---	12.4	10.0	---	10.8	7.7	---	---	---	---
29	4.6b	---	---	12.3	---	---	9.9	8.0	---	---	7.9	---
30	4.4b	---	---	---	---	---	9.0	7.9	---	---	7.0	---
31	4.4b	---	---	11.4	---	---	---	8.7	---	---	6.9	---



DAILY MEAN DISSOLVED OXYGEN, PAMlico RIVER AT LIGHT 3

Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 4, Pamlico River at Light 3, May 1989 to September 1990--Continued.

[Site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County, U.S. Geological Survey downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 15.6 mg/L May 20, 1989; minimum value recorded, <1.0 mg/L September 16, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	5.5a	---	---	7.5
2	---	5.8a	---	---	7.3
3	---	6.2a	---	---	6.8
4	---	7.1	---	---	6.8
5	---	---	---	---	7.0
6	7.0	---	---	---	7.2
7	7.7	---	---	---	7.7
8	8.3	---	---	---	7.9
9	8.4	---	---	---	7.9
10	8.0	---	---	---	7.3
11	8.3	---	---	---	7.0
12	7.7	---	---	---	6.5b
13	7.5b	---	---	---	6.8b
14	7.3b	---	---	---	6.6
15	6.1b	---	---	---	6.6
16	7.6a	---	---	---	6.8a
17	8.2	---	---	---	7.3
18	8.4	---	---	---	6.8
19	11.1	---	---	---	6.7
20	11.7	---	---	---	7.1
21	9.9	---	---	---	7.0
22	8.7	---	---	---	7.1
23	9.8	---	---	---	7.1
24	8.5	---	---	---	7.4
25	8.6	---	---	7.1	7.2
26	9.3	---	---	7.1	7.4
27	10.0	---	---	7.1	7.4
28	9.1	---	---	7.3	7.3
29	9.0	---	---	7.7	6.8
30	8.2	---	---	8.1	7.8
31	7.4	---	---	7.5	---




Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 4,
Pamlico River at Light 3, May 1989 to September 1990--Continued

[Site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County; U.S. Geological Survey
downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 15.8 mg/L January 28, 1990; minimum value
recorded, <1.0 October 16, 18, 19, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	6.8	6.5	9.1	---	11.6	11.4	---	9.0	8.6	---	7.7	7.9
2	6.1b	7.1	8.1	---	12.8	---	---	8.1	9.1	---	8.1	7.8
3	6.7b	7.4	11.6	---	---	---	---	8.7	8.6	---	6.9	7.9
4	7.6	7.2	11.5	---	10.8	---	---	9.2	8.8	---	6.3	7.6
5	7.4	7.1	11.1	---	10.0	---	---	8.4	8.5	---	6.5	8.3
6	7.1	7.6	10.2	---	11.3	---	---	8.2	7.9	---	6.3	8.5
7	6.3b	7.1	11.2	---	11.9	11.0	---	8.5	7.8	---	5.9	8.6
8	5.5b	6.4	11.9	---	11.5	11.2	---	9.0	8.2	---	5.9b	9.0
9	5.7b	6.6	11.8	---	11.3	11.0	---	8.2	7.6	---	6.0b	8.8
10	5.3b	7.2	11.7	---	---	11.5	---	7.8	7.7	---	6.8	8.4
11	6.1b	7.3	10.8	---	---	---	---	8.2	7.6	---	7.8	7.2
12	5.7b	8.1	---	---	10.1	---	---	8.5	7.5	---	6.9	8.0
13	5.2b	8.5	---	---	10.3	---	---	8.3	7.8	---	5.8b	8.1
14	3.6a	8.2	---	---	10.1	---	---	8.9	8.1	---	---	7.9
15	2.3a	7.3b	---	---	10.2	---	---	8.8	6.8	---	---	7.4
16	2.2a	7.0b	---	---	9.8	---	---	9.1	7.2	---	---	7.7
17	---	7.8	---	---	---	---	---	8.6	7.3	8.1	---	7.8
18	1.8a	8.5	---	---	9.9	---	---	8.2	7.6	8.0	---	7.7
19	2.3a	8.9	---	---	9.9	---	---	7.7	7.8	7.3	---	8.4
20	4.8a	9.7	---	---	9.5	---	---	7.6	8.0	7.2	---	7.9
21	5.6b	9.0	---	---	9.8	---	12.2	7.5	8.2	7.6	---	7.3
22	6.4	9.1	---	---	9.8	---	13.3	7.2	8.1	8.6	---	6.6
23	6.5	9.4	---	---	9.2	---	13.1	7.7	7.6	---	---	6.7
24	6.6	9.5	---	13.2	9.2	---	---	8.6	8.1	---	---	6.6
25	6.7	8.7	---	12.4	9.4	---	---	9.2	8.7	---	---	6.8b
26	6.5	---	---	10.4	10.1	---	11.4	8.7	8.0	---	---	6.5
27	6.5	9.6	---	10.4	10.7	---	11.5	7.8	8.0	---	---	6.3
28	6.7	10.2	---	12.3	11.6	---	10.8	7.9	---	---	---	6.6
29	7.3	10.5	---	12.5	---	---	10.0	8.4	---	---	8.0	6.0
30	7.0	10.6	---	---	---	---	8.9	8.2	---	---	7.1	5.6b
31	6.9	---	---	11.7	---	---	8.4	---	---	---	7.3	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT LIGHT 3

Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 4,
Pamlico River at Light 3, May 1989 to September 1990--Continued

[site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County; U.S. Geological Survey
downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 14.1 mg/L May 20, 1989; minimum value recorded, <1.0
mg/L August 25, 26, September 13, 15, 16, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	7.4b	---	---	6.1b
2	---	7.6b	---	---	5.7b
3	---	8.2b	---	---	6.1b
4	---	7.6b	---	---	6.4
5	---	6.9b	---	---	6.7
6	6.8	8.9	---	---	6.8
7	7.3	---	---	---	7.5
8	7.9	---	---	---	7.4
9	8.1	---	---	---	7.6
10	8.0	---	---	---	7.0b
11	7.9	---	---	---	6.7b
12	7.8	---	---	---	5.9b
13	7.7	---	---	---	3.8a
14	7.8	---	---	---	6.0a
15	6.5b	---	---	---	6.1a
16	7.7b	---	---	---	4.8a
17	7.7	---	---	---	5.3a
18	8.5	---	---	---	6.3b
19	11.1	---	---	---	6.9
20	11.4	---	---	---	7.1
21	10.2	---	---	---	7.3
22	9.0	---	---	---	7.9
23	10.4	---	---	---	7.4
24	9.1	---	---	---	7.9
25	9.9	---	---	2.9a	7.8
26	10.4	---	---	3.9a	7.5
27	11.5	---	---	4.8a	8.1
28	10.8	---	---	4.8b	7.6
29	10.8	---	---	5.3b	6.6b
30	10.1	---	---	5.9b	7.9
31	9.6	---	---	5.7b	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT LIGHT 3

Table 6.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 4, Pamlico River at Light 3, May 1989 to September 1990--Continued

(Site 4 is at latitude 35°21'24", longitude 76°38'48", Beaufort County; U.S. Geological Survey downstream order number 0208455155; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than;


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 13.3 mg/L February 27, 1990; minimum value recorded, 1.0 mg/L July 21, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	---	---	---	---	8.4	---	---	6.8	8.0
2	---	---	10.6	---	11.5	---	---	7.9	---	---	6.8b	7.6
3	---	---	10.1	---	10.5	---	---	8.2	---	---	5.2b	7.7
4	---	---	10.4	---	10.6	---	---	8.9	---	---	5.0b	7.5
5	---	---	10.2	---	10.3	---	---	8.2	8.3	---	5.3b	7.9
6	---	---	10.3	---	9.8	---	---	8.0	7.4	---	5.0b	8.2
7	---	---	10.6	---	10.2	---	---	8.3	7.8	---	4.6b	8.1
8	---	---	10.7	---	9.9	---	---	8.7	8.3	---	4.3a	8.5
9	---	---	10.6	---	9.8b	---	---	7.9	7.9	---	3.9b	8.0
10	---	---	10.9	---	---	---	---	7.5	8.0	---	4.8b	7.1b
11	---	---	11.2	---	---	---	---	7.9	8.3	---	5.4b	4.0b
12	---	---	---	---	9.8	---	---	8.2	8.2	---	---	3.1b
13	---	---	---	---	9.4	---	---	8.2	8.3	---	---	---
14	---	---	---	---	9.3	---	---	8.8	8.1b	---	---	---
15	---	---	---	---	9.1	---	---	8.8	6.6b	---	---	---
16	---	---	---	---	8.8	---	---	9.1	7.0	---	---	---
17	---	---	---	---	---	---	---	8.1	7.2	3.1a	---	---
18	---	---	---	---	9.1	---	---	7.9	7.5	3.9b	---	---
19	---	---	---	---	9.1	---	---	7.7	8.1	3.3a	---	---
20	---	---	---	---	9.8	---	---	7.8	7.8b	3.7b	---	---
21	---	---	---	---	10.3	---	---	7.8	---	3.2a	---	---
22	---	---	---	---	10.9	---	---	7.7	---	3.0a	---	---
23	---	---	---	---	10.1	---	---	8.3	---	---	---	---
24	---	---	---	---	11.1	---	---	9.1	---	---	---	---
25	---	---	---	---	11.7	---	---	9.7	---	---	---	---
26	---	---	---	---	11.8	---	---	---	---	---	---	---
27	---	---	---	---	11.3	---	---	---	---	---	---	---
28	---	---	---	---	11.3	---	10.4	---	---	---	---	---
29	---	---	---	---	---	---	10.0	---	---	---	---	---
30	---	---	---	---	---	8.7	---	---	---	---	7.2	---
31	---	---	---	---	---	---	---	---	---	---	7.2	---



DAILY MEAN DISSOLVED OXYGEN, PAMLICO RIVER AT LIGHT 3

Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5,
Goose Creek at Light 6, May 1989 to September 1990

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County; U.S. Geological Survey
downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR SURFACE

SENSOR POSITION.--9 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 11.3 ppt September 17, 1989; minimum value recorded,
4.4 ppt June 27, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	---	6.0	7.5	9.8
2	---	---	6.6	---	9.9
3	---	---	6.7	7.5	9.8
4	---	---	6.9	7.6	9.8
5	---	---	7.0	7.3	10.2
6	---	---	7.6	6.7	10.5
7	---	---	7.6	6.5	10.7
8	---	---	7.3	6.6	10.8
9	---	7.5	6.9	6.6	10.7
10	---	7.2	7.3	7.2	10.8
11	---	7.0	7.1	7.0	10.8
12	---	7.0	6.5	6.5	10.9
13	---	7.3	6.6	6.5	10.9
14	---	7.3	6.8	6.6	11.0
15	---	7.4	6.7	6.9	11.0
16	---	8.1	7.4	6.9	11.1
17	---	8.1	7.8	7.0	11.1
18	---	7.8	7.8	7.2	10.8
19	---	7.6	7.6	7.4	---
20	---	7.5	7.9	7.6	---
21	---	7.6	8.0	8.0	---
22	---	7.4	8.1	8.6	---
23	---	6.8	8.1	8.7	---
24	---	6.0	7.4	---	---
25	---	5.9	7.3	8.9	---
26	---	6.1	7.4	9.2	---
27	---	5.5	7.5	9.3	---
28	---	5.5	7.2	9.6	---
29	---	5.4	7.1	9.7	---
30	---	5.8	7.1	9.8	---
31	---	---	7.4	9.9	---




Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5,
Goose Creek at Light 6, May 1989 to September 1990--Continued

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County; U.S. Geological Survey
downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


SALINITY, NEAR SURFACE

SENSOR POSITION.--9 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 14.4 ppt August 6, 1990; minimum value
recorded, 2.1 ppt March 13, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	---	8.8	4.6	5.8	---	5.6	6.9	8.4	---
2	---	---	---	---	8.7	4.7	---	---	6.0	6.9	8.3	---
3	---	---	---	---	8.1	4.5	5.7	---	6.4	6.7	8.4	---
4	---	---	---	6.8	8.5	4.1	5.5	---	---	7.0	8.6	---
5	---	---	---	7.4	8.7	4.2	---	---	---	7.4	8.8	---
6	---	---	---	6.8	8.0	4.3	5.6	---	---	7.3	11.1	---
7	---	---	---	6.1	8.0	4.7	5.7	---	---	7.2	10.3	---
8	---	---	---	5.9	7.7	4.9	5.0	---	---	7.2	8.2	---
9	---	---	---	7.0	7.7	4.7	4.8	---	---	7.5	8.2	---
10	---	---	---	8.1	8.8	4.0	4.8	---	---	7.6	---	---
11	---	---	---	8.2	8.8	3.8	5.2	---	---	7.7	---	---
12	---	---	---	8.4	8.4	3.6	4.8	---	---	7.7	7.9	11.4
13	---	---	---	8.0	8.1	3.2	4.0	---	---	7.6	8.3	10.9
14	---	---	---	8.0	8.1	2.7	4.4	---	---	7.8	8.8	10.9
15	---	---	---	8.0	8.0	4.5	4.3	---	---	7.7	8.3	10.8
16	---	---	---	7.2	8.7	6.4	3.4	5.5	5.8	7.7	8.0	10.7
17	---	---	---	6.1	8.3	8.3	3.5	6.0	5.8	7.6	8.0	10.5
18	---	---	---	7.4	7.9	8.3	4.0	5.9	6.0	7.7	8.0	10.1
19	---	---	---	7.6	7.9	7.4	4.1	5.5	6.0	7.8	8.1	10.1
20	---	---	---	7.2	7.3	7.4	4.5	5.2	5.9	7.8	8.4	10.4
21	---	---	---	8.0	7.9	7.0	4.7	5.5	5.8	7.9	8.4	10.3
22	---	---	---	8.6	8.4	5.8	4.6	5.3	5.9	8.1	---	10.5
23	---	---	---	8.2	8.4	6.4	4.3	5.5	6.4	8.3	---	10.9
24	---	---	---	8.2	8.3	6.2	4.3	5.5	6.5	8.3	8.3	10.4
25	---	---	---	8.8	7.8	6.7	4.2	5.2	6.3	8.3	8.5	10.3
26	---	---	---	9.9	4.6	6.7	3.7	5.5	6.3	8.6	8.6	10.6
27	---	---	---	---	3.9	---	---	6.5	6.4	8.6	---	10.8
28	---	---	---	9.0	4.2	7.3	---	6.2	6.5	8.6	---	10.9
29	---	---	---	8.8	---	7.7	---	6.3	6.5	8.9	---	11.2
30	---	---	---	8.9	---	7.3	---	6.0	7.0	9.0	---	11.6
31	---	---	---	8.8	---	6.5	---	5.3	---	8.9	---	---



DAILY MEAN SALINITY, GOOSE CREEK AT LIGHT 6

Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5,
Goose Creek at Light 6, May 1989 to September 1990--Continued

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County, U.S. Geological Survey
downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 13.8 ppt August 22, 1989; minimum value recorded,
2.9 ppt June 14, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	---	8.0	11.4	11.0
2	---	---	8.5	---	10.9
3	---	---	8.9	7.9	10.7
4	---	---	8.7	8.0	10.8
5	---	---	9.2	7.9	11.2
6	---	---	9.7	8.3	11.4
7	---	---	9.4	8.2	11.6
8	---	---	9.2	6.9	11.6
9	---	6.5	8.5	6.8	11.6
10	---	6.9	9.3	8.2	11.2
11	---	6.7	9.2	8.3	11.0
12	---	6.9	8.8	7.5	10.9
13	---	6.9	8.8	7.2	10.9
14	---	6.0	9.9	7.5	10.9
15	---	7.7	8.7	7.8	10.9
16	---	9.2	10.7	8.3	11.0
17	---	8.9	11.1	8.8	11.1
18	---	8.0	10.6	8.9	10.8
19	---	7.9	10.4	9.6	---
20	---	7.8	10.9	10.1	---
21	---	8.1	11.1	11.2	---
22	---	7.8	11.0	10.7	---
23	---	7.6	11.0	10.2	---
24	---	7.4	10.5	---	---
25	---	6.6	10.0	10.2	---
26	---	7.3	10.6	10.4	---
27	---	7.4	10.5	10.6	---
28	---	7.2	10.7	10.7	---
29	---	7.2	10.4	10.9	---
30	---	6.9	10.6	10.9	---
31	---	---	11.3	11.1	---



DAILY MEAN SALINITY, GOOSE CREEK AT LIGHT 6

Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5,
Goose Creek at Light 6, May 1989 to September 1990--Continued

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County; U.S. Geological Survey
downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 50.7 ppt July 11, 1990; minimum value
recorded, 3.7 ppt April 19, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	---	9.1	5.7	6.4	---	5.5	6.9	9.7	---
2	---	---	---	---	9.0	5.6	---	---	6.2	6.5	9.1	---
3	---	---	---	---	8.8	5.5	5.9	---	6.7	6.7	9.7	---
4	---	---	---	---	9.4	4.4	5.6	---	---	7.1	10.7	---
5	---	---	---	---	9.0	4.6	---	---	---	7.7	10.3	---
6	---	---	---	---	8.7	5.7	6.5	---	---	7.7	12.6	---
7	---	---	---	---	8.6	4.8	5.9	---	---	7.4	---	---
8	---	---	---	---	8.4	5.7	5.4	---	---	7.7	---	---
9	---	---	---	---	8.5	5.5	5.1	---	---	8.2	---	---
10	---	---	---	---	9.5	4.8	5.0	---	---	7.8	---	---
11	---	---	---	---	9.3	4.9	5.4	---	---	9.1	---	---
12	---	---	---	---	9.1	5.0	5.2	---	---	7.7	---	11.6
13	---	---	---	---	9.0	5.9	4.7	---	---	8.3	---	11.6
14	---	---	---	---	8.8	6.2	5.0	---	---	7.6	---	11.7
15	---	---	---	---	8.6	8.9	5.0	---	---	7.8	---	11.8
16	---	---	---	---	9.2	9.6	5.0	5.5	6.5	7.8	---	11.8
17	---	---	---	---	9.0	8.7	4.6	6.1	6.9	7.8	---	11.7
18	---	---	---	---	8.8	8.3	4.1	5.7	6.5	7.9	---	11.7
19	---	---	---	---	9.5	8.0	4.3	5.5	6.7	8.0	---	11.7
20	---	---	---	---	8.4	7.7	5.2	5.9	6.2	8.0	---	12.4
21	---	---	---	---	8.9	7.9	5.4	7.0	6.0	8.5	---	11.9
22	---	---	---	---	8.8	7.8	5.1	5.4	6.2	9.7	---	13.4
23	---	---	---	---	8.7	7.5	5.0	5.9	8.0	9.0	---	12.6
24	---	---	---	---	8.4	6.7	4.8	6.1	7.3	8.7	---	12.4
25	---	---	---	11.1	8.2	6.7	5.3	5.7	6.6	8.0	---	12.6
26	---	---	10.7	7.3	6.6	4.7	6.9	6.4	8.2	---	12.5	
27	---	---	---	8.3	---	---	8.4	6.5	8.3	---	12.4	
28	---	---	9.7	6.9	7.0	---	6.1	6.4	8.1	---	11.9	
29	---	---	9.3	---	7.3	---	5.9	6.5	8.1	---	11.8	
30	---	---	9.2	---	7.5	---	5.8	8.1	8.9	---	12.4	
31	---	---	9.1	---	6.9	---	5.4	---	9.8	---	---	



DAILY MEAN SALINITY, GOOSE CREEK AT LIGHT 6

Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5, Goose Creek at Light 6, May 1989 to September 1990--Continued

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County; U.S. Geological Survey downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--9 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum recorded, 31.7 °C July 12, 1989; minimum recorded, 19.5 °C May 13, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	25.9	25.2	27.5	28.3
2	---	27.2	25.6	---	---
3	---	27.3	26.0	27.0	---
4	---	26.4	25.7	27.1	26.1
5	---	25.8	25.7	27.2	25.6
6	---	25.4	25.6	27.9	25.5
7	---	25.0	26.0	28.6	25.5
8	---	25.0	26.9	27.0	25.7
9	21.4	24.7	27.3	24.0	26.7
10	21.4	24.8	27.6	22.8	27.4
11	21.1	25.9	28.6	22.6	27.9
12	20.6	25.7	29.8	22.7	27.6
13	20.6	25.3	28.6	23.2	27.1
14	20.3	26.2	27.5	23.8	27.1
15	20.5	26.7	27.4	24.2	26.6
16	20.9	26.2	26.8	25.2	26.9
17	20.1	25.3	26.0	26.1	26.6
18	---	26.1	25.8	26.1	26.1
19	---	26.4	26.1	25.7	---
20	---	26.5	26.5	25.9	---
21	23.9	26.2	26.5	26.3	---
22	24.4	25.9	26.4	26.6	---
23	24.2	26.0	27.9	26.9	---
24	22.9	26.1	28.4	---	---
25	23.8	26.6	28.0	28.1	---
26	23.9	27.1	28.5	27.1	---
27	24.8	27.3	28.2	27.2	---
28	24.8	27.2	28.1	27.6	---
29	23.8	26.8	28.0	27.9	---
30	23.9	25.6	27.2	27.7	---
31	24.3	---	27.5	27.8	---



DAILY MEAN WATER TEMPERATURE, GOOSE CREEK AT LIGHT 6

Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5,
Goose Creek at Light 6, May 1989 to September 1990--Continued

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County; U.S. Geological Survey
downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--9 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 31.6 °C July 24, 1990; minimum value
recorded, 6.4 °C February 26, 1990.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	---	---	9.9	---	---	24.0	29.3	29.0	---
2	---	---	---	---	---	---	---	---	24.1	28.9	28.7	---
3	---	---	---	---	14.8	---	---	---	24.0	28.4	28.6	---
4	---	---	---	---	15.0	---	---	---	---	28.3	28.3	---
5	---	---	---	---	13.8	---	---	---	---	28.2	---	---
6	---	---	---	---	---	---	15.6	---	---	28.8	---	---
7	---	---	---	---	12.2	---	---	---	---	29.1	---	---
8	---	---	---	---	---	---	---	---	---	28.9	---	---
9	---	---	---	---	---	---	---	---	---	28.9	26.0	---
10	---	---	---	---	---	---	---	---	---	29.1	---	---
11	---	---	---	---	13.9	---	---	---	---	29.1	---	---
12	---	---	---	---	---	---	---	---	---	28.9	27.5	27.8
13	---	---	---	---	17.3	---	---	---	---	28.8	28.0	27.8
14	---	---	---	---	---	---	---	---	---	29.0	27.9	27.7
15	---	---	---	---	---	19.7	---	---	---	28.3	27.4	27.4
16	---	---	---	---	15.2	19.0	---	24.3	25.6	28.0	27.4	27.4
17	---	---	---	---	15.9	18.2	---	24.0	26.0	28.2	27.6	26.1
18	---	---	---	---	---	18.4	18.4	24.0	26.9	28.9	27.6	23.9
19	---	---	---	---	---	---	17.0	23.7	27.2	29.0	28.0	23.1
20	---	---	---	---	---	---	17.9	23.8	27.7	28.8	28.3	23.6
21	---	---	---	---	---	---	---	24.2	28.4	28.7	27.5	23.3
22	---	---	---	---	---	---	---	22.9	29.6	29.0	---	23.3
23	---	---	---	---	---	---	---	20.9	28.5	30.2	---	23.4
24	---	---	---	---	---	---	20.3	21.5	28.2	30.5	27.1	21.4
25	---	---	---	---	---	---	20.9	22.3	28.4	30.0	27.2	21.4
26	---	---	---	---	8.6	---	---	22.8	28.4	29.0	27.4	21.5
27	---	---	---	---	---	---	---	23.0	28.4	28.2	---	21.7
28	---	---	---	---	9.2	---	---	22.4	28.9	28.0	---	22.1
29	---	---	---	---	---	---	---	22.5	29.0	27.9	---	22.5
30	---	---	---	11.9	---	---	---	22.7	28.8	28.3	---	22.8
31	---	---	---	---	---	---	---	23.1	---	29.1	---	---



DAILY MEAN WATER TEMPERATURE, GOOSE CREEK AT LIGHT 6

Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5,
Goose Creek at Light 6, May 1989 to September 1990--Continued

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County; U.S. Geological Survey
downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--9 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 11.4 mg/L June 23, 27, July 23, 1989; minimum value
recorded, <1.0 mg/L June 17-20, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	---	8.4	7.7	6.6b
2	---	---	6.3	---	6.5b
3	---	---	7.4	8.4	5.6b
4	---	---	6.0	8.3	6.5
5	---	---	4.8b	8.3	6.3
6	---	---	4.4b	9.1	6.2
7	---	---	5.1b	7.9	6.6
8	---	---	6.0b	6.3	7.4
9	---	---	7.0	6.3	8.2
10	---	---	6.7	6.8	8.6
11	---	---	7.3	7.0	8.5
12	---	---	8.1	7.5	7.1b
13	---	---	6.8	7.9	5.2b
14	---	---	7.3	8.6	4.2b
15	---	---	7.4	8.1	4.2b
16	---	6.0a	6.1	8.3	4.5b
17	---	5.0a	6.0b	9.2	4.3b
18	---	5.1a	6.6	9.0	4.5b
19	---	4.8a	7.6	8.9	---
20	---	6.0a	7.0	9.0	---
21	---	6.0b	6.2	9.0	---
22	---	6.4b	6.3b	8.9	---
23	---	7.4b	7.7b	8.8	---
24	---	8.6	8.0	---	---
25	---	8.5	6.9	6.9	---
26	---	8.6	6.9b	7.6	---
27	---	9.1	6.6b	7.6	---
28	---	8.6	6.7	7.6	---
29	---	8.2	7.5	7.0	---
30	---	7.6	6.8	6.0	---
31	---	---	7.1	6.2b	---



DAILY MEAN DISSOLVED OXYGEN, GOOSE CREEK AT LIGHT 6

Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5,
Goose Creek at Light 6, May 1989 to September 1990--Continued

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County, U.S. Geological Survey
downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--9 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 15.9 mg/L January 28, 1990; minimum value
recorded, 2.3 mg/L August 9, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	---	12.5	11.2	10.2	---	8.6	8.0	6.2b	---
2	---	---	---	---	12.2	11.7	---	---	8.2	6.9	5.6b	---
3	---	---	---	---	12.5	11.7	9.5	---	8.2	7.3	5.4b	---
4	---	---	---	14.7	11.1	10.8	9.7	---	---	7.0	4.8b	---
5	---	---	---	14.2	9.6	10.5	---	---	---	6.6	4.8b	---
6	---	---	---	14.2	10.4	11.1	9.7	---	---	6.8	4.7b	---
7	---	---	---	13.8	10.4	9.9	9.4	---	---	6.4	4.3b	---
8	---	---	---	12.7	11.0	9.9	10.2	---	---	6.0	4.1b	---
9	---	---	---	12.0	10.8	9.9	10.9	---	---	6.4	3.7b	---
10	---	---	---	12.2	9.2	10.1	10.1	---	---	6.5	---	---
11	---	---	---	12.1	9.4	10.6	9.2	---	---	6.5	---	---
12	---	---	---	12.0	9.9	10.5	9.7	---	---	6.3	4.1b	6.3b
13	---	---	---	11.9	10.4	11.0	10.7	---	---	6.3	---	6.0b
14	---	---	---	12.0	10.2	11.4	10.1	---	---	6.5	---	6.4
15	---	---	---	12.1	10.3	9.3	10.4	---	---	6.3	---	6.9
16	---	---	---	12.5	9.3	8.1	11.6	8.1	8.7	6.3	---	7.0
17	---	---	---	12.8	9.5	7.8	10.7	7.4	9.1	6.7	---	6.6
18	---	---	---	12.3	9.8	7.8	9.4	7.4	8.9	7.0	---	7.1
19	---	---	---	11.8	10.0	8.6	9.7	7.8	8.1	6.7	---	7.6
20	---	---	---	11.6	9.8	8.1	10.1	7.5	8.3	6.3	---	7.7
21	---	---	---	10.9	10.0	9.1	9.6	7.4	8.4	6.7	---	7.0
22	---	---	---	11.1	9.8	10.1	10.7	7.3	8.9	7.4	---	7.0
23	---	---	---	12.1	9.2	9.5	11.7	8.2	8.0	7.8	---	7.1
24	---	---	---	12.8	9.1	9.3	11.1	9.0	8.2	7.6	---	---
25	---	---	---	11.5	9.9	9.0	10.3	9.5	8.6	6.7	---	---
26	---	---	---	9.4	11.1	9.0	10.4	8.6	7.7	6.1	---	---
27	---	---	---	---	11.4	---	---	7.8	7.6	5.9	---	---
28	---	---	---	13.5	11.8	9.6	---	7.7	8.0	6.0	---	---
29	---	---	---	14.1	---	9.8	---	7.7	7.6	6.4	---	---
30	---	---	---	11.7	---	9.9	---	8.1	7.5	6.6	---	7.0
31	---	---	---	12.7	---	10.2	---	8.8	---	6.9	---	---



DAILY MEAN DISSOLVED OXYGEN, GOOSE CREEK AT LIGHT 6

Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5,
Goose Creek at Light 6, May 1989 to September 1990--Continued

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County, U.S. Geological Survey
downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 11.6 mg/L May 21, 1989; minimum value recorded, <1.0
mg/L June 9, 11, 12, 14, 15, 18, 19, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	6.9b	6.1b	7.0	5.3b
2	---	7.2	6.4b	---	5.4b
3	---	7.0b	6.0b	6.2b	5.4b
4	---	6.9	5.8b	6.6b	6.2
5	---	6.7b	5.2b	6.0b	6.2
6	---	7.9	5.4b	6.0b	6.2
7	---	6.1b	5.6b	5.3b	6.6
8	---	3.3a	5.5b	6.9	7.0
9	7.8	4.3a	6.1b	6.8	7.0
10	6.7b	3.6a	5.8b	7.3	7.1
11	6.7b	2.5a	6.0b	6.8	7.0
12	7.3b	2.1a	6.4b	7.7	6.8b
13	8.3	3.5a	5.7b	7.8	6.7b
14	8.5	1.8a	5.8b	7.8	6.2
15	7.9	3.1a	6.4b	8.3	6.4b
16	6.8b	3.9a	5.1b	7.7	6.8b
17	8.3	3.8a	5.5b	7.4	6.2b
18	---	3.2a	6.2	7.3b	6.4
19	---	4.1a	6.5	7.8	---
20	---	4.9a	6.4	8.2	---
21	6.9b	4.9b	5.9b	8.1	---
22	7.0b	5.2b	5.8b	8.2	---
23	7.0	6.0b	6.0b	8.4	---
24	7.5	6.5b	7.0	---	---
25	7.9	6.6b	6.7	5.3b	---
26	7.7	5.6b	5.7b	5.7b	---
27	8.0	5.5b	6.4	5.5b	---
28	8.7	5.7b	6.5b	5.7b	---
29	8.5	5.6b	7.2	5.6b	---
30	8.3	5.7b	6.8	4.9b	---
31	8.0	---	6.8	5.2b	---



DAILY MEAN DISSOLVED OXYGEN, GOOSE CREEK AT LIGHT 6

Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5,
Goose Creek at Light 6, May 1989 to September 1990--Continued

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County; U.S. Geological Survey
downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 16.0 mg/L January 29, 1990; minimum value
recorded, 1.0 mg/L August 4, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	---	12.6	11.2	10.7	---	---	6.4b	4.4b	---
2	---	---	---	---	12.2	---	---	---	---	6.1	4.0b	---
3	---	---	---	---	12.6	---	9.8	---	---	6.3b	3.4a	---
4	---	---	---	14.5	11.2	---	9.9	---	---	6.4b	2.5a	---
5	---	---	---	14.1	9.8	---	---	---	---	6.3	2.5a	---
6	---	---	---	13.4	10.3	---	11.1	---	---	6.1b	2.5a	---
7	---	---	---	12.8	10.3	---	10.3	---	---	6.2	---	---
8	---	---	---	12.2	10.8	---	10.6	---	---	5.8b	---	---
9	---	---	---	12.3	10.7	---	10.7	---	---	6.2	---	---
10	---	---	---	12.4	9.2	---	9.9	---	---	6.0	---	---
11	---	---	---	12.4	9.5	---	8.7	---	---	5.8b	---	---
12	---	---	---	12.3	9.9	---	9.1	---	---	5.9	---	6.5
13	---	---	---	12.2	10.3	---	9.9	---	---	5.9	---	6.1b
14	---	---	---	12.3	10.1	---	9.7	---	---	6.1	---	6.2b
15	---	---	---	12.5	10.2	---	9.4	---	---	6.0	---	6.9
16	---	---	---	12.6	9.2	8.7	9.9	8.0	7.6	6.0	---	7.0
17	---	---	---	12.6	9.3	8.6	9.3	---	7.7	6.6	---	6.9
18	---	---	---	12.6	9.7	8.8	8.7	---	7.7b	6.8	---	7.6
19	---	---	---	12.4	9.5	9.4	8.9	---	7.4b	6.5	---	7.8
20	---	---	---	11.8	9.8	9.1	9.1	---	7.6	6.7	---	7.7
21	---	---	---	11.7	10.0	9.8	8.9	---	7.3	6.8	---	7.6
22	---	---	---	11.7	9.9	10.4	8.6	---	7.2	6.9	---	7.5
23	---	---	---	12.8	9.4	10.3	9.0	---	6.9	6.9b	---	7.8
24	---	---	---	13.3	9.2	10.4	9.1	---	7.2b	6.0b	---	7.9
25	---	---	---	12.0	10.0	10.3	9.6	---	7.7	6.2	---	8.4
26	---	---	---	9.8	10.6	10.3	10.6	---	6.6	5.9	---	8.1
27	---	---	---	---	11.3	---	---	---	6.1b	5.9	---	8.3
28	---	---	---	13.0	11.3	10.9	---	---	6.5b	5.8	---	7.8
29	---	---	---	14.2	---	11.1	---	---	6.6b	6.1	---	7.7
30	---	---	---	11.9	---	11.0	---	---	6.1b	6.3b	---	7.1
31	---	---	---	13.0	---	11.0	---	---	6.1b	---	---	---



DAILY MEAN DISSOLVED OXYGEN, GOOSE CREEK AT LIGHT 6

Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5,
Goose Creek at Light 6, May 1989 to September 1990--Continued

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County; U.S. Geological Survey
downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 9.4 mg/L May 15, 1989; minimum value recorded, <1.0
June 10-12, 14-26, July 5, 14, September 15, 16, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	5.0b	5.4b	5.7b	---
2	---	4.9b	5.2b	5.5b	---
3	---	5.1b	5.0b	4.9b	---
4	---	5.1b	5.3b	5.0b	---
5	---	5.3b	4.3a	4.4b	---
6	---	6.1b	5.1b	3.9b	---
7	---	5.7b	5.4b	2.9a	---
8	---	3.9b	5.5b	6.1	---
9	5.6b	4.8b	5.5b	6.5	---
10	4.4b	3.6a	4.4b	6.1b	---
11	5.0b	3.8a	4.9b	5.1b	---
12	6.1b	2.7a	4.4b	6.1b	---
13	6.1b	4.1a	3.0a	5.6b	3.7a
14	5.1a	2.2a	2.9a	5.2b	2.9b
15	5.0b	1.8a	4.4a	6.1b	2.2a
16	3.9a	1.9a	2.7a	5.5b	2.5a
17	7.3b	2.4a	3.5a	4.6b	---
18	---	1.4a	4.9b	4.2b	2.9a
19	---	1.7a	5.1b	4.0b	---
20	---	2.3a	4.9b	3.4b	---
21	5.1b	1.4a	4.1b	3.0b	---
22	4.1b	2.1a	4.2b	3.6b	---
23	4.9b	2.2a	4.5b	4.6b	---
24	4.8b	1.8a	4.2b	---	---
25	5.7b	2.5a	4.0b	---	---
26	5.0b	3.0a	3.1b	---	---
27	4.4b	5.0a	3.9b	---	---
28	6.8	4.2a	4.2b	---	---
29	6.4	5.0a	5.0b	---	---
30	6.3b	5.9b	5.4b	---	---
31	6.0b	---	4.3b	---	---



DAILY MEAN DISSOLVED OXYGEN, GOOSE CREEK AT LIGHT 6

Table 7.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 5, Goose Creek at Light 6, May 1989 to September 1990--Continued

[Site 5 is at latitude 35°19'54", longitude 76°37'06", Beaufort County; U.S. Geological Survey downstream order number 0208455615; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 15.2 mg/L February 13, 1990; minimum value recorded, <1.0 mg/L July 21-24, August 4-7, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	---	---	10.6	---	---	---	5.5b	6.4b	---
2	---	---	---	---	---	10.3	---	---	---	7.1	6.2b	---
3	---	---	---	---	---	10.2	---	---	---	6.7	4.8a	---
4	---	---	---	---	---	11.1	---	---	---	6.0b	2.7a	---
5	---	---	---	---	---	10.7	---	---	---	5.7b	3.0a	---
6	---	---	---	---	---	10.3	---	---	---	5.3b	4.1a	---
7	---	---	---	---	---	10.7	8.8	---	---	6.7b	3.7a	---
8	---	---	---	---	---	10.7	8.8	---	---	6.0b	5.0b	---
9	---	---	---	---	---	10.5	8.9	---	---	6.2b	3.8b	---
10	---	---	---	---	---	10.5	8.3	---	---	5.9b	---	---
11	---	---	---	---	---	9.8	7.7	---	---	5.7b	---	---
12	---	---	---	---	---	9.5	7.7	---	---	6.5	5.4b	4.7b
13	---	---	---	---	12.1	9.2	8.2	---	---	6.5	4.7a	4.7b
14	---	---	---	---	10.4	---	7.8	---	---	6.8	4.9a	4.6b
15	---	---	---	---	9.4	---	7.2	---	---	6.6	6.5	5.4b
16	---	---	---	---	7.9	---	6.3	7.2	6.3b	6.3	5.7b	5.1b
17	---	---	---	---	7.2	---	6.1b	6.9	6.8b	6.4b	7.0	5.5b
18	---	---	---	---	7.6	---	7.6	7.2	6.8b	5.8b	6.6b	5.9
19	---	---	---	---	7.1b	---	9.9	7.7	6.7b	4.7a	6.5b	5.9b
20	---	---	---	---	9.1	---	9.1	6.9b	7.8	5.7b	4.7b	5.7b
21	---	---	---	---	9.2	---	9.9	5.9b	6.8b	4.7a	6.4	6.4
22	---	---	---	---	9.3	---	8.8	7.7	6.1b	4.6a	---	5.8b
23	---	---	---	---	9.1	---	6.7	9.1	4.7b	2.6a	---	6.1b
24	---	---	---	---	9.1	---	6.5b	---	5.6b	3.1a	4.5b	6.3b
25	---	---	---	---	9.8	---	7.1b	---	7.2b	5.8b	4.4b	5.5b
26	---	---	---	---	10.3	---	8.1	---	7.6b	5.7b	4.2b	5.6b
27	---	---	---	---	10.0	---	---	---	6.9b	5.7b	---	6.0b
28	---	---	---	---	9.0	---	---	---	6.6b	6.3	---	6.4b
29	---	---	---	---	---	---	---	---	6.1b	6.0b	---	6.7
30	---	---	---	---	---	---	---	---	4.8a	5.4b	---	6.5
31	---	---	---	---	---	---	---	---	---	4.7a	---	---



DAILY MEAN DISSOLVED OXYGEN, GOOSE CREEK AT LIGHT 6

Table 8.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 6,
Pungo River at Junction Light PR, May 1989 to September 1990

[Site 6 is at latitude 35°22'42", longitude 76°33'24", Beaufort County; U.S. Geological Survey
downstream order number 0208457700; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


SALINITY, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 11.1 ppt September 2, 3, 1989; minimum value
recorded, 2.4 ppt May 14, 15, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	4.9	---	---	10.6
2	---	5.0	---	---	10.5
3	---	5.2	---	---	10.9
4	7.5	5.1	---	---	10.8
5	7.7	5.1	---	---	10.3
6	6.0	5.2	---	---	10.4
7	6.7	5.3	---	---	10.6
8	6.1	5.2	---	---	10.7
9	4.6	5.3	---	---	10.5
10	4.6	5.3	---	---	10.6
11	5.6	5.6	---	---	10.7
12	5.5	5.8	---	---	---
13	4.0	5.9	---	---	---
14	3.4	6.0	---	---	---
15	3.5	6.1	---	---	---
16	5.2	6.4	---	---	---
17	6.8	6.4	---	---	---
18	7.2	6.2	---	---	---
19	7.7	---	---	---	---
20	6.9	---	---	---	---
21	6.0	---	---	---	---
22	6.2	---	---	---	---
23	5.8	---	---	---	---
24	6.1	---	---	---	---
25	6.6	---	---	---	---
26	6.3	---	---	10.1	---
27	5.7	---	---	10.4	---
28	6.0	---	---	10.5	---
29	5.6	---	---	10.5	---
30	5.1	---	---	10.4	---
31	4.8	---	---	10.3	---



DAILY MEAN SALINITY, PUNGO RIVER AT JUNCTION LIGHT PR

Table 8.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 6,
Pungo River at Junction Light PR, May 1989 to September 1990--Continued

[Site 6 is at latitude 35°22'42", longitude 76°33'24", Beaufort County; U.S. Geological Survey
downstream order number 0208457700; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


SALINITY, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 13.4 ppt August 23, 1990; minimum value recorded,
1.3 ppt December 24, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	8.8	---	---	5.9	---	5.5	---	---	9.9	---
2	---	---	8.1	---	---	5.5	---	5.8	---	---	9.6	---
3	---	---	8.7	---	8.4	5.8	---	5.7	---	---	9.4	---
4	---	---	9.4	---	8.2	6.7	---	---	---	---	9.8	---
5	---	---	8.8	7.7	8.6	5.9	---	---	6.4	---	9.3	---
6	---	7.2	9.2	8.4	8.5	5.6	5.3	---	6.3	---	9.2	---
7	---	7.1	9.3	---	---	5.4	---	6.1	---	---	8.7	---
8	---	6.7	10.0	---	---	6.7	5.8	---	6.1	---	9.1	---
9	---	6.0	9.3	9.3	7.9	5.7	6.0	---	5.7	---	8.5	---
10	---	6.8	9.5	9.0	8.1	6.3	5.0	---	5.7	---	8.6	---
11	---	7.4	9.5	9.2	8.3	5.8	4.9	---	6.3	---	8.3	---
12	---	6.9	9.2	9.1	7.8	---	4.9	---	6.3	---	8.2	---
13	---	7.1	9.6	---	---	5.5	5.3	---	6.6	---	8.0	---
14	---	7.1	---	9.1	8.1	---	---	---	6.6	---	8.0	---
15	---	7.3	8.8	8.9	8.0	---	---	---	6.9	---	8.3	---
16	---	6.9	9.5	8.6	7.8	---	5.0	---	6.8	---	8.2	---
17	---	7.1	---	7.7	7.7	---	4.2	---	6.1	8.7	8.4	---
18	---	7.1	10.0	6.8	7.8	---	6.1	---	5.7	8.8	8.2	---
19	---	7.1	9.1	8.2	7.9	---	5.6	---	5.7	8.4	7.7	---
20	---	6.9	8.3	8.7	8.2	---	4.9	---	6.4	8.5	7.5	---
21	---	6.5	10.8	8.0	7.2	---	4.0	---	6.2	8.8	8.0	---
22	---	7.3	11.6	8.7	6.6	---	4.7	---	6.2	8.9	8.2	---
23	---	7.1	7.3	8.6	6.3	---	4.9	---	6.1	8.7	11.4	---
24	---	7.3	2.6	8.3	6.2	---	4.9	---	6.3	9.0	13.1	---
25	---	6.4	---	8.1	6.8	---	4.7	---	6.2	8.6	9.3	---
26	---	5.9	---	---	7.3	---	5.1	---	6.2	8.9	9.3	---
27	---	7.3	---	---	7.2	---	4.9	---	6.4	9.6	9.5	---
28	---	8.2	---	---	6.0	---	4.7	---	---	9.4	---	---
29	---	9.3	---	---	---	---	5.0	---	---	---	---	---
30	---	9.0	---	---	---	---	5.1	---	---	---	---	---
31	---	---	8.8	---	---	---	---	---	---	---	---	---



DAILY MEAN SALINITY, PUNGO RIVER AT JUNCTION LIGHT PR

Table 8.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 6,
Pungo River at Junction Light PR, May 1989 to September 1990--Continued

(Site 6 is at latitude 35°22'42", longitude 76°33'24", Beaufort County; U.S. Geological Survey
downstream order number 0208457700; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L; <, less than)

SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 11.3 ppt August 29, 1989; minimum value recorded,
5.5 ppt May 8, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	7.9	---	---	10.5
2	---	8.1	---	---	10.6
3	---	8.3	---	---	---
4	8.8	7.9	---	---	---
5	8.8	7.8	---	---	---
6	8.2	7.7	---	---	---
7	7.4	7.9	---	---	---
8	6.9	7.9	---	---	---
9	8.2	7.9	---	---	---
10	7.6	8.1	---	---	---
11	8.4	8.4	---	---	---
12	8.3	8.4	---	---	---
13	9.0	8.3	---	---	---
14	8.4	8.4	---	---	---
15	7.5	8.2	---	---	---
16	8.4	8.3	---	---	---
17	8.6	8.2	---	---	---
18	7.8	8.1	---	---	---
19	8.0	---	---	---	---
20	8.2	---	---	---	---
21	8.3	---	---	---	---
22	7.3	---	---	---	---
23	7.2	---	---	---	---
24	6.8	---	---	---	---
25	7.6	---	---	---	---
26	7.6	---	---	---	---
27	7.3	---	---	10.8	---
28	7.9	---	---	10.1	---
29	7.9	---	---	10.7	---
30	7.9	---	---	10.5	---
31	7.9	---	---	10.5	---




Table 8.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 6,
Pungo River at Junction Light PR, May 1989 to September 1990--Continued

[Site 6 is at latitude 35°22'42", longitude 76°33'24", Beaufort County; U.S. Geological Survey
downstream order number 0208457700; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 12.9 ppt December 23, 1989; minimum value
recorded, 4.1 ppt May 6, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	10.3	---	---	7.0	---	---	7.9	---	---	---
2	---	---	9.7	---	---	7.5	---	---	7.5	---	---	---
3	---	---	9.7	---	9.1	---	---	5.8	---	---	---	---
4	---	---	10.4	---	8.8	6.8	---	5.7	6.2	---	---	---
5	---	---	9.7	8.6	8.7	6.8	---	5.0	7.0	---	---	---
6	---	11.5	10.1	8.9	8.8	7.0	6.2	5.2	7.3	---	---	---
7	---	11.5	9.9	---	---	6.7	6.1	5.9	7.0	---	---	---
8	---	11.1	10.6	---	---	7.3	6.4	5.7	7.6	---	---	---
9	---	9.6	10.4	10.0	8.8	7.0	6.4	5.3	7.1	---	---	---
10	---	10.4	9.9	9.6	8.1	7.3	6.1	5.4	6.3	---	---	---
11	---	11.0	9.8	9.9	8.3	7.8	5.7	5.2	6.6	---	---	---
12	---	10.5	9.4	9.9	8.0	8.4	5.6	6.1	6.5	---	---	---
13	---	10.8	9.7	---	---	8.9	5.8	6.1	7.4	---	---	---
14	---	10.8	---	10.2	8.1	---	---	6.0	9.5	---	---	---
15	---	10.9	9.2	10.3	8.1	---	---	6.1	8.0	---	---	---
16	---	10.4	9.7	10.3	7.8	---	6.4	6.1	7.9	---	---	---
17	---	10.5	---	9.9	7.9	---	6.9	5.4	7.9	---	---	---
18	---	10.4	10.1	9.8	7.7	---	6.8	5.5	8.1	---	---	---
19	---	10.5	9.4	10.2	7.8	---	6.3	6.5	7.3	---	---	---
20	---	10.2	9.6	10.4	8.0	---	5.9	6.1	8.5	---	---	---
21	---	10.1	10.9	9.8	7.5	---	5.9	5.9	---	---	---	---
22	---	10.8	11.7	10.5	7.0	---	5.4	7.0	---	---	---	---
23	---	10.4	7.9	10.5	6.6	---	6.3	7.0	---	---	---	---
24	---	10.7	---	10.0	6.3	---	5.7	8.2	---	---	---	---
25	---	10.3	---	9.2	7.0	---	5.8	8.2	---	---	---	---
26	---	9.2	---	---	7.9	---	6.2	7.4	---	---	---	---
27	---	9.6	---	---	7.8	---	6.8	6.9	---	---	---	---
28	---	9.9	---	---	8.4	---	7.0	---	---	---	---	---
29	---	10.7	---	---	---	---	6.3	7.6	---	---	---	---
30	---	10.3	---	---	---	---	6.2	---	---	---	---	---
31	---	---	---	9.1	---	---	---	7.7	---	---	---	---




Table 8.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 6,
Pungo River at Junction Light PR, May 1989 to September 1990--Continued

[site 6 is at latitude 35°22'42", longitude 76°33'24", Beaufort County; U.S. Geological Survey
downstream order number 0208457700; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 29.6 °C September 2, 1989; minimum value recorded,
17.3 °C May 12, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	24.2	---	---	28.1
2	---	24.6	---	---	28.5
3	---	24.9	---	---	27.8
4	20.2	25.3	---	---	27.1
5	19.8	25.3	---	---	26.3
6	20.2	25.3	---	---	26.2
7	19.5	25.0	---	---	25.9
8	18.5	24.8	---	---	26.0
9	18.4	24.8	---	---	26.2
10	18.3	25.2	---	---	26.3
11	18.1	25.3	---	---	27.1
12	17.9	25.5	---	---	---
13	17.9	25.6	---	---	---
14	18.0	26.2	---	---	---
15	18.5	26.4	---	---	---
16	19.1	26.4	---	---	---
17	18.6	26.3	---	---	---
18	18.6	26.3	---	---	---
19	19.0	---	---	---	---
20	19.9	---	---	---	---
21	20.8	---	---	---	---
22	21.8	---	---	---	---
23	22.3	---	---	---	---
24	21.9	---	---	---	---
25	22.2	---	---	---	---
26	22.6	---	---	26.9	---
27	23.3	---	---	26.7	---
28	23.1	---	---	27.2	---
29	21.4	---	---	27.9	---
30	22.6	---	---	28.0	---
31	23.5	---	---	28.2	---




Table 8.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 6,
Pungo River at Junction Light PR, May 1989 to September 1990--Continued

[Site 6 is at latitude 35°22'42", longitude 76°33'24", Beaufort County; U.S. Geological Survey
downstream order number 0208457700; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 31.8 °C August 2, 1990; minimum value
recorded, 1.7 °C December 20, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	10.0	---	---	9.5	---	---	23.3	---	29.7	---
2	---	---	9.6	---	---	9.7	---	---	24.1	---	29.6	---
3	---	---	9.0	---	13.0	10.1	---	---	---	---	29.1	---
4	---	---	7.7	---	13.7	10.4	---	23.0	24.5	---	29.1	---
5	---	---	7.2	4.0	13.1	10.0	---	23.2	23.7	---	29.1	---
6	---	17.3	7.2	4.3	12.6	10.7	16.6	22.5	24.0	---	28.8	---
7	---	17.6	7.7	---	---	10.2	16.9	22.0	24.9	---	28.4	---
8	---	17.8	7.5	---	---	9.9	16.4	22.4	25.5	---	28.0	---
9	---	18.1	6.9	4.6	13.2	10.1	16.6	22.4	26.2	---	27.6	---
10	---	17.5	6.3	4.9	14.1	10.8	17.0	23.1	26.3	---	27.7	---
11	---	17.2	6.0	5.1	13.9	12.6	17.3	22.5	25.9	---	28.0	---
12	---	17.0	5.8	5.5	13.1	13.7	16.9	22.9	24.8	---	28.6	---
13	---	17.0	5.6	---	---	14.7	17.0	23.1	24.1	---	29.0	---
14	---	17.4	---	4.9	13.4	---	---	23.8	24.4	---	29.0	---
15	---	17.9	5.2	5.4	13.8	---	---	24.1	24.1	---	28.8	---
16	---	17.5	5.0	6.1	14.9	---	18.4	24.5	24.4	---	29.2	---
17	---	16.2	---	6.9	15.5	---	19.3	24.6	25.0	27.3	28.9	---
18	---	15.2	3.2	8.2	14.3	---	18.2	24.6	25.4	27.6	29.1	---
19	---	14.1	3.1	8.3	14.0	---	18.0	24.2	25.2	27.6	29.4	---
20	---	12.9	2.8	8.6	13.5	---	18.5	24.2	25.7	27.7	29.8	---
21	---	11.6	---	8.9	12.6	---	19.6	24.5	26.4	27.8	29.3	---
22	---	12.2	---	9.2	12.8	---	20.1	23.6	27.7	27.8	29.5	---
23	---	11.1	---	9.3	13.5	---	20.8	22.3	27.0	28.2	---	---
24	---	10.0	---	10.0	13.4	---	20.9	22.4	26.8	29.1	---	---
25	---	9.4	---	10.7	11.7	---	21.4	22.8	26.8	28.8	---	---
26	---	10.2	---	---	9.8	---	22.6	22.9	26.7	27.9	---	---
27	---	10.8	---	---	9.3	---	---	23.3	26.7	27.7	---	---
28	---	11.5	---	---	9.3	---	---	---	---	27.4	---	---
29	---	11.4	---	---	---	---	---	22.8	---	---	---	---
30	---	10.7	---	---	---	---	---	---	---	---	---	---
31	---	---	---	10.9	---	---	---	22.7	---	---	---	---




Table 8.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 6, Pungo River at Junction Light PR, May 1989 to September 1990--Continued

[Site 6 is at latitude 35°22'42", longitude 76°33'24", Beaufort County; U.S. Geological Survey downstream order number 0208457700; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 14.6 mg/L May 20, 1989; minimum value recorded, 3.9 mg/L August 26, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	---	5.7b
2	---	---	---	---	5.8
3	---	---	---	---	5.5b
4	7.1	---	---	---	6.5
5	6.9	---	---	---	6.8
6	7.2	---	---	---	7.6
7	7.3	---	---	---	7.8
8	7.7	---	---	---	7.9
9	8.9	---	---	---	7.7
10	8.3	---	---	---	7.7
11	7.9	---	---	---	8.3
12	8.4	---	---	---	---
13	8.4	---	---	---	---
14	9.0	---	---	---	---
15	9.7	---	---	---	---
16	10.2	---	---	---	---
17	9.2	---	---	---	---
18	9.9	---	---	---	---
19	10.9	---	---	---	---
20	10.9	---	---	---	---
21	11.7	---	---	---	---
22	11.6	---	---	---	---
23	11.1	---	---	---	---
24	8.5	---	---	---	---
25	7.7	---	---	---	---
26	7.5	---	---	5.3b	---
27	7.4	---	---	5.5b	---
28	6.9	---	---	5.8b	---
29	6.6	---	---	5.9b	---
30	6.6	---	---	5.9	---
31	6.3	---	---	6.1b	---




Table 8.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 6,
Pungo River at Junction Light PR, May 1989 to September 1990--Continued

[Site 6 is at latitude 35°22'42", longitude 76°33'24", Beaufort County; U.S. Geological Survey
downstream order number 0208457700; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 18.6 mg/L January 20, 1990; minimum value
recorded, 3.9 mg/L June 19, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	11.7	---	---	10.7	---	8.6	---	---	8.7	---
2	---	---	11.9	---	---	10.7	---	7.9	---	---	8.9	---
3	---	---	11.3	---	12.6	10.6	---	8.1	---	---	8.8	---
4	---	---	11.4	---	11.4	9.9	---	---	---	---	9.1	---
5	---	---	11.4	15.7	9.9	10.0	---	---	6.8	---	8.9	---
6	---	---	11.5	15.2	10.6	10.2	9.1	---	6.5	---	7.9	---
7	---	---	11.5	---	---	9.5	8.5	---	6.4	---	8.1	---
8	---	---	10.9	---	---	9.9	8.7	---	7.0	---	8.1	---
9	---	---	10.9	12.9	11.0	9.6	9.0	---	7.5	---	8.5	---
10	---	---	11.1	12.5	10.0	9.7	9.5	---	7.7	---	9.4	---
11	---	---	11.0	12.3	9.6	10.6	9.0	---	5.8b	---	9.4	---
12	---	---	11.0	12.0	9.5	10.9	8.6	---	5.6	---	9.2	---
13	---	---	10.8	---	---	11.1	8.8	---	6.1b	---	8.8	---
14	---	---	---	12.1	10.0	---	---	---	6.5	---	8.1	---
15	---	---	11.8	12.4	10.2	---	---	---	6.5	---	7.8	---
16	---	---	11.1	12.6	9.9	---	9.4	---	6.5	---	7.8	---
17	---	---	---	12.9	9.6	---	9.8	---	6.4b	---	6.7	---
18	---	---	11.7	12.1	9.6	---	8.1	---	6.1	---	6.6	---
19	---	---	11.9	12.7	9.6	---	8.2	---	5.1b	---	6.8	---
20	---	---	12.6	13.9	9.6	---	9.7	---	5.2b	---	6.5	---
21	---	---	12.2	11.7	10.0	---	9.1	---	6.0b	---	5.8b	---
22	---	---	12.4	12.6	9.5	---	8.9	---	7.1	---	---	---
23	---	---	---	13.3	9.0	---	8.9	---	5.8b	---	---	---
24	---	---	---	14.1	8.6	---	8.5	---	5.7b	---	---	---
25	---	---	---	13.2	8.7	---	8.4	---	6.5	---	---	---
26	---	---	---	---	9.6	---	8.6	---	6.1	---	---	---
27	---	---	---	---	10.5	---	9.0	---	6.0	---	---	---
28	---	13.1	---	---	10.4	---	8.8	---	---	---	---	---
29	12.3	---	---	---	---	---	8.7	---	---	---	---	---
30	11.9	---	---	---	---	---	8.3	---	---	---	---	---
31	---	---	11.3	---	---	---	---	---	---	---	---	---



DAILY MEAN DISSOLVED OXYGEN, PUNGO RIVER AT JUNCTION LIGHT PR

Table 8.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 6,
Pungo River at Junction Light PR, May 1989 to September 1990--Continued

[Site 6 is at latitude 35°22'42", longitude 76°33'24", Beaufort County; U.S. Geological Survey
downstream order number 0208457700; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 14.0 mg/L December 20, 1989; minimum value
recorded, 2.4 mg/L June 23, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	12.0	---	---	10.9	---	---	8.8	---	7.8	---
2	---	---	12.1	---	---	10.3	---	---	8.9	---	7.7	---
3	---	---	11.5	---	12.6	10.4	---	---	---	---	7.9	---
4	---	---	11.7	---	11.7	10.4	---	8.6	8.0	---	8.1	---
5	---	---	11.7	---	10.1	10.4	---	8.0	7.6	---	7.1b	---
6	---	---	11.9	---	10.3	10.7	9.8	7.8	7.8	---	6.9b	---
7	---	---	11.8	---	---	10.4	9.6	7.7	7.9	---	6.7	---
8	---	---	11.1	---	---	10.7	9.5	8.3	7.8	---	7.2b	---
9	---	---	11.0	---	11.1	10.5	10.2	8.5	7.7	---	6.3b	---
10	---	---	11.1	---	10.0	10.5	10.6	8.2	7.2	---	8.9	---
11	---	---	11.0	---	9.6	11.1	9.9	8.2	6.7b	---	8.7	---
12	---	---	11.1	---	9.5	11.2	9.3	8.1	6.9	---	8.1b	---
13	---	---	11.0	---	---	11.1	9.7	8.3	7.5	---	8.1b	---
14	---	---	---	---	9.9	---	---	8.6	7.6	---	7.7	---
15	---	---	11.8	---	10.1	---	---	9.5	7.7	---	7.6	---
16	---	---	11.3	---	9.9	---	10.0	8.9	7.7	---	7.9	---
17	---	---	---	---	9.6	---	10.1	8.3	7.6	6.3b	6.7	---
18	---	---	12.0	---	9.5	---	9.0	8.0	6.9b	6.6	7.4	---
19	---	---	12.1	---	9.5	---	9.1	8.1	6.3	6.1b	7.2	---
20	---	---	12.6	---	9.5	---	9.7	8.6	6.2	6.3b	7.2	---
21	---	---	12.4	---	9.3	---	9.9	8.2	6.2b	6.3b	6.4	---
22	---	---	12.6	---	9.0	---	9.7	7.4	5.8b	5.3b	---	---
23	---	---	---	---	8.9	---	9.4	8.2	5.7b	5.8b	---	---
24	---	---	---	---	8.7	---	9.0	8.5	5.8	6.0b	---	---
25	---	---	---	---	8.9	---	---	9.3	5.8b	5.6b	---	---
26	---	---	---	---	9.7	---	---	9.7	6.2	5.0b	---	---
27	---	---	---	---	10.5	---	---	8.8	---	4.6b	---	---
28	---	13.4	---	---	10.5	---	---	---	---	4.3b	---	---
29	---	12.7	---	---	---	---	---	8.0	---	---	---	---
30	---	12.2	---	---	---	---	---	---	---	---	---	---
31	---	---	---	11.7	---	---	---	8.2	---	---	---	---



Table 8.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 6,
Pungo River at Junction Light PR, May 1989 to September 1990--Continued

[Site 6 is at latitude 35°22'42", longitude 76°33'24", Beaufort County; U.S. Geological Survey
downstream order number 0208457700; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 12.9 mg/L May 20, 1989; minimum value recorded, <1.0
mg/L September 1, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	4.9a	---	---	3.0a
2	---	5.2a	---	---	4.2b
3	---	5.5b	---	---	4.7b
4	5.6b	6.8	---	---	6.0b
5	---	7.0b	---	---	6.1b
6	---	7.6	---	---	6.2b
7	---	6.6b	---	---	7.0b
8	---	4.7a	---	---	6.7b
9	---	8.0	---	---	4.6b
10	---	6.2a	---	---	4.4b
11	---	6.2b	---	---	4.6b
12	---	7.1b	---	---	---
13	---	8.5	---	---	---
14	---	5.9b	---	---	---
15	---	8.2b	---	---	---
16	---	8.0	---	---	---
17	---	7.8	---	---	---
18	---	7.4b	---	---	---
19	10.8	---	---	---	---
20	10.1	---	---	---	---
21	10.2	---	---	---	---
22	10.8	---	---	---	---
23	10.2	---	---	---	---
24	9.1	---	---	---	---
25	8.1	---	---	---	---
26	7.8	---	---	4.6b	---
27	7.8	---	---	5.3b	---
28	7.8	---	---	4.6a	---
29	7.7	---	---	3.5a	---
30	7.6	---	---	4.6b	---
31	6.9b	---	---	4.7b	---




Table 8.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 6,
Pungo River at Junction Light PR, May 1989 to September 1990--Continued

[Site 6 is at latitude 35°22'42", longitude 76°33'24", Beaufort County; U.S. Geological Survey
downstream order number 0208457700; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 18.4 mg/L January 6, 1990; minimum value
recorded, <1.0 mg/L June 5, 6, August 5, 7-16, 21, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	---	---	11.4	---	---	9.6	---	---	---	---	4.6b	---
2	---	---	11.6	---	---	9.9	---	---	---	---	4.5b	---
3	---	---	11.2	---	11.1	9.3	---	---	---	---	4.2b	---
4	---	---	11.4	---	9.7	10.1	---	---	---	---	4.3b	---
5	---	---	11.5	17.8	11.1	9.3	---	---	5.3a	---	<1.0a	---
6	---	---	11.7	17.7	10.2	9.6	9.4	---	4.4a	---	3.7b	---
7	---	---	11.7	---	---	10.1	9.7	---	4.8a	---	3.9a	---
8	---	---	11.0	---	---	10.0	9.5	---	4.2b	---	5.0a	---
9	---	---	10.9	15.8	8.8	9.2	9.3	---	3.4b	---	2.1a	---
10	---	---	11.0	15.4	10.5	9.6	9.8	---	4.9a	---	3.9a	---
11	---	---	11.0	15.5	10.1	9.9	9.8	---	5.4b	---	1.8a	---
12	---	---	10.8	15.3	9.9	8.4	8.9	---	6.0b	---	2.0a	---
13	---	---	10.2	---	---	8.7	9.4	---	5.3b	---	2.5a	---
14	---	---	10.2	15.8	10.0	---	---	---	4.3a	---	2.8a	---
15	---	---	10.8	16.2	9.8	---	---	---	4.6a	---	2.6a	---
16	---	---	10.5	---	10.3	---	7.8	---	4.3b	---	1.1a	---
17	---	---	---	---	9.5	---	6.8	---	3.6a	---	2.4a	---
18	---	---	11.0	---	9.4	---	8.9	---	---	---	---	---
19	---	---	11.2	---	9.4	---	9.5	---	---	---	---	---
20	---	---	11.5	---	9.6	---	9.3	---	---	---	---	---
21	---	---	11.4	---	9.2	---	---	---	---	---	2.3a	---
22	---	---	11.5	---	8.8	---	---	---	---	---	---	---
23	---	---	---	---	8.9	---	---	---	---	---	---	---
24	---	---	---	---	8.7	---	---	---	---	---	---	---
25	---	---	---	11.8	8.9	---	---	---	---	---	---	---
26	---	---	---	---	9.3	---	---	---	---	---	---	---
27	---	---	---	---	9.5	---	---	---	---	---	---	---
28	---	13.0	---	---	9.0	---	---	---	---	---	---	---
29	---	12.3	---	---	---	---	---	---	---	---	---	---
30	---	11.8	---	---	---	---	---	---	---	---	---	---
31	---	---	---	12.2	---	---	---	---	---	---	---	---




Table 9.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 7,
Neuse River at Channel Light 22, May to December 1989

[Site 7 is at latitude 35°04'48", longitude 77°00'24", Craven County; U.S. Geological Survey
downstream order number 0209258400; ppt, parts per thousand; <, less than; ---, no data; °C,
degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

SALINITY, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

REMARKS.--Station discontinued December 1989.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 9.2 ppt August 7, 1989; minimum value recorded, <0.1
ppt May 12-17, July 23, 27, 28, December 3, 6, 11, 12, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	0.2	---	0.2	0.6	---	---	0.5
2	---	.2	---	.2	.6	---	---	.2
3	---	.6	---	.2	1.2	---	---	.3
4	---	.4	---	.2	1.9	---	---	.8
5	---	.3	---	.4	1.6	---	---	.5
6	---	.2	---	.8	1.5	---	---	.3
7	---	.2	---	2.1	1.4	---	---	.6
8	---	.3	---	6.8	1.3	---	---	1.9
9	---	---	---	6.1	1.1	---	---	1.8
10	---	---	---	7.1	1.1	---	---	.5
11	---	.7	---	3.8	1.1	---	---	.1
12	<0.1	.4	---	2.9	1.2	---	---	.1
13	<.1	---	---	3.4	1.5	---	---	.7
14	<.1	---	---	2.7	1.2	---	---	---
15	<.1	---	---	1.5	1.3	---	---	---
16	<.1	---	---	1.6	1.4	---	---	---
17	.1	---	---	1.7	1.4	---	---	---
18	.5	---	---	1.4	---	---	---	---
19	.3	---	---	1.2	---	---	---	---
20	.2	---	---	.7	---	---	---	---
21	.1	---	0.4	---	---	0.5	---	---
22	.1	---	.2	---	---	.8	---	---
23	.1	---	.1	.6	---	1.1	---	---
24	.1	---	.2	1.1	---	1.5	---	---
25	.1	---	.2	1.7	---	2.6	---	---
26	.1	---	.2	1.1	---	---	---	---
27	.1	---	.1	.9	---	---	---	---
28	.9	---	.1	.5	---	---	---	---
29	.3	---	.5	.4	---	---	---	---
30	.2	---	.3	.4	---	---	0.5	---
31	.2	---	.2	.7	---	---	---	---




Table 9.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 7,
Neuse River at Channel Light 22, May to December 1989--Continued

[Site 7 is at latitude 35°04'48", longitude 77°00'24", Craven County; U.S. Geological Survey
downstream order number 0209258400; ppt, parts per thousand; <, less than; ---, no data; °C,
degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

REMARKS.--Station discontinued December 1989.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 12.0 ppt August 8, 9, 1989; minimum value recorded,
<0.1 ppt May 12-17, 24, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	0.9	---	6.2	7.1	---	---	2.6
2	---	2.7	---	6.3	6.8	---	---	4.0
3	---	1.9	---	6.4	6.5	---	---	.9
4	---	.5	---	7.3	5.7	---	---	3.2
5	---	.4	---	9.2	2.7	---	---	3.1
6	---	.2	---	11.0	2.8	---	---	2.7
7	---	.2	---	11.2	2.3	---	---	3.2
8	---	.6	---	11.9	2.2	---	---	3.0
9	---	.4	---	11.8	2.2	---	---	2.7
10	---	1.0	---	9.3	2.2	---	---	1.4
11	---	2.4	---	8.4	2.6	---	---	2.3
12	<0.1	1.2	---	9.2	3.2	---	---	5.5
13	<.1	---	---	9.2	3.7	---	---	4.3
14	<.1	---	---	9.6	4.0	---	---	---
15	<.1	---	---	10.0	4.3	---	---	---
16	<.1	---	---	9.9	3.1	---	---	---
17	5.1	---	---	9.5	2.8	---	---	---
18	9.8	---	---	8.9	---	---	---	---
19	9.1	---	---	8.3	---	---	---	---
20	9.4	---	---	7.7	---	---	---	---
21	8.3	---	3.3	5.3	---	6.1	---	---
22	5.4	---	3.4	5.0	---	7.4	---	---
23	.2	---	4.5	6.6	---	7.8	---	---
24	1.2	---	6.6	9.1	---	7.7	---	---
25	3.1	---	7.5	10.6	---	7.2	---	---
26	.1	---	7.4	10.4	---	---	---	---
27	2.3	---	6.8	9.7	---	---	---	---
28	3.3	---	5.2	8.2	---	---	---	---
29	1.4	---	7.8	7.5	---	---	---	---
30	.4	---	7.3	6.3	---	---	1.5	---
31	.6	---	2.8	7.6	---	---	---	---




Table 9.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 7,
Neuse River at Channel Light 22, May to December 1989--Continued

[Site 7 is at latitude 35°04'48", longitude 77°00'24", Craven County; U.S. Geological Survey
downstream order number 0209258400; ppt, parts per thousand; <, less than; ---, no data; °C,
degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

REMARKS.--Station discontinued December 1989.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 31.3 °C July 26, 1989; minimum value recorded, 4.4 °C
December 4, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	25.2	---	26.9	26.9	---	---	10.6
2	---	25.8	---	26.3	27.2	---	---	10.3
3	---	25.7	---	26.7	26.8	---	---	8.7
4	---	25.6	---	27.1	26.1	---	---	5.9
5	---	25.4	---	27.3	25.4	---	---	6.2
6	---	24.8	---	28.0	25.5	---	---	7.1
7	---	24.5	---	28.5	25.3	---	---	8.3
8	---	24.4	---	26.6	25.5	---	---	8.5
9	---	23.8	---	24.4	25.9	---	---	7.8
10	---	24.7	---	23.9	26.2	---	---	7.7
11	---	24.7	---	23.1	26.9	---	---	7.7
12	17.2	24.9	---	23.3	27.8	---	---	7.8
13	17.0	---	---	24.1	27.9	---	---	7.6
14	17.2	---	---	24.8	27.3	---	---	---
15	17.6	---	---	24.3	27.2	---	---	---
16	17.7	---	---	24.9	27.4	---	---	---
17	17.3	---	---	26.2	27.2	---	---	---
18	18.0	---	---	26.7	---	---	---	---
19	18.6	---	---	26.2	---	---	---	---
20	18.6	---	---	26.2	---	---	---	---
21	19.6	---	---	27.0	---	19.7	---	---
22	20.7	---	26.5	27.7	---	18.2	---	---
23	21.1	---	27.2	28.5	---	17.6	---	---
24	21.3	---	27.2	28.2	---	17.6	---	---
25	21.5	---	26.4	27.5	---	17.8	---	---
26	22.7	---	26.4	26.8	---	---	---	---
27	23.8	---	26.5	26.4	---	---	---	---
28	23.2	---	26.3	26.3	---	---	---	---
29	22.9	---	26.8	27.0	---	---	---	---
30	23.2	---	26.2	26.7	---	10.9	---	---
31	24.0	---	26.6	26.8	---	---	---	---




Table 9.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 7,
Neuse River at Channel Light 22, May to December 1989--Continued

[Site 7 is at latitude 35°04'48", longitude 77°00'24", Craven County; U.S. Geological Survey
downstream order number 0209258400; ppt, parts per thousand; <, less than; ---, no data;
°C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

REMARKS.--Station discontinued December 1989.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 13.3 mg/L September 12, 1989; minimum value recorded,
<1.0 mg/L August 5, 6, 9, 10, 13, 14, 24, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	8.5	---	3.9b	6.3b	---	---	9.8
2	---	8.1	---	3.5b	6.3	---	---	9.6
3	---	7.4	---	3.2b	6.7b	---	---	10.3
4	---	7.3	---	3.5b	7.6	---	---	11.1
5	---	7.4	---	3.1a	7.3	---	---	11.3
6	---	7.3	---	2.8a	7.1	---	---	11.0
7	---	7.2	---	---	7.4	---	---	11.1
8	---	7.4	---	---	7.6	---	---	11.2
9	---	---	---	2.7a	8.1	---	---	11.5
10	---	8.2	---	1.9a	8.7	---	---	11.9
11	---	8.4	---	2.4a	9.4	---	---	10.8
12	6.1	9.0	---	2.6a	10.8	---	---	10.3
13	6.5	---	---	2.0a	10.7	---	---	10.9
14	6.4	---	---	2.6a	8.8	---	---	---
15	6.7	---	---	4.1b	9.4	---	---	---
16	6.9	---	---	4.2b	9.3	---	---	---
17	7.2	---	---	5.0b	9.0	---	---	---
18	6.7	---	---	7.3b	---	---	---	---
19	6.7	---	---	6.8b	---	---	---	---
20	6.2	---	---	7.4b	---	---	---	---
21	6.2	---	5.0b	---	---	7.5	---	---
22	6.2	---	4.5b	---	---	8.1	---	---
23	6.3	---	4.2b	6.5	---	8.5	---	---
24	6.8	---	3.9b	5.3a	---	8.3	---	---
25	6.3	---	3.8b	3.8a	---	8.4	---	---
26	6.6	---	3.6b	5.2b	---	---	---	---
27	7.0	---	3.8b	5.0b	---	---	---	---
28	7.1	---	3.9b	5.3b	---	---	---	---
29	6.9	---	3.7b	6.0	---	---	---	---
30	7.3	---	3.6b	6.1b	---	---	9.7	---
31	7.8	---	3.9b	6.5	---	---	---	---




Table 9.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 7,
Neuse River at Channel Light 22, May to December 1989--Continued

[Site 7 is at latitude 35°04'48", longitude 77°00'24", Craven County; U.S. Geological Survey downstream order number 0209258400; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--6 feet above streambed.

REMARKS.--Station discontinued December 1989.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 11.2 mg/L June 11, 1989; minimum value recorded, <1.0 July 21, August 28-30, September 1, 2, 4-10, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	8.1	---	4.8a	1.3a	---	---	---
2	---	7.2	---	4.7b	1.3a	---	---	---
3	---	6.5b	---	4.1a	---	---	---	---
4	---	7.2	---	---	1.7a	---	---	---
5	---	7.4	---	---	1.6a	---	---	---
6	---	7.2	---	---	1.2a	---	---	---
7	---	7.1	---	---	1.3a	---	---	---
8	---	7.2	---	---	1.3a	---	---	---
9	---	7.7	---	---	1.4a	---	---	---
10	---	7.7	---	---	1.9a	---	---	---
11	---	7.3b	---	---	2.3a	---	---	---
12	6.2	8.4	---	---	3.1a	---	---	---
13	6.6	---	---	---	2.7a	---	---	---
14	6.4	---	---	---	---	---	---	---
15	6.6	---	---	---	---	---	---	---
16	6.9	---	---	---	---	---	---	---
17	6.8	---	---	---	---	---	---	---
18	5.8b	---	---	---	---	---	---	---
19	5.9b	---	---	---	---	---	---	---
20	5.7	---	---	---	---	---	---	---
21	5.7	---	4.3a	---	---	---	---	---
22	5.8	---	4.8b	---	---	---	---	---
23	6.2	---	4.0b	---	---	---	---	---
24	6.6	---	---	---	---	---	---	---
25	6.2	---	---	---	---	---	---	---
26	6.6	---	4.6b	---	---	---	---	---
27	6.8b	---	5.1b	---	---	---	---	---
28	6.8b	---	5.1b	1.0a	---	---	---	---
29	6.8	---	---	1.3a	---	---	---	---
30	7.4	---	4.9b	1.5a	---	---	---	---
31	7.9	---	5.6b	---	---	---	---	---




Table 9.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 7,
Neuse River at Channel Light 22, May to December 1989--Continued

[Site 7 is at latitude 35°04'48", longitude 77°00'24", Craven County; U.S. Geological Survey
downstream order number 0209258400; ppt, parts per thousand; <, less than; ---, no data;
°C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

REMARKS.--Station discontinued December 1989.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 6.2 mg/L May 12, 1989; minimum value recorded,
<1.0 mg/L July 21-31, August 1-11, 13-31, September 1-4, October 21-25, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	---	---	<1.0a	<1.0a	---	---	---
2	---	---	---	<1.0a	<1.0a	---	---	---
3	---	---	---	<1.0a	<1.0a	---	---	---
4	---	---	---	<1.0a	<1.0a	---	---	---
5	---	---	---	<1.0a	2.0a	---	---	---
6	---	---	---	<1.0a	1.8a	---	---	---
7	---	---	---	<1.0a	1.9a	---	---	---
8	---	---	---	<1.0a	2.1a	---	---	---
9	---	---	---	<1.0a	2.1a	---	---	---
10	---	---	---	<1.0a	1.7a	---	---	---
11	---	---	---	1.2a	1.6a	---	---	---
12	6.0	---	---	1.3a	1.3a	---	---	---
13	---	---	---	<1.0a	1.4a	---	---	---
14	---	---	---	<1.0a	1.3a	---	---	---
15	---	---	---	<1.0a	1.4a	---	---	---
16	---	---	---	<1.0a	1.8a	---	---	---
17	---	---	---	<1.0a	2.0a	---	---	---
18	---	---	---	<1.0a	---	---	---	---
19	---	---	---	<1.0a	---	---	---	---
20	---	---	---	<1.0a	---	---	---	---
21	---	---	1.0a	<1.0a	---	<1.0a	---	---
22	---	---	<1.0a	<1.0a	---	<1.0a	---	---
23	---	---	<1.0a	<1.0a	---	<1.0a	---	---
24	---	---	<1.0a	<1.0a	---	<1.0a	---	---
25	---	---	<1.0a	<1.0a	---	<1.0a	---	---
26	---	---	<1.0a	<1.0a	---	---	---	---
27	---	---	<1.0a	<1.0a	---	---	---	---
28	---	---	<1.0a	<1.0a	---	---	---	---
29	---	---	<1.0a	<1.0a	---	---	---	---
30	---	---	<1.0a	<1.0a	---	---	---	---
31	---	---	<1.0a	<1.0a	---	---	---	---




Table 10.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 8,
Neuse River at Channel Light 11, May to December 1989

[Site 8 is at latitude 34°59'56", longitude 76°56'36", Craven County; U.S. Geological Survey downstream order number 0209262905; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

SALINITY, NEAR SURFACE

SENSOR POSITION.--10 feet above streambed.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 8.3 ppt June 28, 1989; minimum value recorded, <0.1 ppt May 14, 15, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	2.6	3.9	---	---	---	3.3	3.3
2	---	2.8	3.6	---	---	---	3.5	2.3
3	---	3.4	3.9	---	---	---	3.7	---
4	---	3.2	3.4	---	---	---	4.0	---
5	---	3.3	2.6	1.5	---	---	3.9	4.5
6	---	3.4	2.8	1.8	---	---	3.4	4.5
7	---	3.4	3.5	1.7	---	---	3.4	4.4
8	---	2.8	---	1.4	---	---	3.7	5.0
9	---	---	---	1.2	---	---	3.9	4.9
10	---	---	---	1.3	---	---	3.9	4.1
11	---	3.7	---	1.2	---	---	3.8	1.5
12	0.5	3.3	---	---	---	---	3.5	1.5
13	.5	---	---	---	---	---	2.5	1.7
14	.2	---	---	---	---	---	2.6	---
15	.1	3.5	---	---	---	---	2.4	---
16	.4	2.4	---	---	---	---	2.4	---
17	1.2	2.3	---	---	---	---	3.4	---
18	2.1	1.5	---	---	---	---	3.6	---
19	2.2	1.3	---	---	---	---	4.1	---
20	1.3	1.4	---	---	---	---	3.6	---
21	1.2	1.8	---	---	---	---	4.6	---
22	.8	1.2	---	---	---	6.3	4.0	---
23	.7	1.1	---	---	---	---	3.7	---
24	1.7	1.7	---	---	---	3.9	3.7	---
25	2.3	2.1	---	---	---	5.1	3.0	---
26	1.7	2.4	---	---	---	---	3.8	---
27	1.6	4.9	---	---	---	4.1	3.3	---
28	2.0	5.9	---	---	---	4.0	3.1	---
29	2.4	4.8	---	---	---	4.4	3.5	---
30	1.9	5.2	---	---	---	4.1	3.6	---
31	2.0	---	---	---	---	3.5	---	---




Table 10.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 8,
Neuse River at Channel Light 11, May to December 1989--Continued

[Site 8 is at latitude 34°59'56", longitude 76°56'36", Craven County; U.S. Geological Survey downstream order number 0209262905; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 13.7 ppt June 28, 1989; minimum value recorded, 0.1 ppt May 15, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	4.0	4.5	---	---	---	4.2	3.5
2	---	4.5	4.4	---	---	---	4.6	2.8
3	---	4.0	4.9	---	---	---	4.7	4.1
4	---	3.3	4.5	---	---	---	5.1	4.0
5	---	4.1	3.7	10.4	---	---	5.0	4.4
6	---	3.2	3.8	10.3	---	---	4.2	4.4
7	---	3.1	4.6	9.5	---	---	4.3	4.4
8	---	4.0	---	9.0	---	---	4.6	4.8
9	---	2.9	---	8.9	---	---	4.8	4.6
10	---	3.6	---	9.4	---	---	4.8	4.2
11	---	4.5	---	10.2	---	---	4.6	2.2
12	0.7	4.1	---	---	---	---	4.2	1.7
13	1.3	3.0	---	---	---	---	2.8	1.4
14	.8	4.2	---	---	---	---	2.8	---
15	.7	4.1	---	---	---	---	2.6	---
16	3.5	2.8	---	---	---	---	2.5	---
17	5.2	2.7	---	---	---	---	3.8	---
18	2.2	3.0	---	---	---	---	4.1	---
19	1.8	4.5	---	---	---	---	4.7	---
20	2.0	3.6	---	---	---	---	4.0	---
21	2.5	3.0	---	---	---	---	5.3	---
22	2.3	3.5	---	---	---	7.1	4.5	---
23	2.3	5.3	---	---	---	---	4.0	---
24	4.6	4.4	---	---	---	4.7	3.9	---
25	4.1	4.3	---	---	---	6.3	3.0	---
26	4.9	6.2	---	---	---	---	4.0	---
27	6.8	8.4	---	---	---	5.5	3.4	---
28	3.3	8.9	---	---	---	5.4	3.1	---
29	2.2	6.5	---	---	---	5.9	3.5	---
30	2.3	5.8	---	---	---	5.4	3.6	---
31	3.2	---	---	---	---	4.6	---	---




Table 10.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 8,
Neuse River at Channel Light 11, May to December 1989--Continued

[Site 8 is at latitude 34°59'56", longitude 76°56'36", Craven County; U.S. Geological Survey downstream order number 0209262905; ppt, parts per thousand; <, less than; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--10 feet above streambed.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 31.6 °C June 25, 1989; minimum value recorded, 6.1 °C December 11, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	25.3	26.6	---	---	---	18.0	11.0
2	---	26.2	26.7	---	---	---	18.0	10.2
3	---	26.1	26.6	---	---	---	17.8	10.1
4	---	25.7	26.5	---	---	---	17.0	8.3
5	---	25.7	27.1	27.5	---	---	16.8	8.0
6	---	25.4	27.2	28.4	---	---	16.9	8.2
7	---	24.9	27.3	28.8	---	---	17.6	9.1
8	---	25.4	---	29.3	---	---	17.7	9.0
9	---	24.2	---	29.2	---	---	17.7	8.3
10	---	25.3	---	29.4	---	---	17.5	7.4
11	---	26.1	---	29.2	---	---	17.3	6.8
12	18.5	26.0	---	---	---	---	17.4	7.0
13	18.2	26.1	---	---	---	---	18.3	6.9
14	18.0	26.8	---	---	---	---	18.5	---
15	18.4	27.1	---	---	---	---	18.7	---
16	19.0	27.5	---	---	---	---	18.5	---
17	18.9	26.8	---	---	---	---	16.6	---
18	19.4	27.1	---	---	---	---	15.1	---
19	19.8	27.7	---	---	---	---	14.0	---
20	20.4	27.6	---	---	---	---	13.1	---
21	21.9	27.6	---	---	---	---	13.5	---
22	22.7	27.0	---	---	---	17.7	12.2	---
23	22.6	27.2	---	---	---	---	11.5	---
24	22.3	27.1	---	---	---	16.3	10.3	---
25	23.5	27.8	---	---	---	16.4	9.8	---
26	23.9	28.0	---	---	---	---	10.8	---
27	25.2	27.5	---	---	---	16.8	11.7	---
28	25.1	27.3	---	---	---	17.0	12.4	---
29	24.1	27.6	---	---	---	17.0	12.9	---
30	24.0	27.0	---	---	---	17.4	11.8	---
31	24.4	---	---	---	---	17.8	---	---




Table 10.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 8,
Neuse River at Channel Light 11, May to December 1989--Continued

[Site 8 is at latitude 34°59'56", longitude 76°56'36", Craven County, U.S. Geological Survey
downstream order number 0209262905; ppt, parts per thousand; <, less than; ---, no data;
°C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--10 feet above streambed.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 13.1 mg/L June 3, 1989; minimum value recorded, 1.7
mg/L June 20, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	9.1	---	---	---	---	8.9	10.0
2	---	9.3	---	---	---	---	9.2	10.4
3	---	8.4	---	---	---	---	8.7	8.3
4	---	8.0	---	---	---	---	8.4	9.5
5	---	7.9	---	---	---	---	8.3	10.1
6	---	8.2	---	---	---	---	8.2	10.3
7	---	8.7	---	---	---	---	8.9	10.7
8	---	9.6	---	---	---	---	8.2	10.5
9	---	7.7	---	---	---	---	6.5	10.5
10	---	9.6	---	---	---	---	6.8	11.0
11	---	10.7	---	---	---	---	7.6	11.2
12	7.7	10.6	---	---	---	---	7.8	11.2
13	6.9	9.2	---	---	---	---	8.4	11.0
14	6.8	8.6	---	---	---	---	7.9	---
15	6.6	7.7	---	---	---	---	7.9	---
16	6.8	7.4	---	---	---	---	7.8	---
17	7.7	7.0	---	---	---	---	7.6	---
18	7.9	7.5	---	---	---	---	9.3	---
19	8.1	6.7b	---	---	---	---	8.9	---
20	7.5	6.2a	---	---	---	---	9.5	---
21	8.4	6.0b	---	---	---	---	8.5	---
22	7.8	---	---	---	---	---	8.7	---
23	7.5	---	---	---	---	---	9.4	---
24	7.3	---	---	---	---	9.7	8.5	---
25	9.6	---	---	---	---	8.2	8.0	---
26	9.0	---	---	---	---	---	8.6	---
27	9.3	---	---	---	---	8.6	9.4	---
28	9.4	---	---	---	---	9.1	9.3	---
29	9.7	---	---	---	---	8.1	9.6	---
30	9.7	---	---	---	---	8.0	9.2	---
31	9.3	---	---	---	---	8.3	---	---




Table 10.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 8,
Neuse River at Channel Light 11, May to December 1989--Continued

[Site 8 is at latitude 34°59'56", longitude 76°56'36", Craven County, U.S. Geological Survey
downstream order number 0209262905; ppt, parts per thousand; <, less than; ---, no data;
°C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal
to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]


DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 12.4 mg/L December 1, 1989; minimum value recorded,
<1.0 June 18-20, 22-24, 26-27, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	8.2	7.8	---	---	---	9.1	10.8
2	---	7.6b	5.7	---	---	---	9.1	11.0
3	---	6.8b	5.9	---	---	---	8.5	8.5
4	---	7.5	7.2	---	---	---	8.5	9.6
5	---	7.5b	6.3	---	---	---	8.7	10.0
6	---	8.0	4.4	---	---	---	9.4	10.0
7	---	8.9	4.7	---	---	---	10.3	10.2
8	---	7.9	---	---	---	---	9.4	9.7
9	---	7.3b	---	---	---	---	6.9	9.6
10	---	8.7	---	---	---	---	7.3	9.9
11	---	10.1	---	---	---	---	9.0	9.8
12	8.3	9.2	---	---	---	---	8.9	9.6
13	7.3	8.9	---	---	---	---	9.8	9.1
14	7.4	7.2b	---	---	---	---	9.9	---
15	7.1	5.4a	---	---	---	---	9.1	---
16	7.2	7.2	---	---	---	---	7.9	---
17	8.1	6.9	---	---	---	---	8.3	---
18	8.3	4.4a	---	---	---	---	10.3	---
19	8.6	1.1a	---	---	---	---	10.0	---
20	8.0	3.8a	---	---	---	---	10.2	---
21	8.0	6.0b	---	---	---	---	8.8	---
22	8.2	1.9a	---	---	---	---	9.5	---
23	7.7	1.2a	---	---	---	---	9.7	---
24	7.2	2.2a	---	---	---	10.1	10.0	---
25	9.2	3.8a	---	---	---	8.4	10.7	---
26	9.5	2.3a	---	---	---	---	10.4	---
27	8.3	1.1a	---	---	---	8.7	10.6	---
28	9.6	1.5a	---	---	---	9.1	10.4	---
29	9.6	3.8a	---	---	---	8.1	10.6	---
30	9.8	7.4a	---	---	---	7.9	10.2	---
31	8.8	---	---	---	---	8.2	---	---



DAILY MEAN DISSOLVED OXYGEN, NEUSE RIVER
AT CHANNEL LIGHT 11

Table 10.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 8,
Neuse River at Channel Light 11, May to December 1989--Continued

[Site 8 is at latitude 34°59'56", longitude 76°56'36", Craven County; U.S. Geological Survey downstream order number 0209262905; ppt, parts per thousand; <, less than; ---, no data;
°C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L]

DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO DECEMBER 1989.--Maximum value recorded, 12.5 mg/L November 25, 1989; minimum value recorded, <1.0 May 13, June 14, 15, 18-20, 22-29, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), MAY TO DECEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT	OCT	NOV	DEC
1	---	---	8.4	---	---	---	9.0	9.8
2	---	---	7.0a	---	---	---	9.1	10.4
3	---	---	6.1a	---	---	---	8.6	8.6
4	---	---	7.2b	---	---	---	8.5	9.6
5	---	---	6.5b	---	---	---	8.6	10.1
6	---	---	4.0a	---	---	---	9.4	10.2
7	---	---	4.5a	---	---	---	10.2	10.5
8	---	---	---	---	---	---	9.3	10.4
9	---	---	---	---	---	---	6.7	10.4
10	---	---	---	---	---	---	7.1	10.8
11	---	---	---	---	---	---	8.7	11.0
12	6.8a	---	---	---	---	---	8.6	11.1
13	4.6a	---	---	---	---	---	9.7	10.8
14	---	7.0	---	---	---	---	9.8	---
15	---	4.4	---	---	---	---	9.0	---
16	---	7.7b	---	---	---	---	7.7	---
17	---	7.1d	---	---	---	---	8.2	---
18	---	3.6	---	---	---	---	10.5	---
19	8.5	<1.0	---	---	---	---	10.2	---
20	8.1	3.5	---	---	---	---	10.4	---
21	7.8	6.6a	---	---	---	---	8.9	---
22	6.0a	1.0a	---	---	---	---	9.7	---
23	3.8a	<1.0a	---	---	---	---	9.8	---
24	---	1.3a	---	---	---	9.0	10.4	---
25	---	2.6a	---	---	---	8.1	11.2	---
26	---	3.1a	---	---	---	---	10.7	---
27	---	1.0a	---	---	---	8.8	10.8	---
28	---	1.1a	---	---	---	9.2	10.7	---
29	---	3.7a	---	---	---	8.2	10.2	---
30	---	7.9	---	---	---	8.0	9.1	---
31	---	---	---	---	---	8.2	---	---




Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9,
Neuse River at Channel Light 9, May 1989 to September 1990

[Site 9 is at latitude 34°56'54", longitude 76°48'36", Craven County, U.S. Geological Survey
downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


SALINITY, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 10.9 ppt September 25, 1989; minimum value recorded,
2.2 ppt August 4, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	4.0	6.0
2	---	---	---	3.9	5.3
3	---	---	---	3.4	5.7
4	---	---	---	2.4	7.9
5	---	---	---	2.8	7.2
6	---	---	---	3.1	7.1
7	---	---	---	3.2	6.6
8	---	---	---	4.4	6.6
9	---	---	---	5.7	5.9
10	---	---	---	5.4	5.1
11	---	---	---	5.0	5.2
12	---	---	---	5.7	5.8
13	---	---	---	5.6	6.7
14	---	---	---	5.7	6.7
15	---	---	---	6.0	6.3
16	---	---	---	6.0	7.4
17	---	---	---	5.3	7.7
18	---	---	---	6.4	7.9
19	---	---	---	6.5	6.9
20	---	---	---	6.7	7.8
21	---	---	8.1	6.9	9.1
22	---	---	7.7	7.1	9.6
23	---	---	6.4	7.4	8.4
24	---	---	4.6	7.2	8.4
25	---	---	5.9	7.8	9.0
26	---	---	5.1	8.6	8.0
27	---	---	4.0	8.5	8.2
28	---	---	3.4	7.7	7.7
29	---	---	3.8	7.2	6.7
30	---	---	4.6	6.5	6.2
31	---	---	4.0	5.9	---



DAILY MEAN SALINITY, NEUSE RIVER
AT CHANNEL LIGHT 9

Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9,
Neuse River at Channel Light 9, May 1989 to September 1990--Continued

[Site 9 is at latitude 34°56'54", longitude 76°48'36", Craven County, U.S. Geological Survey
downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 13.0 ppt August 13, 14, 1990; minimum value
recorded, 0.3 ppt December 30, 31, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	6.6	---	5.4	4.6	6.3	2.2	---	5.0	3.9	9.9	---	10.1
2	6.1	---	4.9	---	---	1.3	---	5.2	4.0	---	10.4	10.4
3	5.3	---	5.5	---	---	1.1	---	6.5	4.3	10.8	11.0	9.8
4	4.6	---	6.2	---	5.8	1.5	---	5.5	4.1	10.2	10.7	10.0
5	3.5	---	5.5	---	---	1.9	---	5.6	5.1	10.0	10.9	10.0
6	3.7	---	5.9	---	4.3	1.0	---	4.9	5.5	9.8	11.1	9.6
7	4.4	---	6.9	---	4.2	2.0	---	4.4	5.0	9.7	11.3	---
8	5.5	---	7.4	---	4.6	1.5	---	4.3	4.3	8.6	11.6	---
9	4.8	---	7.7	---	4.8	.8	---	4.7	5.4	8.6	11.5	---
10	---	---	4.9	---	5.9	1.1	---	5.4	5.6	9.1	11.5	---
11	4.6	---	4.5	---	5.6	.8	---	5.1	5.4	9.4	11.7	---
12	4.4	---	5.2	---	5.5	1.0	---	4.7	5.1	9.7	12.0	---
13	4.1	---	4.5	---	5.3	1.2	---	4.8	5.2	10.2	12.3	---
14	3.6	---	3.0	---	4.9	1.1	---	---	5.2	10.8	12.5	---
15	3.5	---	2.6	---	5.2	3.4	---	4.9	7.4	10.7	---	---
16	---	---	4.4	---	5.4	---	---	4.1	8.5	9.7	12.4	---
17	4.1	---	4.8	---	4.9	---	---	4.1	7.7	9.3	12.4	---
18	4.4	---	4.5	---	5.5	---	---	4.2	7.4	---	12.1	---
19	5.9	---	3.6	---	4.2	---	---	3.8	6.7	---	11.0	---
20	7.1	---	2.2	---	3.9	---	---	3.2	7.0	---	9.4	---
21	---	---	1.8	---	4.5	5.7	---	4.7	6.7	---	9.1	---
22	---	---	2.0	---	3.6	4.6	---	5.5	6.8	---	8.7	---
23	---	---	---	2.8	3.2	5.0	---	5.2	7.6	---	8.6	---
24	7.2	---	1.8	3.7	2.8	6.4	---	4.4	8.4	---	8.8	---
25	7.1	---	1.7	7.0	2.5	7.1	---	4.1	8.4	---	8.2	---
26	---	---	2.4	6.8	2.2	---	1.4	5.2	9.3	---	7.5	---
27	---	---	2.4	6.3	2.0	---	1.2	6.3	9.5	---	7.1	---
28	---	---	2.1	6.0	1.8	---	2.1	6.7	8.9	---	7.5	---
29	---	---	1.4	6.4	---	---	4.4	5.7	8.7	---	7.6	---
30	---	---	.5	6.5	---	---	4.8	5.6	9.0	---	9.8	---
31	---	---	1.7	6.8	---	---	---	4.8	---	---	9.8	---




Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9,
Neuse River at Channel Light 9, May 1989 to September 1990--Continued

[Site 9 is at latitude 34°56'54", longitude 76°48'36", Craven County; U.S. Geological Survey
downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 15.7 ppt June 29, 1989; minimum value recorded, 2.3
ppt July 28, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	6.4	8.0	---	7.3
2	---	6.4	8.1	---	7.4
3	---	7.0	7.9	---	6.4
4	---	7.0	8.2	---	9.0
5	---	7.3	7.6	---	8.2
6	---	7.3	6.9	---	8.0
7	---	8.2	5.9	---	7.4
8	---	8.0	---	---	7.3
9	---	8.8	---	---	7.1
10	---	8.6	---	---	7.5
11	---	8.5	---	---	7.7
12	---	8.9	---	---	9.0
13	---	8.3	---	---	8.0
14	---	8.2	---	---	7.8
15	---	8.0	---	---	8.6
16	---	8.7	---	---	9.7
17	---	9.0	---	---	9.7
18	---	8.8	---	---	8.9
19	---	10.9	---	---	7.4
20	---	11.4	---	---	8.7
21	---	10.3	8.6	---	9.1
22	---	10.8	8.7	---	9.5
23	---	12.2	9.1	8.9	8.5
24	---	11.5	8.5	8.6	8.2
25	---	9.4	7.0	9.0	9.0
26	---	9.3	5.2	9.6	8.0
27	---	10.0	6.8	9.6	8.1
28	---	12.5	5.9	8.7	7.7
29	---	12.8	5.6	8.4	7.0
30	---	9.3	---	7.4	6.4
31	6.9	---	---	6.7	---



DAILY MEAN SALINITY, NEUSE RIVER AT CHANNEL LIGHT 9

Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9,
Neuse River at Channel Light 9, May 1989 to September 1990--Continued

[Site 9 is at latitude 34°56'54", longitude 76°48'36", Craven County; U.S. Geological Survey
downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 15.1 ppt August 17, 1990; minimum value
recorded, 0.5 ppt December 24, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	
1	6.7	---	5.7	6.0	6.2	3.7	---	5.7	7.6	9.8	---	9.7	
2	6.8	---	5.8	---	---	3.3	---	5.0	9.0	---	11.1	10.1	
3	5.5	---	5.6	---	---	3.8	---	6.4	9.3	10.9	11.5	9.5	
4	5.3	---	6.5	---	6.1	2.7	---	5.7	7.1	10.7	11.4	9.5	
5	4.5	---	6.3	---	---	3.1	---	5.6	7.0	10.7	11.5	9.7	
6	4.8	---	7.8	---	5.7	2.6	---	5.1	6.6	10.9	11.7	9.5	
7	4.9	---	8.0	---	5.2	3.1	---	5.2	6.3	11.3	11.8	---	
8	5.9	---	8.0	---	5.3	2.9	---	4.9	6.3	10.7	11.9	---	
9	5.0	---	8.3	---	5.7	2.6	---	5.3	6.8	10.7	11.7	---	
10	---	---	6.4	---	6.4	2.7	---	5.8	7.0	11.1	11.5	---	
11	4.9	---	6.7	---	5.7	3.3	---	5.3	5.7	11.5	11.7	---	
12	5.1	---	7.8	---	5.4	4.9	---	5.5	5.1	11.8	12.0	---	
13	4.7	---	5.4	---	5.6	6.4	---	5.9	5.2	12.6	12.4	---	
14	5.1	---	5.2	---	5.2	8.4	---	---	6.4	13.0	11.9	---	
15	5.3	---	7.5	---	5.7	9.0	---	5.7	8.3	12.8	---	---	
16	---	---	5.2	---	5.8	8.7	---	5.5	8.4	12.3	12.4	---	
17	7.6	---	5.4	---	5.4	9.2	---	4.9	7.8	12.5	12.5	---	
18	8.4	---	5.0	---	5.7	8.6	---	4.5	7.6	---	11.9	---	
19	9.8	---	4.3	---	4.9	9.0	---	4.9	7.1	---	11.3	---	
20	8.4	---	3.0	---	4.3	7.1	---	5.4	7.5	---	11.3	---	
21	---	---	3.2	---	5.3	7.3	---	5.9	7.3	---	9.7	---	
22	---	---	2.1	---	4.9	8.2	---	6.2	8.2	---	9.5	---	
23	---	---	---	---	5.0	4.0	8.5	---	5.9	8.7	---	9.8	---
24	9.2	---	1.9	6.9	3.3	7.3	---	6.4	9.2	---	10.5	---	
25	8.1	---	3.3	7.9	3.0	7.8	---	6.5	9.1	---	11.0	---	
26	---	---	3.1	6.8	3.4	---	2.9	6.7	9.7	---	10.6	---	
27	---	---	3.3	6.5	3.2	---	4.6	6.9	9.5	---	9.5	---	
28	---	---	2.9	6.9	3.4	---	7.6	7.2	9.2	---	9.1	---	
29	---	---	5.1	7.1	---	---	6.3	6.6	8.6	---	9.3	---	
30	---	---	7.6	6.6	---	---	6.6	6.4	8.9	---	9.9	---	
31	---	---	8.9	6.4	---	---	---	6.6	---	---	9.4	---	




Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9,
Neuse River at Channel Light 9, May 1989 to September 1990--Continued

[Site 9 is at latitude 34°56'54", longitude 76°48'36", Craven County; U.S. Geological Survey
downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 32.3 °C August 6, 1989; minimum value recorded, 21.8 °C September 28, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	24.5	26.3	28.1	28.2
2	---	25.5	26.5	28.0	28.5
3	---	24.6	26.3	28.7	28.1
4	---	24.7	26.3	28.9	26.3
5	---	24.9	26.5	29.0	26.2
6	---	24.6	26.5	29.7	26.3
7	---	24.6	26.9	30.2	26.1
8	---	24.8	---	29.0	26.1
9	---	24.1	---	26.6	26.1
10	---	25.1	---	25.2	26.4
11	---	25.8	---	24.5	26.9
12	---	25.6	---	24.8	27.0
13	---	25.5	---	25.5	27.2
14	---	26.3	---	26.3	27.2
15	---	26.8	---	26.3	27.2
16	---	26.9	---	27.1	27.3
17	---	26.5	---	27.7	27.1
18	---	26.5	---	27.3	26.3
19	---	26.7	---	27.1	25.6
20	---	27.0	---	27.2	25.7
21	---	26.9	27.7	27.8	26.2
22	---	26.7	27.7	28.3	26.7
23	---	27.0	28.7	28.8	26.6
24	---	26.8	29.1	29.0	25.0
25	---	27.0	28.7	28.7	23.3
26	---	27.8	28.8	27.6	24.0
27	---	27.9	28.8	27.6	23.5
28	---	27.9	28.6	27.6	22.4
29	---	27.7	28.9	28.2	22.6
30	---	26.5	28.4	28.3	23.2
31	23.4	---	28.4	28.1	---



DAILY MEAN WATER TEMPERATURE, NEUSE RIVER AT CHANNEL LIGHT 9

Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9, Neuse River at Channel Light 9, May 1989 to September 1990--Continued

(Site 9 is at latitude 34°56'54", longitude 76°48'36", Craven County; U.S. Geological Survey downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than)


WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 31.8 °C August 27, 28, 1990; minimum value recorded, 3.4 °C December 20, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	23.0	---	8.9	---	11.7	10.9	---	21.6	22.3	28.9	---	23.2
2	23.4	---	7.8	---	10.9	---	22.0	23.8	---	29.1	28.4	
3	23.9	---	8.7	---	11.5	---	22.5	24.3	27.8	28.5	28.4	
4	24.6	---	6.7	---	14.2	11.8	---	22.3	24.7	27.6	28.6	27.7
5	23.1	---	7.6	---	11.6	---	22.5	24.2	27.5	28.3	27.2	
6	22.4	---	7.4	---	12.8	12.5	---	21.8	24.2	28.4	27.9	27.2
7	23.1	---	8.7	---	13.4	12.4	---	21.6	25.5	28.5	27.8	---
8	21.5	---	8.8	---	13.6	11.8	---	21.9	26.6	28.2	27.6	---
9	19.7	---	8.1	---	14.0	12.2	---	21.9	26.4	28.6	27.2	---
10	---	---	7.2	---	14.8	13.3	---	22.0	26.8	28.7	27.0	---
11	18.6	---	6.6	---	14.5	14.3	---	21.5	26.8	28.8	27.7	---
12	19.2	---	6.9	---	14.1	14.9	---	21.6	25.4	28.9	28.3	---
13	19.4	---	6.8	---	13.5	15.4	---	21.9	24.9	28.9	28.9	---
14	19.9	---	6.2	---	14.0	16.5	---	---	24.9	28.9	28.6	---
15	20.0	---	6.4	---	14.7	16.7	---	22.8	25.0	28.4	---	---
16	---	---	6.8	---	15.8	14.2	---	23.3	24.9	28.0	28.5	---
17	20.6	---	5.7	---	16.3	14.5	---	23.9	25.4	28.3	28.7	---
18	21.1	---	4.6	---	15.1	15.8	---	23.8	25.6	---	28.6	---
19	21.4	---	3.9	---	15.1	17.0	---	23.7	26.2	---	28.8	---
20	20.4	---	3.7	---	14.5	16.2	---	---	26.7	---	29.1	---
21	---	---	---	---	13.3	14.5	---	---	27.8	---	28.6	---
22	---	---	---	---	14.1	14.4	---	---	28.1	---	28.4	---
23	---	---	---	10.4	14.8	15.7	---	---	27.4	---	28.4	---
24	15.6	---	---	10.7	14.6	16.0	---	---	27.6	---	28.5	---
25	16.0	---	---	10.1	12.8	15.5	---	---	27.8	---	28.4	---
26	---	---	---	10.6	10.7	---	22.2	21.8	27.5	---	28.9	---
27	---	---	9.8	10.4	---	22.5	22.2	27.7	---	30.0	---	
28	---	---	9.8	10.5	---	22.0	21.8	28.3	---	30.0	---	
29	---	---	10.3	---	---	21.1	22.4	28.7	---	29.9	---	
30	---	---	11.1	---	---	20.8	21.3	28.8	---	29.0	---	
31	---	---	11.3	---	---	---	21.5	---	---	28.5	---	



DAILY MEAN WATER TEMPERATURE, NEUSE RIVER AT CHANNEL LIGHT 9

Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9,
Neuse River at Channel Light 9, May 1989 to September 1990--Continued

(Site 9 is at latitude 34°56'54", longitude 76°48'36", Craven County, U.S. Geological Survey
downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than)


DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 13.7 mg/L September 30, 1989; minimum value
recorded, 1.6 mg/L June 29, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	8.1	6.5b	---	6.4b
2	---	8.4	5.5b	---	7.0b
3	---	6.4b	4.4a	---	7.0
4	---	7.0b	4.2b	---	6.2
5	---	7.3	4.0b	---	6.1b
6	---	7.6	5.6b	---	6.8
7	---	7.5	7.4b	---	7.0
8	---	8.7	---	---	8.4
9	---	7.6	---	---	8.9
10	---	9.2	---	---	9.9
11	---	9.4	---	---	8.8
12	---	7.7	---	---	7.9
13	---	7.7	---	---	7.2b
14	---	7.5b	---	---	7.3
15	---	7.5	---	---	7.0b
16	---	7.3	---	---	5.9b
17	---	7.0	---	---	6.8b
18	---	8.1	---	---	7.0b
19	---	7.9	---	---	7.7
20	---	7.4	---	---	7.2b
21	---	6.3	---	---	7.3
22	---	5.9b	---	---	7.8
23	---	6.5a	---	6.7	7.7
24	---	6.4b	---	6.7b	7.7
25	---	6.3b	---	6.3b	7.9
26	---	7.1b	---	6.0b	8.5
27	---	7.1b	---	6.5b	9.3
28	---	6.3b	---	6.0b	9.4
29	---	5.9a	---	6.3	11.1
30	---	6.1b	---	6.2b	11.7
31	8.3	---	---	6.2	---



DAILY MEAN DISSOLVED OXYGEN, NEUSE RIVER AT CHANNEL LIGHT 9

Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9, Neuse River at Channel Light 9, May 1989 to September 1990--Continued

[site 9 is at latitude 34°56'54", longitude 76°48'36", Craven County; U.S. Geological Survey downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 17.6 mg/L February 1, 1990; minimum value recorded, <1.0 mg/L June 15, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT	
1	9.2	---	10.6	12.0	12.8	10.1	---	8.7	8.5	7.2	---	7.4b	
2	8.9	---	11.1	---	---	10.2	---	8.4	8.2	---	8.7	9.2	
3	11.1	---	9.4	---	---	10.5	---	9.9	7.7	6.1b	7.5	9.2	
4	11.6	---	10.0	---	11.1	10.5	---	7.3	8.2	6.2b	8.0	6.8	
5	11.7	---	10.5	---	---	10.4	---	6.1b	8.2	5.3b	7.0b	7.2	
6	10.2	---	10.5	---	12.6	10.7	---	6.8	9.3	6.5b	6.0b	7.8	
7	10.3	---	10.3	---	12.9	11.0	---	7.3	9.4	6.0b	6.8	---	
8	8.4	---	---	---	13.4	10.9	---	7.7	9.3	5.2b	7.6	---	
9	9.1	---	---	---	12.4	10.8	---	7.7	7.9	5.7b	7.1	---	
10	---	---	---	---	8.6	11.1	---	6.6	8.2	5.0b	7.9	---	
11	9.9	---	---	---	9.4	11.4	---	7.1	8.6	5.0b	9.8	---	
12	10.9	---	14.9	---	10.0	11.0	---	7.8	8.8	5.0b	10.2	---	
13	11.6	---	---	---	10.1	10.6	---	7.0	9.4	4.7b	10.3	---	
14	11.9	---	11.5	---	10.3	10.3	---	---	7.1a	4.5b	9.3	---	
15	11.3	---	12.9	---	10.6	9.7	---	8.0	2.6a	4.7b	---	---	
16	---	---	11.1	---	9.4	8.0	---	8.6	4.2b	4.9b	6.9	---	
17	8.4	---	11.0	---	9.8	8.4	---	7.8	4.2b	4.8b	6.2	---	
18	7.0a	---	11.3	---	9.4	9.6	---	7.6	4.3b	---	5.5	---	
19	5.5a	---	11.3	---	9.1	10.7	---	8.5	5.1b	---	5.4b	---	
20	6.5b	---	11.2	---	9.4	9.8	---	8.5	5.0b	---	5.0b	---	
21	---	---	11.4	---	9.7	10.3	---	7.2b	6.6b	---	4.8b	---	
22	---	---	11.6	---	9.3	11.0	---	6.9	6.2b	---	4.8b	---	
23	---	---	---	---	11.5	9.0	12.7	---	7.0	5.0b	---	4.8b	---
24	8.7	---	12.5	12.5	8.9	11.2	---	8.0	6.1b	---	4.9b	---	
25	8.6	---	12.9	10.8	9.2	11.4	---	7.6b	7.1	---	4.9b	---	
26	---	---	12.6	9.6	9.9	---	10.3	5.2b	6.3b	---	5.3b	---	
27	---	---	12.6	10.9	10.4	---	10.0	4.7b	6.9	---	5.3b	---	
28	---	---	12.7	11.4	10.2	---	8.8	5.0b	8.0	---	5.1b	---	
29	---	---	12.6	12.4	---	---	7.2	5.8b	7.6	---	5.6b	---	
30	---	---	12.6	11.3	---	---	8.0	6.0	7.5	---	5.2b	---	
31	---	---	12.2	12.3	---	---	---	7.6	---	---	6.7b	---	




Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9,
Neuse River at Channel Light 9, May 1989 to September 1990--Continued

[site 9 is at latitude 34°56'54", longitude 76°48'36", Craven County; U.S. Geological Survey
downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--5 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 13.4 mg/L September 30, 1989; minimum value
recorded, <1.0 mg/L June 12, 13, 15, 16, 20, 21, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	6.5b	5.5b	---	5.7b
2	---	6.3b	4.0b	---	5.5b
3	---	4.6b	3.7b	---	6.9
4	---	5.8b	3.5b	---	6.5
5	---	5.9b	3.2b	---	6.5
6	---	6.2b	3.2b	---	7.2
7	---	5.7b	5.8b	---	7.5
8	---	5.0b	---	---	8.5
9	---	5.2b	---	---	8.3
10	---	5.6b	---	---	8.2
11	---	4.7a	---	---	8.0
12	---	2.3a	---	---	7.2
13	---	3.1a	---	---	7.6b
14	---	3.7a	---	---	7.7
15	---	2.7a	---	---	6.2b
16	---	3.3a	---	---	5.5b
17	---	3.7a	---	---	6.1b
18	---	3.6a	---	---	7.3b
19	---	2.9a	---	---	8.1
20	---	2.0a	---	---	7.1b
21	---	2.1a	---	---	7.5
22	---	1.2a	---	---	8.0
23	---	1.2a	---	5.3	7.6
24	---	2.0a	---	5.5	7.8
25	---	2.9a	---	5.7	7.9
26	---	2.9a	---	5.6	8.5
27	---	3.8a	---	6.1	9.5
28	---	3.3a	---	5.7	9.8
29	---	4.5a	---	5.8	10.7
30	---	5.2b	---	6.3	11.7
31	6.8b	---	---	5.9	---




Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9,
Neuse River at Channel Light 9, May 1989 to September 1990--Continued

[Site 9 is at latitude 34°56'54", longitude 76°48'36", Craven County; U.S. Geological Survey
downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--5 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 17.8 mg/L January 31, 1990; minimum value
recorded, 1.1 mg/L June 22, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	9.7	---	10.9	12.7	13.7	10.6	---	8.6	---	---	---	---
2	8.4	---	10.8	---	---	10.8	---	8.6	---	---	7.9	---
3	11.2	---	10.0	---	---	10.5	---	9.4	---	5.4b	7.1	---
4	11.4	---	10.6	---	12.1	12.4	---	6.9b	---	5.5b	7.1	---
5	11.5	---	11.1	---	---	11.5	---	5.9b	---	4.5b	6.5b	---
6	10.7	---	10.5	---	12.7	10.7	---	6.4	---	5.1b	5.9	---
7	10.8	---	10.5	---	13.4	13.0	---	6.8	---	5.1b	6.6	---
8	9.3	---	10.7	---	13.4	12.0	---	7.5	---	4.0b	7.4	---
9	10.0	---	10.4	---	11.8	11.7	---	7.4	---	4.4b	7.1	---
10	---	---	10.6	---	9.3	11.2	---	6.5	---	4.1a	8.0	---
11	10.6	---	10.7	---	10.2	11.2	---	6.9	---	4.1b	9.0	---
12	11.1	---	10.6	---	10.7	10.2	---	7.1	---	4.1b	9.4	---
13	11.6	---	11.0	---	9.9	9.7	---	6.3b	---	3.8b	9.6	---
14	10.9	---	10.9	---	9.9	8.6	---	---	---	3.8b	8.7	---
15	10.6	---	11.4	---	10.4	7.2	---	7.7	---	3.9b	---	---
16	---	---	11.1	---	9.7	7.4	---	8.7	4.9b	4.1b	8.6	---
17	5.7b	---	11.1	---	10.3	8.1	---	8.0	4.4b	3.9b	8.2	---
18	6.0b	---	11.6	---	10.6	9.5	---	8.0	3.9a	---	8.0	---
19	5.4b	---	12.0	---	10.1	9.8	---	8.6	4.7b	---	8.0	---
20	7.0b	---	12.1	---	10.6	9.4	---	8.4	4.6a	---	7.4	---
21	---	---	11.9	---	10.7	10.2	---	7.5b	6.3b	---	7.0	---
22	---	---	12.6	---	9.8	10.7	---	7.4	4.7a	---	6.6	---
23	---	---	---	11.3	9.5	11.6	---	7.5	5.0b	---	6.3b	---
24	8.4	---	13.5	12.5	9.9	11.0	---	7.5	---	---	5.9b	---
25	8.6	---	11.1	11.0	10.2	10.9	---	---	---	---	3.9a	---
26	---	---	12.9	10.4	10.5	---	9.6	---	---	---	---	---
27	---	---	13.2	10.2	10.2	---	9.0	---	---	---	---	---
28	---	---	13.2	9.8	10.7	---	6.1b	---	---	---	---	---
29	---	---	13.0	11.2	---	---	6.6b	---	---	---	---	---
30	---	---	13.1	10.8	---	---	7.4b	---	---	---	---	---
31	---	---	13.0	13.2	---	---	---	---	---	---	---	---



DAILY MEAN DISSOLVED OXYGEN, NEUSE RIVER AT CHANNEL LIGHT 9

Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9,
Neuse River at Channel Light 9, May 1989 to September 1990--Continued

[Site 9 is at latitude 34°56'34", longitude 76°48'36", Craven County; U.S. Geological Survey downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1989.--Maximum value recorded, 11.3 mg/L July 1, 1989; minimum value recorded, <1.0 mg/L May 31, June 1-5, 12, 13, 15-17, August 23, 29, September 2, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1989

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	3.8a	8.5b	---	4.8a
2	---	2.6a	7.5b	---	3.0a
3	---	3.7a	4.9b	---	6.6b
4	---	4.5a	5.5b	---	5.4b
5	---	4.5a	5.0b	---	4.6b
6	---	5.9b	5.9b	---	4.8b
7	---	4.7a	6.1b	---	5.5b
8	---	4.9b	---	---	8.0
9	---	5.0b	---	---	7.5
10	---	5.4b	---	---	5.6b
11	---	5.2a	---	---	4.6b
12	---	3.1a	---	---	4.3b
13	---	4.5a	---	---	5.3a
14	---	4.6a	---	---	5.8b
15	---	3.7a	---	---	2.1a
16	---	1.6a	---	---	1.8a
17	---	3.0a	---	---	2.5a
18	---	2.0a	---	---	5.1a
19	---	1.4a	---	---	6.8
20	---	1.3a	---	---	5.3a
21	---	---	---	---	6.7
22	---	---	---	---	7.1
23	---	---	---	5.4	6.6
24	---	---	---	6.0	6.7
25	---	---	---	7.1	6.7
26	---	---	---	7.1	6.9
27	---	---	---	7.9	7.6
28	---	---	---	6.4	7.7
29	---	---	---	5.3	7.2
30	---	6.1	---	7.0	7.3
31	4.3	---	---	6.2	---



DAILY MEAN DISSOLVED OXYGEN, NEUSE RIVER AT CHANNEL LIGHT 9

Table 11.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 9, Neuse River at Channel Light 9, May 1989 to September 1990--Continued

[Site 9 is at latitude 34°56'54", longitude 76°48'36", Craven County; U.S. Geological Survey downstream order number 0209265810; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 16.3 mg/L January 31, 1990; minimum value recorded, <1.0 mg/L March 23, April 26-30, May 1, 4, 7, 16, 17, 20, 21, June 15, July 9, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	6.9	---	10.9	12.5	11.9	5.3b	---	5.0a	---	6.8b	---	6.6b
2	4.7a	---	10.9	---	---	5.0b	---	8.2	---	---	6.4a	6.8
3	7.2	---	10.3	---	---	5.3b	---	7.6b	---	4.9b	---	7.6b
4	7.4b	---	10.8	---	9.5	---	---	5.3a	---	5.3a	---	7.6b
5	6.5b	---	10.8	---	---	---	---	5.7b	---	4.6b	---	7.4b
6	5.8b	---	10.2	---	10.4	---	---	5.9b	---	5.0a	---	7.7b
7	6.3b	---	10.6	---	10.4	---	---	5.0a	---	5.5b	---	---
8	5.1b	---	10.8	---	10.0	---	---	5.3a	---	4.1b	---	---
9	5.7b	---	10.7	---	---	---	---	5.2a	---	4.2a	---	---
10	---	---	10.6	---	---	---	---	5.7a	---	4.5a	---	---
11	5.6b	---	10.7	---	9.3	---	---	6.9	---	4.5b	---	---
12	5.4b	---	10.3	---	10.1	---	---	6.1b	---	5.1b	---	---
13	---	---	11.1	---	8.6	8.3	---	5.1b	---	4.8b	---	---
14	---	---	11.1	---	7.8	8.3	---	---	---	4.3a	---	---
15	---	---	10.7	---	5.4a	8.4	---	5.8b	3.4a	4.8b	---	---
16	---	---	11.4	---	4.5b	8.9	---	4.3	8.4	4.4b	7.8b	---
17	---	---	11.7	---	4.0b	9.2	---	4.9b	7.3	4.1b	8.1b	---
18	---	---	12.2	---	4.2b	10.3	---	7.1b	6.3b	---	9.6	---
19	---	---	12.5	---	4.2b	8.3b	---	6.1b	7.0b	---	9.3	---
20	---	---	12.3	---	4.3b	9.2b	---	4.1	6.0b	---	7.8b	---
21	---	---	12.0	---	4.5b	9.8b	---	5.9a	6.6a	---	8.2b	---
22	---	---	12.8	---	4.8b	6.8a	---	7.6b	4.7a	---	7.0b	---
23	---	---	---	9.6	5.5	6.3a	---	8.2	6.2b	---	6.4b	---
24	7.7	---	13.9	9.5	5.6	9.3a	---	---	7.7	---	5.6b	---
25	8.5	---	13.5	8.9	5.8	8.5b	---	---	8.3	---	3.7b	---
26	---	---	13.5	9.4	5.8	---	5.7a	---	7.3b	---	3.7b	---
27	---	---	13.2	9.5	5.6b	---	2.6a	---	7.7	---	4.9b	---
28	---	---	12.9	8.3	5.0b	---	1.4a	---	8.0b	---	5.6b	---
29	---	---	11.6	8.4	---	---	3.3a	---	7.3b	---	4.3b	---
30	---	---	11.0	9.1	---	---	3.2a	---	7.2b	---	6.1b	---
31	---	---	12.2	11.0	---	---	---	---	---	---	6.5b	---



DAILY MEAN DISSOLVED OXYGEN, NEUSE RIVER AT CHANNEL LIGHT 9

Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10,
Adams Creek at Light 4, June 1989 to September 1990

[Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County; U.S. Geological Survey downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR JUNE TO SEPTEMBER 1989.--Maximum value recorded, 32.4 ppt June 9, 1989; minimum value recorded, 4.4 ppt June 27, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), JUNE TO SEPTEMBER 1989

DAY	JUNE	JULY	AUG	SEPT
1	8.9	8.6	---	9.3
2	8.3	8.8	---	8.2
3	8.3	8.8	---	8.2
4	9.5	8.8	---	9.3
5	9.4	8.8	---	9.8
6	12.0	9.3	---	10.0
7	10.2	8.7	---	9.8
8	10.1	---	---	9.9
9	17.2	---	---	9.9
10	11.1	---	---	9.0
11	8.8	---	---	7.5
12	10.1	---	---	7.4
13	11.7	---	---	7.9
14	10.9	---	---	9.3
15	12.3	---	---	9.0
16	16.2	---	---	9.2
17	12.5	---	---	9.6
18	11.1	---	---	9.6
19	10.2	---	---	10.3
20	9.9	---	---	10.4
21	10.6	---	---	10.8
22	10.2	---	---	10.8
23	7.9	---	8.3	10.6
24	7.3	---	8.3	10.5
25	7.8	---	8.7	11.5
26	7.4	---	9.6	10.0
27	6.6	---	10.0	10.0
28	7.2	---	10.2	10.7
29	6.2	---	10.1	10.3
30	8.6	---	9.8	9.1
31	---	---	9.0	---




Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10,
Adams Creek at Light 4, June 1989 to September 1990--Continued

[Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County; U.S. Geological Survey
downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 32.8 ppt March 18, 1990; minimum value
recorded, 0.8 ppt December 31, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	9.2	---	6.9	6.1	9.5	5.4	---	6.1	6.9	11.4	---	10.9
2	8.9	---	7.1	---	9.0	5.8	6.3	6.4	6.4	12.0	13.3	11.0
3	7.9	---	6.2	---	7.5	4.9	---	6.8	7.1	13.2	13.8	11.1
4	7.6	---	6.4	---	8.6	4.6	5.0	6.9	8.9	14.1	13.7	11.3
5	6.7	---	7.6	---	8.0	5.8	5.5	10.2	9.0	15.0	13.8	11.5
6	5.9	---	7.7	---	8.3	5.5	---	8.2	9.2	12.9	14.0	11.3
7	4.9	---	---	---	7.2	7.0	6.2	7.5	9.0	12.8	14.4	---
8	6.2	---	---	---	6.5	7.2	6.5	7.5	8.1	13.7	14.1	---
9	7.0	---	---	---	7.1	5.7	---	7.7	8.9	14.4	13.9	---
10	6.8	---	9.4	---	8.2	4.2	5.9	16.0	8.9	14.7	13.6	---
11	6.6	---	7.1	---	7.6	3.8	---	8.7	8.3	15.3	13.3	---
12	6.6	---	6.6	---	7.7	4.2	5.0	7.0	8.7	---	13.0	---
13	5.9	---	7.0	---	7.3	3.7	4.9	8.9	9.1	---	12.8	---
14	5.4	---	6.8	---	6.7	3.7	5.1	---	8.9	15.1	13.0	---
15	5.4	---	5.9	---	6.7	6.0	3.7	7.5	9.1	16.5	---	---
16	5.1	---	4.8	---	9.1	11.2	2.7	---	9.6	14.6	13.6	---
17	---	---	4.8	---	7.2	19.7	3.1	---	10.3	---	13.9	---
18	5.4	---	5.8	---	7.6	16.2	3.4	---	10.3	---	14.0	---
19	6.3	---	6.9	---	7.5	13.2	---	---	10.1	---	13.8	---
20	7.7	---	6.4	---	7.1	10.6	4.2	---	9.8	---	13.2	---
21	8.2	---	5.6	---	8.1	10.1	---	---	9.6	---	12.2	---
22	8.6	---	5.4	---	7.7	9.0	---	---	9.6	---	11.8	---
23	8.0	---	6.6	7.2	8.3	8.4	---	---	12.0	---	11.8	---
24	10.4	---	5.7	6.8	8.4	7.4	3.4	---	11.5	---	11.2	---
25	9.7	---	3.2	8.1	5.5	9.4	3.2	---	10.9	---	10.4	---
26	---	---	3.7	9.8	6.9	9.7	3.3	7.7	11.4	---	9.8	---
27	---	---	2.8	9.5	7.1	9.6	2.8	8.6	11.5	---	9.3	---
28	---	---	3.1	9.0	5.5	---	3.2	8.5	11.4	---	8.9	---
29	---	---	---	8.4	---	9.6	4.4	8.5	11.7	---	9.1	---
30	---	---	---	9.1	---	8.5	5.5	7.6	12.4	---	9.8	---
31	---	---	3.6	9.4	---	---	---	7.6	---	---	11.4	---




Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10,
Adams Creek at Light 4, June 1989 to September 1990--Continued

(Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County, U.S. Geological Survey
downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than)

SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR JUNE TO SEPTEMBER 1989.--Maximum value recorded, 31.5 ppt June 9, 1989; minimum value recorded, 6.4
ppt September 11, 1989.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), JUNE TO SEPTEMBER 1989

DAY	JUNE	JULY	AUG	SEPT
1	8.9	12.1	---	10.2
2	8.6	12.4	---	8.9
3	8.4	12.6	---	8.3
4	10.4	12.7	---	9.4
5	11.1	13.0	---	9.9
6	15.2	13.6	---	9.8
7	13.3	12.8	---	9.6
8	13.0	---	---	9.7
9	19.9	---	---	9.6
10	14.8	---	---	9.2
11	10.2	---	---	8.5
12	11.2	---	---	8.6
13	13.0	---	---	9.2
14	12.9	---	---	9.2
15	13.4	---	---	8.9
16	---	---	---	9.3
17	14.6	---	---	9.6
18	12.6	---	---	9.8
19	11.7	---	---	10.2
20	11.7	---	---	10.4
21	12.4	---	---	10.9
22	12.1	---	---	11.0
23	10.1	---	9.5	10.8
24	9.4	---	9.4	10.8
25	10.1	---	9.2	11.8
26	9.8	---	9.8	10.6
27	9.6	---	10.0	10.4
28	10.3	---	10.1	11.2
29	9.7	---	10.0	11.0
30	11.8	---	10.0	10.2
31	---	---	9.9	---




Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10,
Adams Creek at Light 4, June 1989 to September 1990--Continued

[Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County, U.S. Geological Survey
downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR BOTTOM

SENSOR POSITION,--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 29.5 ppt June 24, 1990; minimum value
recorded, 4.5 ppt December 17, 1989, March 10, 11, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	10.1	---	8.1	6.9	8.6	10.0	---	---	6.7	16.1	---	11.9
2	9.9	---	7.5	---	8.8	9.7	---	---	6.1	---	---	---
3	9.1	---	5.9	---	8.3	8.6	---	---	6.4	---	---	---
4	8.7	---	7.5	---	8.3	6.8	---	---	7.5	---	---	---
5	8.1	---	18.9	---	7.9	6.7	---	---	9.1	---	---	12.1
6	7.8	---	21.7	---	8.1	6.4	---	---	10.1	---	---	---
7	7.2	---	14.6	---	7.9	6.1	---	---	9.5	---	---	---
8	8.0	---	9.7	---	7.4	6.9	---	---	8.7	---	---	---
9	8.1	---	10.1	---	7.6	6.3	---	---	9.4	---	---	---
10	8.1	---	10.0	---	8.4	5.2	---	---	15.8	---	---	---
11	8.0	---	8.4	---	9.7	5.0	---	---	13.0	---	---	---
12	8.0	---	7.3	---	8.9	---	---	---	9.6	---	---	---
13	7.6	---	7.2	---	8.4	---	---	---	9.1	---	---	---
14	7.1	---	7.3	---	8.5	---	---	---	9.0	---	---	---
15	7.2	---	6.5	---	7.9	---	---	---	9.2	---	---	---
16	7.0	---	5.2	---	10.6	---	---	---	10.0	---	---	---
17	---	---	4.7	---	17.3	---	---	---	9.7	---	---	---
18	8.5	---	5.4	---	10.5	---	---	---	9.4	---	---	---
19	10.9	---	6.1	---	8.2	---	---	---	11.2	---	---	---
20	12.2	---	6.0	---	7.1	---	---	---	13.4	---	---	---
21	13.0	---	5.9	---	8.2	---	---	---	11.9	---	---	---
22	14.0	---	5.4	---	8.1	---	---	---	12.2	---	---	---
23	10.1	---	5.3	7.1	8.4	---	---	---	15.6	---	---	---
24	11.4	---	5.6	7.2	12.7	---	---	---	22.0	---	---	---
25	10.3	---	6.7	7.5	14.0	---	---	---	14.6	---	---	---
26	---	---	6.8	11.1	12.2	---	---	---	6.9	13.3	---	---
27	---	---	7.2	11.1	11.5	---	---	---	11.7	13.1	---	---
28	---	---	6.5	8.9	10.7	---	---	---	10.7	12.6	---	---
29	---	---	6.7	8.4	---	---	---	---	9.4	12.8	---	---
30	---	---	6.8	8.5	---	---	---	---	7.9	14.4	---	---
31	---	---	7.6	8.5	---	---	---	---	7.0	---	---	---




Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10, Adams Creek at Light 4, June 1989 to September 1990--Continued

[Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County; U.S. Geological Survey downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR JUNE TO SEPTEMBER 1989.--Maximum value recorded, 30.7 °C August 24, September 1, 1989; minimum value recorded, 19.8 °C September 28, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), JUNE TO SEPTEMBER 1989

DAY	JUNE	JULY	AUG	SEPT
1	---	26.7	---	28.5
2	---	27.0	---	28.8
3	---	27.1	---	27.9
4	---	27.1	---	26.0
5	---	27.5	---	25.8
6	---	27.2	---	26.0
7	---	27.4	---	25.7
8	---	---	---	25.8
9	---	---	---	26.1
10	---	---	---	26.3
11	---	---	---	27.2
12	---	---	---	27.7
13	---	---	---	27.5
14	---	---	---	27.2
15	28.1	---	---	27.1
16	28.3	---	---	27.4
17	26.9	---	---	27.1
18	26.8	---	---	26.2
19	27.7	---	---	25.3
20	28.0	---	---	25.5
21	28.3	---	---	26.2
22	27.7	---	---	26.5
23	27.7	---	29.3	26.4
24	27.8	---	29.4	23.8
25	27.6	---	28.7	21.9
26	28.3	---	27.8	23.0
27	28.8	---	27.7	22.5
28	29.2	---	27.9	20.9
29	28.7	---	28.4	21.6
30	27.0	---	28.6	22.2
31	---	---	28.2	---




Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10,
Adams Creek at Light 4, June 1989 to September 1990--Continued

[Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County; U.S. Geological Survey
downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 32.8 °C August 19, 29, 1990; minimum value
recorded, 0.1 °C December 24, 1989.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	21.9	---	10.5	4.8	11.7	10.2	---	22.5	25.0	29.3	---	29.5
2	22.3	---	10.5	---	13.1	10.3	15.8	23.0	25.0	28.9	30.2	29.5
3	23.1	---	9.1	---	14.2	11.4	---	22.3	25.8	28.7	29.4	29.8
4	23.4	---	6.6	---	15.6	11.6	14.7	23.1	26.3	28.7	29.1	28.5
5	22.3	---	7.1	---	14.1	11.2	15.3	24.2	25.6	29.0	29.0	27.8
6	22.4	---	8.1	---	13.2	11.7	---	22.3	25.4	29.1	28.8	28.3
7	23.1	---	8.9	---	13.5	11.5	16.3	21.9	26.4	29.2	28.6	---
8	21.7	---	8.5	---	13.5	10.6	15.8	22.1	28.0	29.3	28.0	---
9	19.7	---	7.9	---	13.6	11.2	---	22.6	28.7	29.8	27.7	---
10	19.2	---	7.3	---	15.2	12.6	16.3	22.6	28.6	30.2	27.6	---
11	19.4	---	7.0	---	14.1	13.7	---	21.4	27.7	30.3	28.1	---
12	19.9	---	6.8	---	13.0	15.2	16.6	21.5	25.8	30.1	28.7	---
13	20.5	---	6.5	---	12.8	16.4	16.8	22.2	25.0	29.6	29.1	---
14	20.9	---	6.3	---	13.2	17.6	16.8	---	25.3	29.9	29.2	---
15	21.4	---	6.2	---	14.1	17.7	17.5	22.7	25.6	29.5	---	---
16	21.8	---	5.9	---	15.9	16.6	18.6	---	25.6	28.8	31.0	---
17	---	---	4.8	---	16.1	19.0	19.5	---	26.2	---	30.8	---
18	22.9	---	4.1	---	14.0	17.3	18.0	---	26.7	---	30.9	---
19	23.2	---	3.8	---	13.8	16.7	---	---	27.4	---	31.2	---
20	21.8	---	4.1	---	13.3	15.6	17.4	---	27.6	---	31.4	---
21	17.9	---	3.9	---	11.7	12.8	---	---	28.5	---	30.8	---
22	17.0	---	3.2	---	12.9	13.7	---	---	29.4	---	30.6	---
23	16.9	---	1.4	10.9	14.2	14.8	---	---	29.5	---	30.9	---
24	17.2	---	.3	11.2	14.1	15.4	20.7	---	28.8	---	30.4	---
25	17.3	---	.4	12.4	11.4	14.7	21.5	---	28.6	---	30.1	---
26	---	---	.7	12.6	9.7	14.0	22.2	24.7	28.2	---	30.3	---
27	---	---	.9	10.2	9.7	13.7	23.3	24.9	28.0	---	30.9	---
28	---	---	1.1	9.9	10.0	---	23.8	23.9	28.1	---	31.5	---
29	---	---	1.5	10.5	---	13.7	23.4	24.5	28.8	---	32.0	---
30	---	---	2.0	11.3	---	14.2	22.3	24.4	29.2	---	31.3	---
31	---	---	2.8	11.2	---	---	---	24.5	---	---	29.6	---




Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10, Adams Creek at Light 4, June 1989 to September 1990--Continued

[Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County; U.S. Geological Survey downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR JUNE TO SEPTEMBER 1989.--Maximum value recorded, 12.6 mg/L September 29, 1989; minimum value recorded, 2.6 mg/L June 26, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), JUNE TO SEPTEMBER 1989

DAY	JUNE	JULY	AUG	SEPT
1	7.2	7.4	---	9.0
2	7.8	6.8b	---	8.9
3	7.7	6.0b	---	7.9
4	7.3	5.9b	---	8.2
5	7.7	6.0b	---	8.3
6	8.2	6.6b	---	8.0
7	8.0	7.9	---	8.3
8	8.2	---	---	8.1
9	8.2	---	---	8.3
10	8.9	---	---	8.7
11	8.8	---	---	8.6
12	7.7	---	---	8.2
13	7.6	---	---	7.4
14	7.9	---	---	6.6b
15	7.4	---	---	7.2
16	6.7	---	---	7.3
17	6.4b	---	---	5.7b
18	7.0b	---	---	6.1b
19	7.3	---	---	6.1
20	6.8b	---	---	6.9
21	6.7b	---	---	7.9
22	5.4b	---	---	8.0
23	6.2b	---	6.9	7.4
24	6.4b	---	6.8	8.5
25	6.1b	---	6.9	8.7
26	5.7b	---	8.0	8.7
27	5.8b	---	8.1	9.0
28	5.6b	---	7.8	9.6
29	6.7b	---	7.8	10.0
30	7.3	---	7.8	9.8
31	---	---	8.5	---




Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10,
Adams Creek at Light 4, June 1989 to September 1990--Continued

[Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County; U.S. Geological Survey
downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--6 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 19.9 mg/L January 28, 1990; minimum value
recorded, 3.1 mg/L July 3, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	8.3	---	---	---	12.0	11.5	---	7.6	---	8.6	---	---
2	7.6	---	---	---	12.0	11.7	8.6	7.4	---	7.3	7.3	---
3	9.0	---	---	---	12.1	12.2	---	6.9	---	5.3b	6.9	---
4	9.5	---	---	---	10.5	11.6	8.5	6.5	---	5.1b	8.1	---
5	9.8	---	---	---	10.2	11.3	8.4	7.0	---	5.7b	7.4	---
6	9.6	---	---	---	10.7	12.0	---	7.7	---	6.2b	7.0	---
7	9.5	---	---	---	11.8	10.8	8.3	8.5	---	6.2b	7.2	---
8	7.8	---	---	---	12.0	11.2	8.8	8.6	---	5.7b	8.2	---
9	8.3	---	---	---	11.0	11.7	---	8.3	---	6.0b	8.4	---
10	8.7	---	---	---	9.3	12.0	---	7.5	---	6.3b	8.8	---
11	8.7	---	---	---	10.2	12.4	---	8.6	---	6.0b	9.3	---
12	8.6	---	---	---	11.1	11.2	8.0	8.8	---	5.2b	9.2	---
13	9.3	---	---	---	11.6	10.8	7.8	7.7	---	4.6b	8.4	---
14	9.3	---	---	---	12.2	10.8	6.7	---	---	4.5b	7.0	---
15	9.0	---	9.6	---	11.7	9.5	7.0b	7.1	10.4	4.1b	---	---
16	9.0	---	9.1	---	9.7	7.3	7.5b	---	8.6	6.2b	7.7	---
17	---	---	8.9	---	10.8	6.6	6.4b	---	8.3	---	6.8	---
18	9.1	---	---	---	10.3	8.4	7.4	---	7.4	---	7.6b	---
19	8.4	---	---	---	10.6	8.9	---	---	8.0	---	7.2b	---
20	7.8	---	---	---	10.4	8.9	---	---	8.1	---	6.9b	---
21	8.9	---	12.4	---	10.5	9.3	---	---	7.9	---	---	---
22	9.4	---	12.4	---	10.1	9.5	---	---	7.6	---	---	---
23	9.5	---	---	11.6	9.1	9.6	---	---	7.0	---	---	---
24	8.8	---	---	11.9	9.0	10.1	---	---	7.1	---	---	---
25	9.0	---	---	10.7	10.5	8.5	---	---	6.3b	---	---	---
26	---	---	---	9.1	11.1	8.0	9.5	---	5.6b	---	---	---
27	---	---	---	11.3	11.3	7.9	9.2	---	5.4b	---	---	---
28	---	---	---	14.6	11.6	---	8.6	---	5.9b	---	---	---
29	---	---	---	14.0	---	8.0	7.5	---	5.5b	---	---	---
30	---	---	---	11.6	---	8.3	7.4	---	6.7b	---	---	---
31	---	---	10.5	11.5	---	---	---	---	---	---	---	---




Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10,
Adams Creek at Light 4, June 1989 to September 1990--Continued

[Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County; U.S. Geological Survey
downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]


DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--4 feet above streambed.

EXTREMES FOR JUNE TO SEPTEMBER 1989.--Maximum value recorded, 11.5 mg/L September 29, 1989; minimum value
recorded, <1.0 mg/L June 25, July 2-5, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), JUNE TO SEPTEMBER 1989

DAY	JUNE	JULY	AUG	SEPT
1	7.4	4.8b	---	6.7b
2	7.9	3.7a	---	7.1b
3	7.5	2.8a	---	6.7
4	7.0	3.2a	---	6.9
5	7.2	2.7a	---	6.9
6	7.5	3.4a	---	7.0
7	6.8	5.3b	---	7.5
8	6.6	---	---	7.7
9	5.8	---	---	7.9
10	6.2	---	---	7.8
11	5.5b	---	---	7.8
12	4.2b	---	---	7.5
13	4.2b	---	---	6.1b
14	6.2b	---	---	6.0b
15	6.8	---	---	6.3
16	6.2b	---	---	6.1b
17	6.0b	---	---	5.8b
18	6.2b	---	---	6.5b
19	6.5b	---	---	6.4
20	5.7b	---	---	6.8
21	5.5a	---	---	7.6
22	4.3a	---	---	7.6
23	---	---	5.7b	7.3
24	5.3a	---	5.9b	8.2
25	4.7a	---	6.3b	8.4
26	---	---	6.2b	8.4
27	4.1b	---	5.8b	8.8
28	3.7a	---	5.8b	9.3
29	5.2a	---	5.7b	9.4
30	5.2b	---	5.7b	9.3
31	---	---	6.7	---



DAILY MEAN DISSOLVED OXYGEN, ADAMS CREEK AT LIGHT 4

Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10,
Adams Creek at Light 4, June 1989 to September 1990--Continued

[Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County, U.S. Geological Survey
downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--4 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 19.4 mg/L January 28, 1990; minimum
recorded, <1.0 mg/L May 2, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	8.3	---	9.9	14.3	12.7	---	---	5.7b	7.3b	4.8b	---	---
2	7.7	---	10.1	---	12.6	---	---	5.8a	6.9b	6.3b	6.7	---
3	8.6	---	9.9	---	12.1	---	---	5.9b	6.8b	7.3b	6.8	---
4	9.5	---	10.3	---	10.6	---	---	5.8b	6.6b	7.0	7.8	---
5	9.3	---	10.4a	---	10.1	---	---	7.2	7.9	7.0	7.1	---
6	9.0	---	10.8	---	10.6	---	---	8.7	7.1b	7.0b	6.6	---
7	8.7	---	---	---	11.7	---	---	10.9	6.8b	7.3b	6.6	---
8	8.1	---	---	---	12.0	---	---	12.1	7.8	6.4b	7.4b	---
9	9.0	---	---	---	11.2	---	---	12.4	6.7b	6.5b	7.5	---
10	9.3	---	11.1	---	9.7	---	---	11.2	6.5b	6.4b	7.6	---
11	9.4	---	11.7	---	10.5	---	---	10.7	7.3	5.7b	8.0	---
12	9.3	---	10.6	---	11.2	---	---	10.6	7.8	4.9b	8.1	---
13	9.5	---	11.3	---	---	8.1	---	7.5b	7.5	5.1b	7.6	---
14	9.4	---	12.1	---	---	6.5	---	---	7.6	4.8b	6.8	---
15	9.3	---	11.9	---	---	6.0b	---	7.2b	6.8b	4.5b	---	---
16	8.6	---	11.8	---	---	5.5b	---	---	7.2b	5.8b	---	---
17	---	---	12.1	---	---	5.7b	---	---	7.5	---	---	---
18	8.4	---	12.4	---	---	5.9	---	---	6.8	---	---	---
19	7.0b	---	12.8	---	---	6.0	---	---	7.4	---	---	---
20	7.1	---	12.9	---	---	6.1	---	---	7.4	---	---	---
21	8.2	---	13.0	---	---	6.2	---	---	7.0	---	---	---
22	8.9	---	13.5	---	---	6.6	---	---	7.1	---	---	---
23	9.2	---	14.1	12.0	---	7.3	---	---	6.5b	---	---	---
24	8.8	---	14.6	12.5	---	8.0	---	---	7.2b	---	---	---
25	8.9	---	14.6	11.2	---	8.3	---	---	6.8b	---	---	---
26	---	---	14.8	9.1	---	8.2	7.5	6.9b	---	---	---	---
27	---	---	14.7	11.6	---	7.6b	7.3b	7.0b	---	---	---	---
28	---	---	14.7	14.6	---	6.7b	7.1	7.5b	---	---	---	---
29	---	---	---	14.7	---	5.7b	7.0b	5.6b	---	---	---	---
30	---	---	---	11.8	---	5.5b	7.4	4.1b	---	---	---	---
31	---	---	14.5	12.0	---	7.9	---	---	---	---	---	---




Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10,
Adams Creek at Light 4, June 1989 to September 1990--Continued

[Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County; U.S. Geological Survey
downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, NEAR BOTTOM.

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR JUNE TO SEPTEMBER 1989.--Maximum value recorded, 14.2 mg/L June 10, 1989; minimum value recorded,
<1.0 mg/L June 26, July 3-5, 1989.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), JUNE TO SEPTEMBER 1989

DAY	JUNE	JULY	AUG	SEPT
1	---	4.1b	---	5.0b
2	---	3.2a	---	6.0b
3	---	2.6b	---	5.8b
4	---	2.6b	---	5.7
5	---	2.6b	---	5.5b
6	---	3.2b	---	5.8b
7	9.0	4.6a	---	6.3
8	9.2	---	---	6.6
9	9.9	---	---	6.6
10	11.1	---	---	6.4
11	12.3	---	---	6.1b
12	11.1	---	---	5.4b
13	10.5	---	---	4.7b
14	8.2	---	---	5.2b
15	6.3b	---	---	5.7b
16	5.6b	---	---	5.4b
17	5.4b	---	---	5.4b
18	5.9b	---	---	6.3b
19	6.2b	---	---	6.4
20	5.4b	---	---	6.6b
21	5.3b	---	---	7.7
22	3.9b	---	---	7.6
23	4.3a	---	4.9a	7.3
24	4.5a	---	5.9b	8.1
25	3.8a	---	5.8b	8.3
26	3.5a	---	5.7b	8.1
27	3.2a	---	5.3b	8.7
28	3.0a	---	5.3b	9.2
29	4.1a	---	5.0b	9.2
30	4.2b	---	5.0b	9.1
31	---	---	5.5b	---




Table 12.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 10,
Adams Creek at Light 4, June 1989 to September 1990--Continued

[Site 10 is at latitude 34°57'24", longitude 76°40'54", Craven County, U.S. Geological Survey
downstream order number 0209266925; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR OCTOBER 1989 TO SEPTEMBER 1990.--Maximum value recorded, 18.6 mg/L January 28, 1990; minimum value
recorded, 1.1 mg/L May 2, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), OCTOBER 1989 TO SEPTEMBER 1990

DAY	OCT	NOV	DEC	JAN	FEB	MAR	APR	MAY	JUNE	JULY	AUG	SEPT
1	8.3	---	---	14.4	12.9	10.6	---	5.3b	6.2b	5.1b	---	---
2	7.7	---	---	---	12.9	10.5	---	5.0a	5.7b	7.0b	5.5b	---
3	8.4	---	---	---	12.3	11.2	---	5.5b	5.4b	7.1b	5.9b	---
4	9.3	---	---	---	11.1	10.4	---	5.3b	5.8b	7.4	6.5	---
5	8.9	---	---	---	10.6	10.3	---	5.8b	7.0b	6.4b	5.5b	---
6	8.7	---	---	---	10.9	10.9	---	5.8b	5.6b	6.2b	---	---
7	8.1	---	---	---	12.1	10.8	---	6.4b	5.8b	7.8b	---	---
8	7.9	---	---	---	12.1	10.7	---	6.6b	6.4b	7.1b	---	---
9	8.8	---	---	---	11.2	10.9	---	6.4b	5.9b	7.6	---	---
10	9.2	---	---	---	9.6	11.1	---	6.3b	4.7b	6.2b	---	---
11	9.2	---	---	---	10.2	11.0	---	6.1b	6.5b	5.3b	---	---
12	9.2	---	---	---	11.0	10.2	---	6.6b	7.5	4.0b	---	---
13	8.9	---	---	---	11.1	9.6	---	5.8b	7.5	3.3b	---	---
14	8.9	---	---	---	11.0	8.2	---	---	7.3	3.2b	---	---
15	8.8	---	11.9	---	10.9	7.3b	---	8.4	6.2b	3.3b	---	---
16	8.4	---	12.0	---	9.2	6.4b	---	---	6.4b	3.7b	5.7b	---
17	---	---	12.3	---	8.6b	6.6b	---	---	7.3b	---	5.9b	---
18	7.4	---	12.7	---	9.7	6.9b	---	---	6.8	---	6.0b	---
19	6.0b	---	13.0	---	9.3	7.8b	---	---	6.9b	---	6.0b	---
20	6.5b	---	13.1	---	10.1	8.5b	---	---	6.5b	---	5.5b	---
21	8.0	---	13.2	---	10.1	9.0	---	---	6.3b	---	4.9b	---
22	8.5	---	13.8	---	9.8	8.6	---	---	6.0b	---	---	---
23	8.9	---	14.4	12.1	8.8	8.6	---	---	5.1b	---	---	---
24	8.7	---	14.9	12.6	7.8	10.0b	---	---	4.1b	---	---	---
25	8.8	---	14.6	11.3	9.0	8.7	---	---	3.9b	---	---	---
26	---	---	15.0	9.2	10.4	---	7.1b	6.4b	2.9b	---	---	---
27	---	---	14.7	11.7	10.4	---	6.6b	5.6b	2.8b	---	---	---
28	---	---	14.7	14.3	10.1	---	6.0b	5.7b	4.2b	---	---	---
29	---	---	---	14.8	---	---	5.3b	5.6b	3.8b	---	---	---
30	---	---	---	12.0	---	---	5.2b	6.0b	3.3b	---	---	---
31	---	---	14.4	12.2	---	---	---	6.2b	---	---	---	---




Table 13.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site II,
Neuse River at Junction Light, May to September 1990

[Site II is at latitude 35°08'42", longitude 76°30'06", Pamlico County; U.S. Geological Survey
downstream order number 0209269000; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1990.--Maximum value recorded, 17.0 ppt September 21, 1990; minimum value recorded,
10.6 ppt July 28, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR SURFACE (IN PARTS PER THOUSAND), MAY TO SEPTEMBER 1990

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	---	12.2	15.8	---
2	---	---	13.6	15.5	---
3	---	---	14.6	14.7	---
4	---	---	14.5	14.3	---
5	---	---	14.0	14.7	---
6	---	---	14.1	15.1	---
7	---	---	13.8	14.1	---
8	---	---	12.9	13.5	---
9	---	---	13.1	13.7	---
10	---	---	12.7	13.2	---
11	---	---	12.7	12.7	---
12	---	---	12.5	13.5	16.4
13	---	---	12.1	14.2	16.1
14	---	---	12.2	14.5	15.7
15	---	---	---	---	16.0
16	---	12.8	11.4	---	15.6
17	---	12.7	11.7	---	15.7
18	---	13.2	11.9	---	14.5
19	---	13.4	12.1	---	14.7
20	---	14.4	12.3	---	15.7
21	---	14.9	13.4	---	15.8
22	---	15.4	13.6	---	14.2
23	---	15.4	13.9	---	12.8
24	---	14.8	14.5	---	11.7
25	---	14.0	---	---	12.2
26	---	12.5	13.3	---	12.0
27	---	11.4	12.1	---	12.1
28	---	11.5	11.8	---	12.2
29	12.1	11.8	12.7	---	11.9
30	---	12.1	14.4	---	11.3
31	12.9	---	14.9	---	---




Table 13.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 11,
Neuse River at Junction Light, May to September 1990--Continued

[Site 11 is at latitude 35°08'42", longitude 76°30'06", Pamlico County, U.S. Geological Survey
downstream order number 0209269000; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

SALINITY, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1990.--Maximum value recorded, 20.7 ppt June 29, 1990; minimum value recorded, 10.7
.ppt May 17, 1990.

DAILY MEAN VALUES OF SALINITY, NEAR BOTTOM (IN PARTS PER THOUSAND), MAY TO SEPTEMBER 1990

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	---	14.1	---	---
2	---	---	14.7	---	---
3	---	---	14.5	---	---
4	---	---	14.4	---	---
5	---	---	14.3	---	---
6	---	---	14.7	---	---
7	---	---	14.4	---	---
8	---	---	13.9	---	---
9	---	---	13.9	---	---
10	---	---	13.5	---	---
11	---	---	13.7	---	---
12	---	---	12.9	---	17.6
13	---	---	13.1	---	17.4
14	---	---	12.9	---	17.1
15	---	---	---	---	17.0
16	11.4	12.8	12.4	---	17.0
17	11.4	13.1	13.3	---	17.3
18	12.5	13.2	12.8	---	16.8
19	13.8	13.7	13.2	---	16.8
20	13.6	14.7	14.1	---	16.8
21	13.1	15.8	15.8	---	17.0
22	13.2	16.1	14.8	---	16.8
23	13.0	15.2	14.7	---	16.9
24	12.7	15.1	14.8	---	17.3
25	---	15.9	---	---	17.8
26	---	16.6	14.6	---	17.6
27	12.6	16.9	14.3	---	17.3
28	13.2	16.2	14.2	---	17.4
29	13.1	15.5	14.4	---	17.0
30	---	14.0	15.0	---	16.8
31	13.9	---	---	---	---




Table 13.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 11,
Neuse River at Junction Light, May to September 1990--Continued

[Site 11 is at latitude 35°08'42", longitude 76°30'06", Pamlico County; U.S. Geological Survey
downstream order number 0209269000; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

WATER TEMPERATURE, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1990.--Maximum value recorded, 29.5 °C June 28, 1990; minimum value recorded, 19.8 °C May 24, 1990.

DAILY MEAN VALUES OF WATER TEMPERATURE, NEAR SURFACE (IN DEGREES CELSIUS), MAY TO SEPTEMBER 1990

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	22.1	---	28.1	---
2	---	22.8	---	28.1	---
3	---	23.0	---	27.9	---
4	---	23.6	---	27.9	---
5	---	23.1	---	27.9	---
6	---	23.2	---	---	---
7	---	23.9	---	---	---
8	---	---	---	---	---
9	---	---	---	---	---
10	---	25.2	---	---	---
11	---	---	---	---	---
12	---	23.9	---	---	27.0
13	---	23.3	---	---	27.0
14	---	23.4	---	---	26.8
15	---	---	---	---	26.7
16	22.8	24.4	---	---	26.6
17	23.0	24.8	---	---	25.8
18	22.9	25.6	---	---	24.
19	22.6	26.1	---	---	23.8
20	22.7	26.5	---	---	23.8
21	23.1	27.0	---	---	23.6
22	22.6	27.5	---	---	23.5
23	21.0	27.1	---	---	23.6
24	20.8	27.3	---	---	22.8
25	---	27.7	---	---	22.4
26	---	27.4	---	---	22.6
27	21.8	27.6	---	---	22.6
28	21.5	28.2	---	---	22.7
29	21.7	---	---	---	22.8
30	---	---	---	---	22.9
31	21.7	---	---	---	---




Table 13.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 11,
Neuse River at Junction Light, May to September 1990--Continued

[Site 11 is at latitude 35°08'42", longitude 76°30'06", Pamlico County; U.S. Geological Survey
downstream order number 0209269000; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, NEAR SURFACE

SENSOR POSITION.--12 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1990.--Maximum value recorded, 11.2 mg/L July 19, 1990; minimum value recorded, 3.0 mg/L July 12, 13, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR SURFACE (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1990

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	6.8	---	6.7	---
2	---	6.7	---	6.4	---
3	---	6.4	---	6.0b	---
4	---	6.2	---	5.6b	---
5	---	6.6	---	5.6b	---
6	---	---	5.0b	5.4	---
7	---	---	4.3b	4.7	---
8	---	---	3.9b	4.4	---
9	---	---	4.0b	4.5	---
10	---	---	4.1b	4.7	---
11	---	---	4.0b	---	---
12	---	---	3.6b	---	---
13	---	---	3.5b	---	---
14	---	---	---	---	---
15	---	---	---	---	---
16	---	7.9	---	---	---
17	---	7.9	---	---	---
18	---	8.0	---	---	---
19	---	7.4	9.4	---	---
20	---	7.7	9.4	---	---
21	---	7.5	8.5	---	---
22	---	6.9	8.7	---	---
23	---	5.8	8.3	---	---
24	---	5.2b	7.4	---	---
25	---	---	---	---	---
26	---	---	6.3	---	---
27	6.4	---	6.0	---	---
28	6.0	---	6.2	---	---
29	6.3	---	7.2	---	---
30	---	---	8.0	---	---
31	6.7	---	7.7	---	---




Table 13.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 11,
Neuse River at Junction Light, May to September 1990--Continued

[Site 11 is at latitude 35°08'42", longitude 76°30'06", Pamlico County; U.S. Geological Survey
downstream order number 0209269000; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L but greater than 2.0 mg/L; <, less than]

DISSOLVED OXYGEN, MID-DEPTH

SENSOR POSITION.--8 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1990.--Maximum value recorded, 11.3 mg/L July 23, 1990; minimum value recorded, 4.2
mg/L June 5, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, MID-DEPTH (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1990

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	7.1	---	6.4	---
2	---	7.0	---	6.4	---
3	---	6.7	---	6.0b	---
4	---	6.1	---	6.1b	---
5	---	5.2b	---	6.4b	---
6	---	---	7.5	6.3	---
7	---	---	7.5	---	---
8	---	---	7.5	---	---
9	---	---	8.1	---	---
10	---	---	8.1	---	---
11	---	---	8.1	---	---
12	---	---	7.5	---	6.3
13	---	---	7.4	---	6.4
14	---	---	7.5	---	5.6b
15	---	---	---	---	5.8
16	8.0	7.6	8.0	---	6.0
17	7.4	7.5	8.5	---	6.1
18	7.5	7.8	9.3	---	6.0
19	7.7	7.1	9.6	---	6.1
20	7.5	7.7	9.7	---	5.5
21	7.1	7.5	9.0	---	5.6
22	6.8	7.0	9.1	---	5.5
23	7.3	6.0	9.5	---	5.3b
24	7.9	6.1	9.3	---	5.8
25	---	7.0	---	---	6.2
26	---	6.1	8.5	---	6.1
27	6.9	5.5b	8.3	---	5.9
28	6.5	6.2	8.4	---	5.9
29	6.6	---	8.6	---	5.8
30	---	---	9.0	---	5.3b
31	6.7b	---	7.5	---	---




Table 13.--Daily mean values of salinity, water temperature, and dissolved oxygen in water at site 11,
Neuse River at Junction Light, May to September 1990--Continued

[Site 11 is at latitude 35°08'42", longitude 76°30'06", Pamlico County, U.S. Geological Survey
downstream order number 0209269000; ppt, parts per thousand; ---, no data; °C, degrees
Celsius; mg/L, milligrams per liter; a, daily minimum value is less than or equal to 2.0 mg/L; b, daily
minimum value is less than or equal to 5.0 mg/L; <, less than]


DISSOLVED OXYGEN, NEAR BOTTOM

SENSOR POSITION.--2 feet above streambed.

EXTREMES FOR MAY TO SEPTEMBER 1990.--Maximum value recorded, 14.8 mg/L June 16, 1990; minimum value recorded,
<1.0 mg/L May 20, July 21, 27, 1990.

DAILY MEAN VALUES OF DISSOLVED OXYGEN, NEAR BOTTOM (IN MILLIGRAMS PER LITER), MAY TO SEPTEMBER 1990

DAY	MAY	JUNE	JULY	AUG	SEPT
1	---	---	---	6.5b	---
2	---	---	---	8.0b	---
3	---	---	---	6.0b	---
4	---	---	---	5.3b	---
5	---	---	---	5.4a	---
6	---	---	6.3b	5.7	---
7	---	---	6.7b	5.2b	---
8	---	---	6.2	6.9b	---
9	---	---	6.6	7.5b	---
10	---	---	7.2	5.9b	---
11	---	---	6.8b	---	---
12	---	---	7.7	---	6.0
13	---	---	7.5	---	5.7
14	---	---	7.5	---	4.6a
15	---	---	---	---	4.8b
16	5.4b	8.2	8.1	---	4.5b
17	5.7b	7.6	8.2	---	5.1b
18	5.0b	5.9b	7.8b	---	5.2b
19	5.7a	6.0b	8.7b	---	5.0b
20	5.1b	6.4b	8.7b	---	4.8b
21	5.3b	5.0b	6.0b	---	4.8b
22	5.2b	4.1b	8.4a	---	4.3b
23	5.3	4.9b	9.2b	---	4.1b
24	4.9b	5.0b	10.8	---	4.5b
25	---	5.4b	---	---	4.5b
26	---	---	7.9	---	4.4b
27	5.3b	---	5.0b	---	3.7a
28	4.8b	---	6.3b	---	4.4b
29	4.0b	---	6.1b	---	4.6b
30	---	---	5.6a	---	3.9b
31	3.1a	---	6.1b	---	---



REFERENCES

Bales, J.D., 1990, Data-collection program for Pamlico River estuary model calibration and validation in Spaulding, M.L., ed., Estuarine and Coastal Modeling: New York, American Society of Civil Engineers, p. 492-501.

Bellis, V., O'Connor, M.P., and Riggs, S.R., 1975, Estuarine shoreline erosion in the Albemarle-Pamlico region of North Carolina: Raleigh, University of North Carolina Sea Grant College Program, North Carolina State University, Report No. UNG-SG-75-29, 67 p.

Campbell Scientific, Inc., 1988, CR10 measurement and control module operator's manual: Logan, Utah.

_____, 1987, SM192/SM176 storage module preliminary instruction manual: Logan, Utah.

Copeland, B.J., Hodson, R.G., Riggs, S.R., and Pendleton, E.C., 1984, The ecology of the Pamlico River, North Carolina--an estuarine profile: Washington, D.C., U.S. Fish and Wildlife Service, Report No. FWS/OBS-82/06, 83 p.

Ficken, J.H., and Scott, C.T., 1989, Operating manual for the U.S. Geological Survey minimonitor, 1988 edition, analog-voltage model: U.S. Geological Survey Open-File Report 89-403, 92 p.

Giese, G.L., Wilder, H.B., and Parker, G.G., 1985, Hydrology of major estuaries and sounds of North Carolina: U.S. Geological Survey Water-Supply Paper 2221, 108 p.

Gordon, A.B., and Katzenbach, M., 1983, Guidelines for use of water quality monitors: U.S. Geological Survey Open-File Report 83-681, 94 p.

Hardy, A.V., and Hardy, J.D., 1971, Weather and climate in North Carolina: Raleigh, Agricultural Experiment Station, North Carolina State University, Bulletin 396.

Harned, D.A., and Davenport, M.S., 1990, Water-quality trends and basin activities and characteristics for the Albemarle-Pamlico estuarine system, North Carolina and Virginia: U.S. Geological Survey Open-File Report 90-398, 164 p.

Holland, A.F., 1990, Near coastal program plan for 1990--estuaries: Narragansett, Rhode Island, Environmental Research Laboratory, U.S. Environmental Protection Agency, Report No. EPA/600/4-90/033.

Holman, R.E., 1988 (revised 1989), Albemarle-Pamlico estuarine study baseline water quality monitoring plan: Raleigh, North Carolina Department of Environment, Health, and Natural Resources, Project No. 88-01/02, 32 p.

Martin Marietta Environmental Systems, 1987a, Chesapeake Bay mainstem monitoring program statistical and analytical support contract--final report, volume I: Annapolis, Maryland, Chesapeake Bay Program, Report No. CBP/TRS 12/87, 49 p.

_____, 1987b, Chesapeake Bay mainstem monitoring program statistical and analytical support contract--final report, volume II: Annapolis, Maryland, Report No. CBP/TRS 13/87, 535 p.

Miller, R.L., Bradford, W.L., and Peters, N.E., 1988, Specific conductance--theoretical considerations and application to analytical quality control: U.S. Geological Survey Water-Supply Paper 2311, 16 p.

National Academy of Sciences, 1977, Environmental monitoring--a report to the U.S. Environmental Protection Agency: Washington, D.C., 181 p.

National Research Council, 1990, Managing troubled waters--the role of marine environmental monitoring: Washington, D.C., National Academy Press, Committee on a Systems Assessment of Marine Environmental Monitoring, Marine Board, Commission on Engineering and Technical Systems, 125 p.

Noga, E.J., and Stanley, D.W., 1989, Determining the relationship between water quality and ulcerative mycosis in Atlantic menhaden in Holman, R.E., ed., Project abstracts for the period 1989-1990: Raleigh, Albemarle-Pamlico Estuarine Study, North Carolina Department of Environment, Health, and Natural Resources, Project No. 89/08, p. 30.

Pearce, J.B., and Despres-Patanjo, L., 1988, A review of monitoring strategies and assessments of estuarine pollution: Aquatic Toxicology, v. 11, p. 323-343.

Wells, J.T., 1989, A scoping study of the distribution, composition, and dynamics of water-column and bottom sediments--Albemarle-Pamlico estuarine system: Raleigh, Albemarle-Pamlico Estuarine Study, North Carolina Department of Natural Resources and Community Development, Project No. 89-05, 39 p.

Wilder, H.B., Robison, T.M., and Lindskov, K.L., 1978, Water resources of northeast North Carolina: U.S. Geological Survey Water-Resources Investigations 77-81, 113 p.

